

# GOMOS Level 2 Daily Report

## SUMMARY

### [1. General Info](#)

### [2. Summary of processed GOM\\_NL\\_2P products](#)

### [3. Level 2 Quality information per product](#)

#### [3.1 Plot of level 2 quality information per product \(time dependant\)](#)

#### [3.2 Plot of level 2 quality information per product \(world map\)](#)

### [4. Level 1 Quality information per product \(stored on level 2 products\)](#)

#### [4.1 Plot of level 1 quality information per product \(time dependant\)](#)

##### [4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

##### [4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

#### [4.2 Plot of level 1 quality information per product \(world map\)](#)

##### [4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

##### [4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

### [5. Ozone profiles based on quality statistics and other trace gas profiles](#)

#### [5.1 Ozone statistics based on quality of products](#)

#### [5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

#### [5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

#### [5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

#### [5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

#### [5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

#### [5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

#### [5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

### [6. Auxiliary Data Files used for the production reported in section 2](#)






|     |  |                      |            |        |     |           |          |        |    |       |    |
|-----|--|----------------------|------------|--------|-----|-----------|----------|--------|----|-------|----|
| 102 | GOM_NL__2PRFIN20091006_224602_000000442083_00115_39748_1543.N1 | 06-OCT-2009 22:46:02 | Dark       | 44.000 | 88  | 31Eta CMa | 2.4480   | 20000. | 88 | 39748 | No |
| 103 | GOM_NL__2PRFIN20091006_225048_000000372083_00116_39749_1544.N1 | 06-OCT-2009 22:50:48 | Dark       | 36.500 | 161 | Tau Pup   | 2.9310   | 4500.0 | 73 | 39749 | No |
| 104 | GOM_NL__2PRFIN20091006_225212_000000372083_00116_39749_1545.N1 | 06-OCT-2009 22:52:12 | Dark       | 36.500 | 2   | Alp Car   | -0.73600 | 7000.0 | 73 | 39749 | No |
| 105 | GOM_NL__2PRFIN20091006_230429_000000382083_00116_39749_1546.N1 | 06-OCT-2009 23:04:29 | Straylight | 38.000 | 157 | The1Eri   | 2.9060   | 9300.0 | 76 | 39749 | No |
| 106 | GOM_NL__2PRFIN20091006_233144_000000392083_00116_39749_1547.N1 | 06-OCT-2009 23:31:44 | Bright     | 38.500 | 53  | 43Bet And | 2.0480   | 3300.0 | 77 | 39749 | No |
| 107 | GOM_NL__2PRFIN20091006_233652_000000342083_00116_39749_1548.N1 | 06-OCT-2009 23:36:52 | Bright     | 33.500 | 68  | 18Alp Cas | 2.2250   | 4500.0 | 67 | 39749 | No |
| 108 | GOM_NL__2PRFIN20091006_233818_000000332083_00116_39749_1549.N1 | 06-OCT-2009 23:38:18 | Bright     | 33.000 | 76  | 27Gam Cas | 2.3000   | 30000. | 66 | 39749 | No |
| 109 | GOM_NL__2PRFIN20091006_234126_000000432083_00116_39749_1550.N1 | 06-OCT-2009 23:41:26 | Bright     | 42.500 | 160 | 23Gam Per | 2.9300   | 4700.0 | 85 | 39749 | No |

### 3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

#### 3.1 Plot quality information per product (time dependant)




#### 3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




#### 4. Level 1 quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

##### 4.1 Plot quality information per product (time dependant) coming from level 1b processing

###### 4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes







4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes





## 5. Trace gas profiles

### 5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM\_NL\_\_2P/NL\_LOCAL\_SPECIES\_DENSITY/o3\_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM\_NL\_\_2P/MPH/PRODUCT\_ERR=0
- Valid point profile: GOM\_NL\_\_2P/NL\_LOCAL\_SPECIES\_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM\_NL\_\_2P/NL\_SUMMARY\_QUALITY/obs\_ill\_cond=0
- Products without fatal errors: GOM\_NL\_\_2P/MPH/PRODUCT\_ERR=0
- Valid point profile: GOM\_NL\_\_2P/NL\_LOCAL\_SPECIES\_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

| Criteria | % of total production |
|----------|-----------------------|
| All STD  | 37                    |
| STD < 20 | 15                    |

|          |    |
|----------|----|
| STD < 10 | 11 |
| STD < 5  | 9  |


### 5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




### 5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




*5.4 Plot ozone profiles where STD < 10% (dark without errors)*

The colorbar represents the latitude.





*5.5 Plot ozone profiles where STD < 5% (dark without errors)*

The colorbar represents the latitude.




5.6 Plot NO<sub>2</sub> profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



## 6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

| Type                      | Auxiliary Filename  | Used since product | Used since product date |
|---------------------------|---|--------------------|-------------------------|
| INST_PHYS_CHARACTERISTICS | GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000 | 1                  | 06-OCT-2009 00:03:29    |
| LEVEL-2_PROC_CONFIG       | GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000 | 1                  | 06-OCT-2009 00:03:29    |
| CROSS_SECTIONS_FILE       | GOM_CR2_AXVIEC20091111_154832_20020301_000000_20500101_000000 | 1                  | 06-OCT-2009 00:03:29    |

# GOMOS Level 2 Daily Report

## SUMMARY

[1. General Info](#)

[2. Summary of processed GOM\\_NL\\_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)








|     |  |                      |            |        |     |           |          |        |    |       |    |
|-----|--|----------------------|------------|--------|-----|-----------|----------|--------|----|-------|----|
| 102 | GOM_NL__2PRFIN20091006_224602_000000442083_00115_39748_1543.N1 | 06-OCT-2009 22:46:02 | Dark       | 44.000 | 88  | 31Eta CMa | 2.4480   | 20000. | 88 | 39748 | No |
| 103 | GOM_NL__2PRFIN20091006_225048_000000372083_00116_39749_1544.N1 | 06-OCT-2009 22:50:48 | Dark       | 36.500 | 161 | Tau Pup   | 2.9310   | 4500.0 | 73 | 39749 | No |
| 104 | GOM_NL__2PRFIN20091006_225212_000000372083_00116_39749_1545.N1 | 06-OCT-2009 22:52:12 | Dark       | 36.500 | 2   | Alp Car   | -0.73600 | 7000.0 | 73 | 39749 | No |
| 105 | GOM_NL__2PRFIN20091006_230429_000000382083_00116_39749_1546.N1 | 06-OCT-2009 23:04:29 | Straylight | 38.000 | 157 | The1Eri   | 2.9060   | 9300.0 | 76 | 39749 | No |
| 106 | GOM_NL__2PRFIN20091006_233144_000000392083_00116_39749_1547.N1 | 06-OCT-2009 23:31:44 | Bright     | 38.500 | 53  | 43Bet And | 2.0480   | 3300.0 | 77 | 39749 | No |
| 107 | GOM_NL__2PRFIN20091006_233652_000000342083_00116_39749_1548.N1 | 06-OCT-2009 23:36:52 | Bright     | 33.500 | 68  | 18Alp Cas | 2.2250   | 4500.0 | 67 | 39749 | No |
| 108 | GOM_NL__2PRFIN20091006_233818_000000332083_00116_39749_1549.N1 | 06-OCT-2009 23:38:18 | Bright     | 33.000 | 76  | 27Gam Cas | 2.3000   | 30000. | 66 | 39749 | No |
| 109 | GOM_NL__2PRFIN20091006_234126_000000432083_00116_39749_1550.N1 | 06-OCT-2009 23:41:26 | Bright     | 42.500 | 160 | 23Gam Per | 2.9300   | 4700.0 | 85 | 39749 | No |

### 3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

#### 3.1 Plot quality information per product (time dependant)




#### 3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile




Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




#### 4. Level 1 quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

##### 4.1 Plot quality information per product (time dependant) coming from level 1b processing

###### 4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



## 5. Trace gas profiles

### 5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM\_NL\_\_2P/NL\_LOCAL\_SPECIES\_DENSITY/o3\_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM\_NL\_\_2P/MPH/PRODUCT\_ERR=0
- Valid point profile: GOM\_NL\_\_2P/NL\_LOCAL\_SPECIES\_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM\_NL\_\_2P/NL\_SUMMARY\_QUALITY/obs\_ill\_cond=0
- Products without fatal errors: GOM\_NL\_\_2P/MPH/PRODUCT\_ERR=0
- Valid point profile: GOM\_NL\_\_2P/NL\_LOCAL\_SPECIES\_DENSITY/pcd(0)=0

So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.


| Criteria | % of total production |
|----------|-----------------------|
| All STD  | 37                    |
| STD < 20 | 15                    |



|          |    |
|----------|----|
| STD < 10 | 11 |
| STD < 5  | 9  |


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




*5.4 Plot ozone profiles where STD < 10% (dark without errors)*

The colorbar represents the latitude.





*5.5 Plot ozone profiles where STD < 5% (dark without errors)*

The colorbar represents the latitude.




*5.6 Plot NO<sub>2</sub> profiles for all STD (dark without errors)*

The colorbar represents the latitude.



*5.7 Plot NO3 profiles for all STD (dark without errors)*


The colorbar represents the latitude.





## 6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



| Type                      | Auxiliary Filename  | Used since product | Used since product date |
|---------------------------|---|--------------------|-------------------------|
| INST_PHYS_CHARACTERISTICS | GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000 | 1                  | 06-OCT-2009 00:03:29    |
| LEVEL-2_PROC_CONFIG       | GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000 | 1                  | 06-OCT-2009 00:03:29    |
| CROSS_SECTIONS_FILE       | GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000 | 1                  | 06-OCT-2009 00:03:29    |





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile





Percentage of flagged data per NO3 profile












Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile






























Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile







Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

