

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	18APR2013 14:09:00
Data source version	GOMOS/6.01
Start time of products	27-02-2012 (27FEB2012 00:00:00)
Stop time of products	28-02-2012 (28FEB2012 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	18
Nb of prods with errors	0

2. Summary of processed GOM_NL__2P products.


!Warning: No products without errors in BRIGHT limb contitions found

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20120227_003629_000000413112_00103_52272_7315.N1	27-FEB-2012 00:36:29	Dark	41.000	10	Bet Cen	0.61000	28000.	82	52272	No
2	GOM_NL__2PRFIN20120227_021643_000000453112_00104_52273_7353.N1	27-FEB-2012 02:16:43	Dark	44.500	10	Bet Cen	0.61000	28000.	89	52273	No
3	GOM_NL__2PRFIN20120227_035658_000000453112_00105_52274_7357.N1	27-FEB-2012 03:56:58	Dark	44.500	10	Bet Cen	0.61000	28000.	89	52274	No
4	GOM_NL__2PRFIN20120227_053712_000000423112_00106_52275_7366.N1	27-FEB-2012 05:37:12	Dark	41.500	10	Bet Cen	0.61000	28000.	83	52275	No
5	GOM_NL__2PRFIN20120227_071727_000000433112_00107_52276_7375.N1	27-FEB-2012 07:17:27	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52276	No
6	GOM_NL__2PRFIN20120227_103756_000000483112_00109_52278_7452.N1	27-FEB-2012 10:37:56	Dark	47.500	10	Bet Cen	0.61000	28000.	95	52278	No
7	GOM_NL__2PRFIN20120227_121810_000000413112_00110_52279_7486.N1	27-FEB-2012 12:18:10	Dark	40.500	10	Bet Cen	0.61000	28000.	81	52279	No
8	GOM_NL__2PRFIN20120227_135825_000000433112_00111_52280_7518.N1	27-FEB-2012 13:58:25	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52280	No
9	GOM_NL__2PRFIN20120227_153839_000000433112_00112_52281_7550.N1	27-FEB-2012 15:38:39	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52281	No
10	GOM_NL__2PRFIN20120227_171854_000000433112_00113_52282_7597.N1	27-FEB-2012 17:18:54	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52282	No
11	GOM_NL__2PRFIN20120227_184444_000000423112_00113_52282_7598.N1	27-FEB-2012 18:44:44	Dark	42.000	38	20Eps Sgr	1.8360	11000.	84	52282	No
12	GOM_NL__2PRFIN20120227_185909_000000433112_00114_52283_7613.N1	27-FEB-2012 18:59:09	Dark	42.500	10	Bet Cen	0.61000	28000.	85	52283	No
13	GOM_NL__2PRFIN20120227_202458_000000473112_00114_52283_7614.N1	27-FEB-2012 20:24:58	Dark	46.500	38	20Eps Sgr	1.8360	11000.	93	52283	No
14	GOM_NL__2PRFIN20120227_203923_000000423112_00115_52284_7650.N1	27-FEB-2012 20:39:23	Dark	41.500	10	Bet Cen	0.61000	28000.	83	52284	No
15	GOM_NL__2PRFIN20120227_220513_000000423112_00115_52284_7651.N1	27-FEB-2012 22:05:13	Dark	42.000	38	20Eps Sgr	1.8360	11000.	84	52284	No
16	GOM_NL__2PRFIN20120227_221938_000000453112_00116_52285_7660.N1	27-FEB-2012 22:19:38	Dark	44.500	10	Bet Cen	0.61000	28000.	89	52285	No
17	GOM_NL__2PRFIN20120227_234527_000000453112_00116_52285_7661.N1	27-FEB-2012 23:45:27	Dark	44.500	38	20Eps Sgr	1.8360	11000.	89	52285	No
18	GOM_NL__2PRFIN20120227_235952_000000443112_00117_52286_7669.N1	27-FEB-2012 23:59:52	Dark	43.500	10	Bet Cen	0.61000	28000.	87	52286	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product

In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:


- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	100
STD < 20	71
STD < 10	64
STD < 5	52


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20111213_163131_20111215_000000_20500101_000000	1	27-FEB-2012 00:36:29
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	27-FEB-2012 00:36:29
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	27-FEB-2012 00:36:29

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	18APR2013 14:09:00
Data source version	GOMOS/6.01
Start time of products	27-02-2012 (27FEB2012 00:00:00)
Stop time of products	28-02-2012 (28FEB2012 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	18
Nb of prods with errors	0

2. Summary of processed GOM_NL__2P products.


!Warning: No products without errors in BRIGHT limb contitions found

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20120227_003629_000000413112_00103_52272_7315.N1	27-FEB-2012 00:36:29	Dark	41.000	10	Bet Cen	0.61000	28000.	82	52272	No
2	GOM_NL__2PRFIN20120227_021643_000000453112_00104_52273_7353.N1	27-FEB-2012 02:16:43	Dark	44.500	10	Bet Cen	0.61000	28000.	89	52273	No
3	GOM_NL__2PRFIN20120227_035658_000000453112_00105_52274_7357.N1	27-FEB-2012 03:56:58	Dark	44.500	10	Bet Cen	0.61000	28000.	89	52274	No
4	GOM_NL__2PRFIN20120227_053712_000000423112_00106_52275_7366.N1	27-FEB-2012 05:37:12	Dark	41.500	10	Bet Cen	0.61000	28000.	83	52275	No
5	GOM_NL__2PRFIN20120227_071727_000000433112_00107_52276_7375.N1	27-FEB-2012 07:17:27	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52276	No
6	GOM_NL__2PRFIN20120227_103756_000000483112_00109_52278_7452.N1	27-FEB-2012 10:37:56	Dark	47.500	10	Bet Cen	0.61000	28000.	95	52278	No
7	GOM_NL__2PRFIN20120227_121810_000000413112_00110_52279_7486.N1	27-FEB-2012 12:18:10	Dark	40.500	10	Bet Cen	0.61000	28000.	81	52279	No
8	GOM_NL__2PRFIN20120227_135825_000000433112_00111_52280_7518.N1	27-FEB-2012 13:58:25	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52280	No
9	GOM_NL__2PRFIN20120227_153839_000000433112_00112_52281_7550.N1	27-FEB-2012 15:38:39	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52281	No
10	GOM_NL__2PRFIN20120227_171854_000000433112_00113_52282_7597.N1	27-FEB-2012 17:18:54	Dark	43.000	10	Bet Cen	0.61000	28000.	86	52282	No
11	GOM_NL__2PRFIN20120227_184444_000000423112_00113_52282_7598.N1	27-FEB-2012 18:44:44	Dark	42.000	38	20Eps Sgr	1.8360	11000.	84	52282	No
12	GOM_NL__2PRFIN20120227_185909_000000433112_00114_52283_7613.N1	27-FEB-2012 18:59:09	Dark	42.500	10	Bet Cen	0.61000	28000.	85	52283	No
13	GOM_NL__2PRFIN20120227_202458_000000473112_00114_52283_7614.N1	27-FEB-2012 20:24:58	Dark	46.500	38	20Eps Sgr	1.8360	11000.	93	52283	No
14	GOM_NL__2PRFIN20120227_203923_000000423112_00115_52284_7650.N1	27-FEB-2012 20:39:23	Dark	41.500	10	Bet Cen	0.61000	28000.	83	52284	No
15	GOM_NL__2PRFIN20120227_220513_000000423112_00115_52284_7651.N1	27-FEB-2012 22:05:13	Dark	42.000	38	20Eps Sgr	1.8360	11000.	84	52284	No
16	GOM_NL__2PRFIN20120227_221938_000000453112_00116_52285_7660.N1	27-FEB-2012 22:19:38	Dark	44.500	10	Bet Cen	0.61000	28000.	89	52285	No
17	GOM_NL__2PRFIN20120227_234527_000000453112_00116_52285_7661.N1	27-FEB-2012 23:45:27	Dark	44.500	38	20Eps Sgr	1.8360	11000.	89	52285	No
18	GOM_NL__2PRFIN20120227_235952_000000443112_00117_52286_7669.N1	27-FEB-2012 23:59:52	Dark	43.500	10	Bet Cen	0.61000	28000.	87	52286	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product

In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:


- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	100
STD < 20	71
STD < 10	64
STD < 5	52


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where $\text{STD} < 10\%$ (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)


The colorbar represents the latitude.





6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20111213_163131_20111215_000000_20500101_000000	1	27-FEB-2012 00:36:29
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	27-FEB-2012 00:36:29
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	27-FEB-2012 00:36:29





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile







Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile




























Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile







Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

