

1. MIPAS Daily Report for level 1 products

[1.1. General Info](#)

[1.2 Product Quality Indicators](#)

[1.3 Physical Quality Indicators](#)

[1.4 ADF monitoring](#)

1.1 General Info

This report contains a daily analysis on parameters extracted from MIPAS level 1 data (The MIP_NL__1P product).

1.1.1 Report summary

The table below shows general characteristics of the data that are included into this report.

Item	Value
Report version	v1.2 06-04-2006
Time of report generation	12MAY2006 15:31:05
Data source version	MIPAS/4.65-P
Processing scope for products	15APR2006 00:00:00 to 16APR2006 00:00:00
Start time of first product within scope	15APR2006 06:12:56
Stop time of last product within scope	15APR2006 09:34:47
Total number of level 1 products	2
Number of level 1 products with errors	1

1.1.2 Summary per product

The following table shows a summary for each product used in this report.


#	Product name	Start time	Stop time	Prod err	Slice position (prod/tot)
0	MIP_NL__1PPDPA20060415_061256_000002142046_00463_21559_2181.N1	15APR2006 06:12:56	15APR2006 06:16:29	0	0/0
1	MIP_NL__1PPDPA20060415_093439_000000092046_00465_21561_2219.N1	15APR2006 09:34:39	15APR2006 09:34:47	1	0/0

1.2 Product Quality Indicators


This report contains an analysis on product quality related parameters within the MIP_NL__1P product.

1.2.1 Trends and geolocation of Summary Quality ADS


Bar plot of MIPNL1P_SUMQUAADS.attach_flag



Geolocation plot of MIPNL1P_SUMQUADS.attach_flag




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_1.PNG




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_2.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_sweeps




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_3.PNG




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_4.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_ins




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_5.PNG




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_6.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_obs




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_7.PNG




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_8.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_excess_phase




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_9.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_10.PNG


Geolocation plot of MIPNL1P_SUMQUAADS.num_0pd_shift



mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_11.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_12.PNG




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_13.PNG

1.2.2 Trends and geolocation of MIPAS LEVEL 1 MDS


Bar plot of MIPNL1P_MIPLEV1BMDS_quality_flag



Geolocation plot of MIPNL1P_MIPLEV1BMDS_quality_flag




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_15.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_16.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A1




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_17.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_18.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A2




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_19.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_20.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector AB




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_21.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_22.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector B




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_23.PNG




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_24.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector C




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_25.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_26.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector D




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_27.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_28.PNG


Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_errs




mipas_daily_report_level1_OFI_MIPAS_4_65_P_20060415_29.PNG




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band A




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band AB





Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band AB







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band B







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band C







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band D







Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector A1






Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector A2







Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB



mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_45.PNG





mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_47.PNG


1.2.3 Scan information ADS

The following plots each contain 100 squares. Each square contains one NESR-scan (from MIPNL1P_SCAINFADS_nesr_data).

The horizontal axis represents the sweep ID (starts at 1). A maximum of 19 sweeps per scan can be displayed.

The vertical axis shows the NESR data point index (starts at 0), which relates to wavenumber. A maximum of 200 wavenumber-points per NESR-measurement can be displayed.


The data values themselves are indicated by colours (as indicated on the right of the plot). Please refer to the plot header for data units.




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_48.PNG

1.3 Physical Quality Indicators

Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against time.
The vertical grid lines indicate estimated anx events.



Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against relative time within orbit.
The colours indicate distinct orbits (see legend for anx).




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_50.PNG


1.4 ADF monitoring

Number	ADF
0	AUX_FRO_AXVPDS20060417_234755_20060414_221000_20060417_005000
1	MIP_CA1_AXVIEC20050627_094412_20040809_000000_20090809_000000
2	MIP_CG1_AXVIEC20060413_150637_20060410_000000_20110410_000000
3	MIP_CL1_AXVIEC20050420_152028_20050420_095747_20100420_095747
4	MIP_CO1_AXVIEC20060413_150134_20060410_000000_20110410_000000
5	MIP_CS1_AXVIEC20060414_151517_20060410_000000_20110410_000000
6	MIP_MW1_AXVIEC20050627_094928_20040809_000000_20090809_000000
7	MIP_PS1_AXVIEC20050627_100609_20040809_000000_20090809_000000


Number	Product name	#CS1	#CG1	#CL1	#CA1	#CO1	#MW1	#PS1	#FPO
0	MIP_NL_1PPDPA20060415_061256_000002142046_00463_21559_2181.N1	5	2	3	1	4	6	7	0
1	MIP_NL_1PPDPA20060415_093439_000000092046_00465_21561_2219.N1	5	2	3	1	4	6	7	0



mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_51.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_52.PNG




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_53.PNG

Bar plot of ADFs used for INSTRUMENT CHAR FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_54.PNG

Bar plot of ADFs used for OFFSET VALIDATION FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_55.PNG


Bar plot of ADFs used for MICROWINDOWS FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_65_P_20060415_56.PNG

Bar plot of ADFs used for PROCESS PARAMETERS FILE.
See legend for details.







Bar plot of MIPNL1P_SUMQUAADS.attach_flag





Geolocation plot of MIPNL1P_SUMQUAADS.attach_flag







Geolocation plot of MIPNL1P_SUMQUADS.num_corr_sweeps







Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_ins







Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_obs







Geolocation plot of MIPNL1P_SUMQUAADS.num_excess_phase






Geolocation plot of MIPNL1P_SUMQUAADS.num_opd_shift







Geolocation plot of MIPNL1P_SUMQUADS.num_sweeps_flux_oor




Bar plot of MIPNL1P_MIPLEV1BMDS_quality_flag





Geolocation plot of MIPNL1P_MIPLEV1BMDS_quality_flag







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A1







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A2







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector AB







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector B







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector C






Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector D







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_errs




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band A



Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band A




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band AB




not corrupted
Unknown
corrupted transmission
Unknown 2
corrupted observational


Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band AB




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band B




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band B




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band C




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band C




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band D



Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band D




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A1




■ Flux valid
■ Flux invalid


Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_Jin_flux detector A1




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A2



Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector A2




Bar plot of MIPNL1P_MIPLEV1 BMDS_detect_non_lin_flux detector AB




■ Flux valid
■ Flux invalid


Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector B




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_Jin_flux detector B



Plot of MIPNL1P_SCAINFADS_nesr_data [W/(cm².sr.cm⁻¹)] 1 of 1



Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against time.
The vertical grid lines indicate estimated anx events.



Plot of MIPNL1P_MIPLEV1BMDS_Joc_1 against relative time within orbit.
 The colours indicate distinct orbits (see legend for anx).

