

1. MIPAS Daily Report for level 1 products

[1.1. General Info](#)

[1.2 Product Quality Indicators](#)

[1.3 Physical Quality Indicators](#)

[1.4 ADF monitoring](#)

1.1 General Info

This report contains a daily analysis on parameters extracted from MIPAS level 1 data (The MIP_NL__1P product).

1.1.1 Report summary

The table below shows general characteristics of the data that are included into this report.

Item	Value
Report version	v1.31 02-08-2006
Time of report generation	13SEP2007 00:20:10
Data source version	MIPAS/4.67-P
Processing scope for products	28AUG2007 00:00:00 to 29AUG2007 00:00:00
Start time of first product within scope	27AUG2007 23:20:16
Stop time of last product within scope	28AUG2007 01:01:01
Total number of level 1 products	1
Number of level 1 products with errors	0

1.1.2 Summary per product

The following table shows a summary for each product used in this report.


#	Product name	Start time	Stop time	Prod err	Slice position (prod/tot)
0	MIP_NL__1PPDPA20070827_232016_000060452061_00102_28713_5269.N1	27AUG2007 23:20:16	28AUG2007 01:01:01	0	1/1

1.2 Product Quality Indicators


This report contains an analysis on product quality related parameters within the MIP_NL__1P product.

1.2.1 Trends and geolocation of Summary Quality ADS


Bar plot of MIPNL1P_SUMQUAADS.attach_flag



Geolocation plot of MIPNL1P_SUMQUAADS.attach_flag




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_1.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_2.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_sweeps




mipas_daily_report_level1_OFI_MIPAS_4_67_P_20070828_3.PNG




mipas_daily_report_level1_OFI_MIPAS_4_67_P_20070828_4.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_ins




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_5.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_6.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_obs




mipas_daily_report_level1_OFI_MIPAS_4_67_P_20070828_7.PNG




mipas_daily_report_level1_OFI_MIPAS_4_67_P_20070828_8.PNG

Geolocation plot of MIPNL1P_SUMQUAADS.num_excess_phase




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_9.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_10.PNG


Geolocation plot of MIPNL1P_SUMQUAADS.num_0pd_shift



mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_11.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_12.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_13.PNG

1.2.2 Trends and geolocation of MIPAS LEVEL 1 MDS


Bar plot of MIPNL1P_MIPLEV1BMDS_quality_flag



Geolocation plot of MIPNL1P_MIPLEV1BMDS_quality_flag




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_15.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_16.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A1




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_17.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_18.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A2




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_19.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_20.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector AB




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_21.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_22.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector B




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_23.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_24.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector C




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_25.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_26.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector D




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_27.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_28.PNG

Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_errs




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_29.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band A




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band A




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_31.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band AB




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band AB




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_33.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band B




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band B




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_35.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band C




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band C




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_37.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band D




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band D




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_39.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector A1




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector A1




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_41.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_jin_flux detector A2




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_jin_flux detector A2




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_43.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB





Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB



mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_45.PNG

Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_jin_flux detector B





mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_47.PNG


1.2.3 Scan information ADS

The following plots each contain 100 squares. Each square contains one NESR-scan (from MIPNL1P_SCAINFADS_nesr_data).

The horizontal axis represents the sweep ID (starts at 1). A maximum of 19 sweeps per scan can be displayed.

The vertical axis shows the NESR data point index (starts at 0), which relates to wavenumber. A maximum of 200 wavenumber-points per NESR-measurement can be displayed.

The data values themselves are indicated by colours (as indicated on the right of the plot). Please refer to the plot header for data units.





mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_48.PNG

1.3 Physical Quality Indicators

1.3.1 Tangent altitude

Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against time.
The vertical grid lines indicate estimated anx events.





mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_50.PNG


1.3.2 Cloud top height

The following plots show an estimation of cloud top height, based on the ratio of two microwindows. Reference: R. Spang, J.J. Remedios and M.P. Barkley, "Colour indices for the detection and differentiation of cloud types in infra-red limb emission spectra", Adv Space Res, 33:1041-1047, (2004)


The non-nominal scans mentioned in the plots are scans that are rejected by the cloud top height algorithm for several reasons:

- Unconsidered instrument mode. The algorithm only considers nominal (39169) and special event (39172) instrument modes.
- Incomplete scan (missing sweeps)

Item	Value
Microwindow 1 description	Average of band A pixels for cloud top detection 1
Microwindow 2 description	Average of band A pixels cloud top detection 2
cloud index threshold (mw1/mw2)	1.8000000
Tangent height limit	40.000000



mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_51.PNG




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_52.PNG

1.4 ADF monitoring

Number	ADF
0	AUX_FRO_AXVPDS20070830_231110_20070827_221000_20070830_005000
1	MIP_CA1_AXVIEC20050627_094412_20040809_000000_20090809_000000
2	MIP_CG1_AXVIEC20070823_132303_20070820_000000_20120820_000000
3	MIP_CL1_AXVIEC20050420_152028_20050420_095747_20100420_095747
4	MIP_CO1_AXVIEC20070823_132422_20070820_000000_20120820_000000
5	MIP_CS1_AXVIEC20070823_132137_20070820_000000_20120820_000000
6	MIP_MW1_AXVIEC20050627_094928_20040809_000000_20090809_000000


Number	Product name	#CS1	#CG1	#CL1	#CA1	#CO1	#MW1	#PS1	#FPO
0	MIP_NL_1PPDPA20070827_232016_000060452061_00102_28713_5269.N1	5	2	3	1	4	6	7	0

Bar plot of ADFs used for ILS&SPECTRAL CAL FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_53.PNG

Bar plot of ADFs used for GAIN CALIBRATION FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_54.PNG

Bar plot of ADFs used for LINE OF SIGHT FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_55.PNG

Bar plot of ADFs used for INSTRUMENT CHAR FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_56.PNG

Bar plot of ADFs used for OFFSET VALIDATION FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_57.PNG


Bar plot of ADFs used for MICROWINDOWS FILE.
See legend for details.




mipas_daily_report_level1_OFL_MIPAS_4_67_P_20070828_58.PNG


Bar plot of ADFs used for PROCESS PARAMETERS FILE.
See legend for details.







Bar plot of MIPNL1P_SUMQUAADS.attach_flag







Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_sweeps







Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_ins







Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_obs







Geolocation plot of MIPNL1P_SUMQUAADS.num_excess_phase






Geolocation plot of MIPNL1P_SUMQUAADS.num_opd_shift







Geolocation plot of MIPNL1P_SUMQUADS.num_sweeps_flux_oor




Bar plot of MIPNL1P_MIPLEV1BMDS_quality_flag





Geolocation plot of MIPNL1P_MIPLEV1BMDS_quality_flag







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A1







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A2







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector AB






Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector B







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector C




Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector D







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_errs




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band A




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band A



Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band AB




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band AB




- + not corrupted
- + Unknown
- + corrupted transmission
- + Unknown 2
- + corrupted observational


Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band B




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band B




Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band C




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band C



Bar plot of MIPNL1P_MIPLEV1BMDS_band_val band D




Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band D




- + not corrupted
- + Unknown
- + corrupted transmission
- + Unknown 2
- + corrupted observational


Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A1




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_jin_flux detector A1




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A2




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_jin_flux detector A2




Bar plot of MIPNL1P_MIPLEV1 BMDS_detect_non_lin_flux detector AB




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_in_flux detector B




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_Jin_flux detector B




Plot of MIPNL1P_SCAINFADS_nesr_data [W/(cm².sr.cm⁻¹)] 1 of 1




Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against time.
The vertical grid lines indicate estimated anx events.



Plot of MIPNL1P_MIPLEV1BMDS_Joc_1 against relative time within orbit.
 The colours indicate distinct orbits (see legend for anx).





Geolocation plot of cloud top height [km] (non-nominal scans are red)

