

# 1. MIPAS Daily Report for level 1 products

## [1.1. General Info](#)

## [1.2 Product Quality Indicators](#)

## [1.3 Physical Quality Indicators](#)

## [1.4 ADF monitoring](#)

### 1.1 General Info

This report contains a daily analysis on parameters extracted from MIPAS level 1 data (The MIP\_NL\_\_1P product).

#### 1.1.1 Report summary

The table below shows general characteristics of the data that are included into this report.

Item	Value
Report version	v1.42 15-10-2013
Time of report generation	03AUG2015 13:48:18
Data source version	MIPAS/7.11-W
Processing scope for products	17MAY2003 00:00:00 to 18MAY2003 00:00:00
Start time of first product within scope	16MAY2003 22:34:17
Stop time of last product within scope	18MAY2003 01:23:31
Total number of level 1 products	13
Number of level 1 products with errors	0

#### 1.1.2 Summary per product





The following table shows a summary for each product used in this report.

#	Product name	Start time	Stop time	Prod err	Slice position (prod/tot)	#sweeps SPH
0	MIP_NL__1PWDSI20030516_223417_000060152016_00259_06325_0002.N1	16MAY2003 22:34:17	17MAY2003 00:14:32	0	0/0	17
1	MIP_NL__1PWDSI20030517_001442_000060382016_00260_06326_0002.N1	17MAY2003 00:14:42	17MAY2003 01:55:19	0	0/0	17
2	MIP_NL__1PWDSI20030517_015529_000060272016_00261_06327_0002.N1	17MAY2003 01:55:29	17MAY2003 03:35:55	0	0/0	17
3	MIP_NL__1PWDSI20030517_033605_000060272016_00262_06328_0002.N1	17MAY2003 03:36:05	17MAY2003 05:16:31	0	0/0	17
4	MIP_NL__1PWDSI20030517_051641_000016212016_00263_06329_0002.N1	17MAY2003 05:16:41	17MAY2003 05:43:41	0	0/0	17
5	MIP_NL__1PWDSI20030517_065706_000001632016_00264_06330_0002.N1	17MAY2003 06:57:06	17MAY2003 06:59:48	0	0/0	17
6	MIP_NL__1PWDSI20030517_133940_000054392016_00268_06334_0002.N1	17MAY2003 13:39:40	17MAY2003 15:10:19	0	0/0	17
7	MIP_NL__1PWDSI20030517_152847_000055052016_00269_06335_0002.N1	17MAY2003 15:28:47	17MAY2003 17:00:31	0	0/0	17
8	MIP_NL__1PWDSI20030517_170041_000060382016_00270_06336_0002.N1	17MAY2003 17:00:41	17MAY2003 18:41:18	0	0/0	17
9	MIP_NL__1PWDSI20030517_184128_000060272016_00271_06337_0002.N1	17MAY2003 18:41:28	17MAY2003 20:21:54	0	0/0	17
10	MIP_NL__1PWDSI20030517_202204_000060272016_00272_06338_0002.N1	17MAY2003 20:22:04	17MAY2003 22:02:30	0	0/0	17
11	MIP_NL__1PWDSI20030517_220240_000009532016_00273_06339_0002.N1	17MAY2003 22:02:40	17MAY2003 22:18:32	0	0/0	17
12	MIP_NL__1PWDSI20030517_234316_000060152016_00274_06340_0002.N1	17MAY2003 23:43:16	18MAY2003 01:23:31	0	0/0	17





### 1.2 Product Quality Indicators

This report contains an analysis on product quality related parameters within the MIP\_NL\_\_1P product.





#### 1.2.1 Trends and geolocation of Summary Quality and Scan Information ADS



















### 1.2.2 Trends and geolocation of MIPAS LEVEL 1 MDS




Bar plot of MIPNL1P\_MIPLEV1BMDS\_quality\_flag




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_quality\_flag







Bar plot of MIPNL1P\_MIPLEV1BMDS\_day\_night\_flag







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_day\_night\_flag










































Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1







Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2



Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2





### 1.2.3 Scan information ADS

The following plots each contain 100 squares. Each square contains one NESR-scan (from MIPNL1P\_SCAINFADS\_nesr\_data).

The horizontal axis represents the sweep ID (starts at 1).

The vertical axis shows the NESR data point index (starts at 0), which relates to wavenumber.

The data values themselves are indicated by colours (as indicated on the right of the plot). Please refer to the plot header for data units.





















Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.ar.1/cm)] 5 of 7












### 1.3 Physical Quality Indicators


#### 1.3.1 Tangent altitude

Plot of MIPNL1P\_MIPLEV1BMDS\_loc\_1 against time.  
The vertical grid lines indicate estimated anx events.





Plot of MIPNL1P\_MIPLEV1BMDS\_Joc\_1 against relative time within orbit.  
The colours indicate distinct orbits (see legend for anx).





### 1.3.2 Cloud top height

The following plots show an estimation of cloud top height, based on the ratio of two microwindows. Reference: R. Spang, J.J. Remedios and M.P. Barkley, "Colour indices for the detection and differentiation of cloud types in infra-red limb emission spectra", Adv Space Res, 33:1041-1047, (2004)

The non-nominal scans mentioned in the plots are scans that are rejected by the cloud top height algorithm for several reasons:

- Unconsidered instrument mode. The algorithm only considers nominal (39169) and special event (39172) instrument modes.
- Incomplete scan (missing sweeps)
- Special measurement modes that do not include the troposphere.

Item	Value
Microwindow 1 description	Average of band A pixels for cloud top detection 1
Microwindow 2 description	Average of band A pixels cloud top detection 2
cloud index threshold (mw1/mw2)	1.8000000
Tangent height limit	40.000000



## 1.4 ADF monitoring


Number	ADF
0	AUX_FRA_AXVFOS20070125_171048_20030516_000000_20030518_000000
1	AUX_FRA_AXVFOS20070125_171048_20030517_000000_20030519_000000
2	DOR_VOR_AXVF-P20120424_100100_20030516_215528_20030518_002328
3	DOR_VOR_AXVF-P20120424_100100_20030517_215528_20030519_002328
4	MIP_CA1_AXT_20130105_000000_20030513_000000_20030613_000000
5	MIP_CA1_AXT_20130105_000000_20030517_000000_20030617_000000
6	MIP_CG1_AXT_20130105_000000_20030513_000000_20030613_000000
7	MIP_CG1_AXT_20130105_000000_20030517_000000_20030617_000000
8	MIP_CL1_AXT_20080729_075920_20020401_000000_20161214_000000
9	MIP_CO1_AXT_20130105_000000_20030513_000000_20030613_000000
10	MIP_CO1_AXT_20130105_000000_20030517_000000_20030617_000000




11	MIP_CS1_AXT___20130105_000000_20030513_000000_20030613_000000
12	MIP_CS1_AXT___20130105_000000_20030517_000000_20030617_000000
13	MIP_MW1_AXT___20120105_091859_20020401_000000_20161214_000000
14	MIP_PS1_AXT___20141125_135936_20020701_000000_20040809_000000

Number	Product name	#CS1	#CG1	#CL1	#CA1	#CO1	#MW1	#PS1	#FPO	#FRA
0	MIP_NL__1PWDSI20030516_223417_000060152016_00259_06325_0002.N1	11	6	8	4	9	13	14	2	0
1	MIP_NL__1PWDSI20030517_001442_000060382016_00260_06326_0002.N1	12	7	8	5	10	13	14	2	1
2	MIP_NL__1PWDSI20030517_015529_000060272016_00261_06327_0002.N1	12	7	8	5	10	13	14	2	1
3	MIP_NL__1PWDSI20030517_033605_000060272016_00262_06328_0002.N1	12	7	8	5	10	13	14	2	1
4	MIP_NL__1PWDSI20030517_051641_000016212016_00263_06329_0002.N1	12	7	8	5	10	13	14	2	1
5	MIP_NL__1PWDSI20030517_065706_000001632016_00264_06330_0002.N1	12	7	8	5	10	13	14	2	1
6	MIP_NL__1PWDSI20030517_133940_000054392016_00268_06334_0002.N1	12	7	8	5	10	13	14	2	1
7	MIP_NL__1PWDSI20030517_152847_000055052016_00269_06335_0002.N1	12	7	8	5	10	13	14	2	1
8	MIP_NL__1PWDSI20030517_170041_000060382016_00270_06336_0002.N1	12	7	8	5	10	13	14	2	1
9	MIP_NL__1PWDSI20030517_184128_000060272016_00271_06337_0002.N1	12	7	8	5	10	13	14	2	1
10	MIP_NL__1PWDSI20030517_202204_000060272016_00272_06338_0002.N1	12	7	8	5	10	13	14	2	1
11	MIP_NL__1PWDSI20030517_220240_000009532016_00273_06339_0002.N1	12	7	8	5	10	13	14	3	1
12	MIP_NL__1PWDSI20030517_234316_000060152016_00274_06340_0002.N1	12	7	8	5	10	13	14	3	1


Bar plot of ADFs used for ILS&SPECTRAL CAL FILE.  
See legend for details.




Bar plot of ADFs used for GAIN CALIBRATION FILE.  
See legend for details.




Bar plot of ADFs used for LINE OF SIGHT FILE.  
See legend for details.




Bar plot of ADFs used for INSTRUMENT CHAR FILE.  
See legend for details.



Bar plot of ADFs used for OFFSET VALIDATION FILE.  
See legend for details.




Bar plot of ADFs used for MICROWINDOWS FILE.  
See legend for details.







Bar plot of ADFs used for PROCESS PARAMETERS FILE.  
See legend for details.





Bar plot of ADFs used for ORBIT DATA FILE.  
See legend for details.






Bar plot of ADFs used for RESTITUTED ATTITUDE FILE.  
See legend for details.














Geolocation plot of MIPNL1P\_SUMQUAADS.num\_corr\_sweeps










Geolocation plot of MIPNL1P\_SUMQUAADS.num\_corr\_ins













Geolocation plot of MIPNL1P\_SUMQUAADS.num\_excess\_phase












Geolocation plot of MIPNL1P\_SUMQUAADS.num\_sweeps\_flux\_oor








Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_quality\_flag












Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector A1









Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector A2







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector AB









Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector B







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector C









Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector D







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_errs (green color=0 errors)










Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band A






Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band AB







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band B









Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band C






Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band D




Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1




Time [minutes, each row is one hour of data, each section of two rows is 2 hours of data]

Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1






Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2




Time [minutes, each row is one hour of data, each section of two rows is 2 hours of data]


Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2





Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector AB



Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector AB



















Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 4 of 7








Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 6 of 7







Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 7 of 7




Plot of MIPNL1P\_MIPLEV1BMDS\_loc\_1 against time.  
The vertical grid lines indicate estimated anx events.




Plot of MIPNL1P\_MIPLEV1BMDS\_loc\_1 against relative time within orbit.  
 The colours indicate distinct orbits (see legend for anx).









Geolocation plot of cloud top height [km] (non-nominal scans are red)








Bar plot of ADFs used for GAIN CALIBRATION FILE.  
See legend for details.





Bar plot of ADFs used for INSTRUMENT CHAR FILE.  
See legend for details.

