

1. MIPAS Daily Report for level 1 products

[1.1. General Info](#)

[1.2 Product Quality Indicators](#)

[1.3 Physical Quality Indicators](#)

[1.4 ADF monitoring](#)

1.1 General Info

This report contains a daily analysis on parameters extracted from MIPAS level 1 data (The MIP_NL__1P product).

1.1.1 Report summary

The table below shows general characteristics of the data that are included into this report.

| Item | Value |
|--|--|
| Report version | v1.42 15-10-2013 |
| Time of report generation | 03AUG2015 13:50:54 |
| Data source version | MIPAS/7.11-W |
| Processing scope for products | 05JUN2003 00:00:00 to 06JUN2003 00:00:00 |
| Start time of first product within scope | 05JUN2003 09:18:03 |
| Stop time of last product within scope | 06JUN2003 01:26:36 |
| Total number of level 1 products | 10 |
| Number of level 1 products with errors | 0 |

1.1.2 Summary per product





The following table shows a summary for each product used in this report.





| # | Product name | Start time | Stop time | Prod err | Slice position (prod/tot) | #sweeps SPH |
|---|--|--------------------|--------------------|----------|---------------------------|-------------|
| 0 | MIP_NL__1PWDSI20030605_091803_000033022017_00036_06603_0002.N1 | 05JUN2003 09:18:03 | 05JUN2003 10:13:04 | 0 | 0/0 | 17 |
| 1 | MIP_NL__1PWDSI20030605_103123_000054692017_00037_06604_0002.N1 | 05JUN2003 10:31:23 | 05JUN2003 12:02:32 | 0 | 0/0 | 17 |
| 2 | MIP_NL__1PWDSI20030605_120242_000059722017_00038_06605_0002.N1 | 05JUN2003 12:02:42 | 05JUN2003 13:42:14 | 0 | 0/0 | 17 |
| 3 | MIP_NL__1PWDSI20030605_134223_000060382017_00039_06606_0002.N1 | 05JUN2003 13:42:23 | 05JUN2003 15:23:00 | 0 | 0/0 | 17 |
| 4 | MIP_NL__1PWDSI20030605_152310_000060272017_00040_06607_0002.N1 | 05JUN2003 15:23:10 | 05JUN2003 17:03:36 | 0 | 0/0 | 17 |
| 5 | MIP_NL__1PWDSI20030605_170346_000054392017_00041_06608_0002.N1 | 05JUN2003 17:03:46 | 05JUN2003 18:34:25 | 0 | 0/0 | 17 |
| 6 | MIP_NL__1PWDSI20030605_185253_000055162017_00042_06609_0002.N1 | 05JUN2003 18:52:53 | 05JUN2003 20:24:48 | 0 | 0/0 | 17 |
| 7 | MIP_NL__1PWDSI20030605_202458_000060162017_00043_06610_0002.N1 | 05JUN2003 20:24:58 | 05JUN2003 22:05:13 | 0 | 0/0 | 17 |
| 8 | MIP_NL__1PWDSI20030605_220523_000060382017_00044_06611_0002.N1 | 05JUN2003 22:05:23 | 05JUN2003 23:46:00 | 0 | 0/0 | 17 |
| 9 | MIP_NL__1PWDSI20030605_234610_000060272017_00045_06612_0002.N1 | 05JUN2003 23:46:10 | 06JUN2003 01:26:36 | 0 | 0/0 | 17 |





1.2 Product Quality Indicators





This report contains an analysis on product quality related parameters within the MIP_NL__1P product.

1.2.1 Trends and geolocation of Summary Quality and Scan Information ADS











1.2.2 Trends and geolocation of MIPAS LEVEL 1 MDS


Bar plot of MIPNL1P_MIPLEV1BMDS_quality_flag




Geolocation plot of MIPNL1P_MIPLEV1BMDS_quality_flag











Bar plot of MIPNL1P_MIPLEV1BMDS_day_night_flag











Geolocation plot of MIPNL1P_MIPLEV1BMDS_day_night_flag


























Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A1




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A1







Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A2



Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A2





1.2.3 Scan information ADS


The following plots each contain 100 squares. Each square contains one NESR-scan (from MIPNL1P_SCAINFADS_nesr_data).

The horizontal axis represents the sweep ID (starts at 1).


The vertical axis shows the NESR data point index (starts at 0), which relates to wavenumber.


The data values themselves are indicated by colours (as indicated on the right of the plot). Please refer to the plot header for data units.

Plot of MIPNL1P_SCAINFADS_near_data [W/(cm2.ar.1/cm)] 2 of 7



Plot of MIPNL1P_SCAINFADS_near_data [W/(cm².sr.1/cm)] 6 of 7






1.3 Physical Quality Indicators

1.3.1 Tangent altitude

Plot of MIPNL1P_MIPLEV1BMD5_Joc_1 against relative time within orbit.
The colours indicate distinct orbits (see legend for anx).





1.3.2 Cloud top height

The following plots show an estimation of cloud top height, based on the ratio of two microwindows. Reference: R. Spang, J.J. Remedios and M.P. Barkley, "Colour indices for the detection and differentiation of cloud types in infra-red limb emission spectra", Adv Space Res, 33:1041-1047, (2004)

The non-nominal scans mentioned in the plots are scans that are rejected by the cloud top height algorithm for several reasons:

- Unconsidered instrument mode. The algorithm only considers nominal (39169) and special event (39172) instrument modes.
- Incomplete scan (missing sweeps)
- Special measurement modes that do not include the troposphere.

| Item | Value |
|---------------------------------|--|
| Microwindow 1 description | Average of band A pixels for cloud top detection 1 |
| Microwindow 2 description | Average of band A pixels cloud top detection 2 |
| cloud index threshold (mw1/mw2) | 1.8000000 |
| Tangent height limit | 40.000000 |




1.4 ADF monitoring


| Number | ADF |
|--------|---|
| 0 | AUX_FRA_AXVFOS20070125_171048_20030605_000000_20030607_000000 |
| 1 | DOR_VOR_AXVF-P20120424_101100_20030604_215528_20030606_002328 |
| 2 | DOR_VOR_AXVF-P20120424_101100_20030605_215528_20030607_002328 |
| 3 | MIP_CA1_AXT_20130105_000000_20030605_000000_20030705_000000 |
| 4 | MIP_CG1_AXT_20130105_000000_20030605_000000_20030705_000000 |
| 5 | MIP_CL1_AXT_20080729_075920_20020401_000000_20161214_000000 |
| 6 | MIP_CO1_AXT_20130105_000000_20030605_000000_20030705_000000 |
| 7 | MIP_CS1_AXT_20130105_000000_20030605_000000_20030705_000000 |
| 8 | MIP_MW1_AXT_20120105_091859_20020401_000000_20161214_000000 |
| 9 | MIP_PS1_AXT_20141125_135936_20020701_000000_20040809_000000 |

| Number | Product name | #CS1 | #CG1 | #CL1 | #CA1 | #CO1 | #MW1 | #PS1 | #FPO | #FRA |
|--------|--|------|------|------|------|------|------|------|------|------|
| 0 | MIP_NL__1PWDSI20030605_091803_000033022017_00036_06603_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 1 | MIP_NL__1PWDSI20030605_103123_000054692017_00037_06604_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 2 | MIP_NL__1PWDSI20030605_120242_000059722017_00038_06605_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 3 | MIP_NL__1PWDSI20030605_134223_000060382017_00039_06606_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 4 | MIP_NL__1PWDSI20030605_152310_000060272017_00040_06607_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 5 | MIP_NL__1PWDSI20030605_170346_000054392017_00041_06608_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 6 | MIP_NL__1PWDSI20030605_185253_000055162017_00042_06609_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 7 | MIP_NL__1PWDSI20030605_202458_000060162017_00043_06610_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 1 | 0 |
| 8 | MIP_NL__1PWDSI20030605_220523_000060382017_00044_06611_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 2 | 0 |
| 9 | MIP_NL__1PWDSI20030605_234610_000060272017_00045_06612_0002.N1 | 7 | 4 | 5 | 3 | 6 | 8 | 9 | 2 | 0 |


Bar plot of ADFs used for ILS&SPECTRAL CAL FILE.
See legend for details.




Bar plot of ADFs used for GAIN CALIBRATION FILE.
See legend for details.




Bar plot of ADFs used for LINE OF SIGHT FILE.
See legend for details.




Bar plot of ADFs used for INSTRUMENT CHAR FILE.
See legend for details.




Bar plot of ADFs used for OFFSET VALIDATION FILE.
See legend for details.




Bar plot of ADFs used for MICROWINDOWS FILE.
See legend for details.




Bar plot of ADFs used for PROCESS PARAMETERS FILE.
See legend for details.







Bar plot of ADFs used for ORBIT DATA FILE.
See legend for details.




Bar plot of ADFs used for RESTITUTED ATTITUDE FILE.
See legend for details.













Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_sweeps







Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_ins








Geolocation plot of MIPNL1P_SUMQUAADS.num_corr_obs







Geolocation plot of MIPNL1P_SUMQUAADS.num_excess_phase










Geolocation plot of MIPNL1P_SUMQUAADS.num_sweeps_flux_oor







Geolocation plot of MIPNL1P_MIPLEV1BMDS_quality_flag







Geolocation plot of MIPNL1P_MIPLEV1BMDS_day_night_flag







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A1







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector A2







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector AB







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector B







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector C







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_spikes detector D







Geolocation plot of MIPNL1P_MIPLEV1BMDS_num_errs (green color=0 errors)







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band A







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band AB







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band B






Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_Lval band C







Geolocation plot of MIPNL1P_MIPLEV1BMDS_band_val band D




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A1




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A1




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A2




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector A2




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector AB




Bar plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector B




Geolocation plot of MIPNL1P_MIPLEV1BMDS_detect_non_lin_flux detector B




Plot of MIPNL1P_SCAINFADS_near_data [W/(cm2.sr.1/cm)] 1 of 7




Plot of MIPNL1P_SCAINFADS_near_data [W/(cm².sr.1/cm)] 2 of 7




Plot of MIPNL1P_SCAINFADS_nsr_data [W/(cm2.sr.1/cm)] 7 of 7




Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against time.
The vertical grid lines indicate estimated anx events.





Plot of MIPNL1P_MIPLEV1BMDS_loc_1 against relative time within orbit.
 The colours indicate distinct orbits (see legend for anx).







Geolocation plot of cloud top height [km] (non-nominal scans are red)









Bar plot of ADFs used for LINE OF SIGHT FILE.
See legend for details.





Bar plot of ADFs used for OFFSET VALIDATION FILE.
See legend for details.



Bar plot of ADFs used for MICROWINDOWS FILE.
See legend for details.

