

# 1. MIPAS Daily Report for level 1 products

## [1.1. General Info](#)

## [1.2 Product Quality Indicators](#)

## [1.3 Physical Quality Indicators](#)

## [1.4 ADF monitoring](#)

### 1.1 General Info

This report contains a daily analysis on parameters extracted from MIPAS level 1 data (The MIP\_NL\_\_1P product).

#### 1.1.1 Report summary

The table below shows general characteristics of the data that are included into this report.

Item	Value
Report version	v1.42 15-10-2013
Time of report generation	06AUG2015 09:13:25
Data source version	MIPAS/7.11-W
Processing scope for products	06AUG2006 00:00:00 to 07AUG2006 00:00:00
Start time of first product within scope	05AUG2006 22:43:07
Stop time of last product within scope	07AUG2006 01:16:08
Total number of level 1 products	10
Number of level 1 products with errors	6

#### 1.1.2 Summary per product


The following table shows a summary for each product used in this report.

#	Product name	Start time	Stop time	Prod err	Slice position (prod/tot)	#sweeps SPH
0	MIP_NL__1PWDSI20060805_224307_000060302050_00073_23173_0000.N1	05AUG2006 22:43:07	06AUG2006 00:23:36	0	0/0	19
1	MIP_NL__1PWDSI20060806_002342_000050412050_00074_23174_0000.N1	06AUG2006 00:23:42	06AUG2006 01:47:43	0	0/0	19
2	MIP_NL__1PWDSI20060806_064423_000012762050_00077_23177_0000.N1	06AUG2006 06:44:23	06AUG2006 07:05:38	0	0/0	27
3	MIP_NL__1PWDSI20060806_070646_000060292050_00078_23178_0000.N1	06AUG2006 07:06:46	06AUG2006 08:47:15	1	0/0	27
4	MIP_NL__1PWDSI20060806_084722_000060162050_00079_23179_0000.N1	06AUG2006 08:47:22	06AUG2006 10:27:37	1	0/0	27
5	MIP_NL__1PWDSI20060806_102744_000050172050_00080_23180_0000.N1	06AUG2006 10:27:44	06AUG2006 11:51:21	1	0/0	27
6	MIP_NL__1PWDSI20060806_200910_000012762050_00085_23185_0000.N1	06AUG2006 20:09:10	06AUG2006 20:30:26	0	0/0	27
7	MIP_NL__1PWDSI20060806_203133_000059692050_00086_23186_0000.N1	06AUG2006 20:31:33	06AUG2006 22:11:02	1	0/0	27
8	MIP_NL__1PWDSI20060806_221209_000060162050_00087_23187_0000.N1	06AUG2006 22:12:09	06AUG2006 23:52:24	1	0/0	27
9	MIP_NL__1PWDSI20060806_235231_000050172050_00088_23188_0000.N1	06AUG2006 23:52:31	07AUG2006 01:16:08	1	0/0	27



### 1.2 Product Quality Indicators

This report contains an analysis on product quality related parameters within the MIP\_NL\_\_1P product.


#### 1.2.1 Trends and geolocation of Summary Quality and Scan Information ADS











Geolocation plot of MIPNL1P\_SCAINFADS\_num\_sweeps(green color=0 errors)







Geolocation plot of MIPNL1P\_SUMQUAADS.attach\_flag











1.2.2 Trends and geolocation of MIPAS LEVEL 1 MDS


Bar plot of MIPNL1P\_MIPLEV1BMDS\_quality\_flag




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_quality\_flag











Bar plot of MIPNL1P\_MIPLEV1BMDS\_day\_night\_flag







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_day\_night\_flag
































Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1







Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2



Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2





### 1.2.3 Scan information ADS


The following plots each contain 100 squares. Each square contains one NESR-scan (from MIPNL1P\_SCAINFADS\_nesr\_data).

The horizontal axis represents the sweep ID (starts at 1).


The vertical axis shows the NESR data point index (starts at 0), which relates to wavenumber.

The data values themselves are indicated by colours (as indicated on the right of the plot). Please refer to the plot header for data units.

Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 1 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 2 of 7







Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 3 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 4 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 5 of 7



Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 6 of 7







### 1.3 Physical Quality Indicators

#### 1.3.1 Tangent altitude

Plot of MIPNL1P\_MIPLEV1BMDS\_loc\_1 against time.  
The vertical grid lines indicate estimated anx events.



Plot of MIPNL1P\_MIPLEV1BMD5\_loc\_1 against relative time within orbit.  
The colours indicate distinct orbits (see legend for anx).





### 1.3.2 Cloud top height

The following plots show an estimation of cloud top height, based on the ratio of two microwindows. Reference: R. Spang, J.J. Remedios and M.P. Barkley, "Colour indices for the detection and differentiation of cloud types in infra-red limb emission spectra", Adv Space Res, 33:1041-1047, (2004)

The non-nominal scans mentioned in the plots are scans that are rejected by the cloud top height algorithm for several reasons:

- Unconsidered instrument mode. The algorithm only considers nominal (39169) and special event (39172) instrument modes.
- Incomplete scan (missing sweeps)
- Special measurement modes that do not include the troposphere.

Item	Value
Microwindow 1 description	Average of band A pixels for cloud top detection 1
Microwindow 2 description	Average of band A pixels cloud top detection 2
cloud index threshold (mw1/mw2)	1.8000000
Tangent height limit	40.000000




## 1.4 ADF monitoring

Number	ADF
0	AUX_FRA_AXVFOS20070125_150932_20060806_000000_20060808_000000
1	AUX_FRA_AXVFOS20080201_100606_20060805_000000_20060807_000000
2	DOR_VOR_AXVF-P20120425_120200_20060805_215527_20060807_002327
3	DOR_VOR_AXVF-P20120425_120200_20060806_215527_20060808_002327
4	MIP_CA1_AXT_20130105_000000_20060804_000000_20060904_000000
5	MIP_CG1_AXT_20130105_000000_20060804_000000_20060904_000000
6	MIP_CL1_AXT_20080729_075920_20020401_000000_20161214_000000
7	MIP_CO1_AXT_20130105_000000_20060804_000000_20060904_000000
8	MIP_CS1_AXT_20130105_000000_20060804_000000_20060904_000000
9	MIP_MW1_AXT_20120105_091859_20020401_000000_20161214_000000
10	MIP_PS1_AXT_20130718_100321_20040809_000000_20161214_000000




Number	Product name	#CS1	#CG1	#CL1	#CA1	#CO1	#MW1	#PS1	#FPO	#FRA
0	MIP_NL_1PWDSI20060805_224307_000060302050_00073_23173_0000.N1	8	5	6	4	7	9	10	2	1
1	MIP_NL_1PWDSI20060806_002342_000050412050_00074_23174_0000.N1	8	5	6	4	7	9	10	2	0
2	MIP_NL_1PWDSI20060806_064423_000012762050_00077_23177_0000.N1	8	5	6	4	7	9	10	2	0
3	MIP_NL_1PWDSI20060806_070646_000060292050_00078_23178_0000.N1	8	5	6	4	7	9	10	2	0
4	MIP_NL_1PWDSI20060806_084722_000060162050_00079_23179_0000.N1	8	5	6	4	7	9	10	2	0
5	MIP_NL_1PWDSI20060806_102744_000050172050_00080_23180_0000.N1	8	5	6	4	7	9	10	2	0
6	MIP_NL_1PWDSI20060806_200910_000012762050_00085_23185_0000.N1	8	5	6	4	7	9	10	2	0
7	MIP_NL_1PWDSI20060806_203133_000059692050_00086_23186_0000.N1	8	5	6	4	7	9	10	2	0
8	MIP_NL_1PWDSI20060806_221209_000060162050_00087_23187_0000.N1	8	5	6	4	7	9	10	3	0
9	MIP_NL_1PWDSI20060806_235231_000050172050_00088_23188_0000.N1	8	5	6	4	7	9	10	3	0


Bar plot of ADFs used for ILS&SPECTRAL CAL FILE.  
See legend for details.




Bar plot of ADFs used for GAIN CALIBRATION FILE.  
See legend for details.




Bar plot of ADFs used for LINE OF SIGHT FILE.  
See legend for details.




Bar plot of ADFs used for INSTRUMENT CHAR FILE.  
See legend for details.




Bar plot of ADFs used for OFFSET VALIDATION FILE.  
See legend for details.




Bar plot of ADFs used for MICROWINDOWS FILE.  
See legend for details.




Bar plot of ADFs used for PROCESS PARAMETERS FILE.  
See legend for details.




Bar plot of ADFs used for ORBIT DATA FILE.  
See legend for details.






Bar plot of ADFs used for RESTITUTED ATTITUDE FILE.  
See legend for details.







Geolocation plot of MIPNL1P\_SCAINFADS\_num\_sweeps(green color=0 errors)











Geolocation plot of MIPNL1P\_SUMQUAADS.num\_corr\_sweeps






Geolocation plot of MIPNL1P\_SUMQUAADS.num\_corr\_ins













Geolocation plot of MIPNL1P\_SUMQUAADS.num\_excess\_phase







Geolocation plot of MIPNL1P\_SUMQUAADS.num\_opd\_shift







Geolocation plot of MIPNL1P\_SUMQUAADS.num\_sweeps\_flux\_oor








### Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_quality\_flag







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_day\_night\_flag









Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector A2







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector AB











Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector B






Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_num\_spikes detector C













Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band A







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band AB






Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band B







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_Lval band C









Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_band\_val band D




Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A1




Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector A2




Bar plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector AB




Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector AB







Geolocation plot of MIPNL1P\_MIPLEV1BMDS\_detect\_non\_lin\_flux detector B




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 1 of 7



Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 2 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 3 of 7







Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 4 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 5 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm<sup>2</sup>.sr.1/cm)] 6 of 7




Plot of MIPNL1P\_SCAINFADS\_near\_data [W/(cm2.sr.1/cm)] 7 of 7




Plot of MIPNL1P\_MIPLEV1BMDS\_loc\_1 against time.  
The vertical grid lines indicate estimated anx events.



Plot of MIPNL1P\_MIPLEV1BMDS\_Joc\_1 against relative time within orbit.  
The colours indicate distinct orbits (see legend for anx).





Geolocation plot of cloud top height [km] (non-nominal scans are red)

