

RA2, MWR & DORIS SUMMARY PRODUCTS REPORT

Reporting time: 01-10-2008 14:21:42.000
Trigger: Routine

	Period Start	Period Stop
UTC	29-SEP-2008 00:00:00.000	30-SEP-2008 00:00:00.000
Absolute Orbit	34410	34424
Cycle, Relative Orbit	0288	0302

Products inventoried

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

TABLE OF CONTENTS

Overall production

- [Inventoried production chart](#)
- [Inventoried production map](#)

Level 0

Planning vs. Production

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CAL_0P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
DOR_DOP_0P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
DOR_NAV_0P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
MWR_NL_0P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
RA2_ME_0P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[Mission Plan vs. production chart](#)

Inventoried production: [RA2_CAL_0P](#) , [DOR_DOP_0P](#) , [DOR_NAV_0P](#) , [MWR_NL_0P](#) , [RA2_ME_0P](#)

Missing products: [RA2_CAL_0P](#) , [DOR_DOP_0P](#) , [DOR_NAV_0P](#) , [MWR_NL_0P](#) , [RA2_ME_0P](#)

Unplanned products: [RA2_CAL_0P](#) , [DOR_DOP_0P](#) , [DOR_NAV_0P](#) , [MWR_NL_0P](#) , [RA2_ME_0P](#)

Overlaps: [RA2_CAL_0P](#) , [DOR_DOP_0P](#) , [DOR_NAV_0P](#) , [MWR_NL_0P](#) , [RA2_ME_0P](#)

Duplicates: [RA2_CAL_0P](#) , [DOR_DOP_0P](#) , [DOR_NAV_0P](#) , [MWR_NL_0P](#) , [RA2_ME_0P](#)

ADF usage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 new ADFs in use for type RA2_CAL_0P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_CAL_0P: ADFs usage](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 new ADFs in use for type DOR_DOP_0P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[DOR_DOP_0P: ADFs usage](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 new ADFs in use for type DOR_NAV_0P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[DOR_NAV_0P: ADFs usage](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 new ADFs in use for type MWR_NL_0P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[MWR_NL_0P: ADFs usage](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 new ADFs in use for type RA2_ME_0P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_ME_0P: ADFs usage](#)

Header checks

MPH errors

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 RA2_CAL_0P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_CAL_0P: MPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 DOR_DOP_0P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 DOR_DOP_0P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[DOR_DOP_0P: MPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 DOR_NAV_0P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 DOR_NAV_0P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[DOR_NAV_0P: MPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 MWR_NL__0P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 MWR_NL__0P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[MWR_NL__0P: MPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 RA2_ME__0P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 RA2_ME__0P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_ME__0P: MPH checks](#)

SPH errors

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in RA2_CAL_0P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with start_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with start_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with stop_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with stop_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with sat_track out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with num_error_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with num_missing_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with num_discarded_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with num_RS_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with ISP_errors_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with missing_ISPs_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with ISP_discarded_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_CAL_0P products with RS_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_CAL_0P: SPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in DOR_DOP_0P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with start_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 DOR_DOP_0P products with start_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with stop_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with stop_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with sat_track out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with num_error_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with num_missing_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with num_discarded_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with num_RS_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with ISP_errors_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with missing_ISPs_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with ISP_discarded_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_DOP_0P products with RS_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[DOR_DOP_0P: SPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in DOR_NAV_0P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with start_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with start_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with stop_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with stop_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with sat_track out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with num_error_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with num_missing_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with num_discarded_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with num_RS_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 DOR_NAV_0P products with ISP_errors_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with missing_ISPs_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with ISP_discarded_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 DOR_NAV_0P products with RS_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[DOR_NAV_0P: SPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in MWR_NL__0P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with start_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with start_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with stop_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with stop_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with sat_track out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with num_error_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with num_missing_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with num_discarded_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with num_RS_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with ISP_errors_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with missing_ISPs_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with ISP_discarded_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 MWR_NL__0P products with RS_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[MWR_NL__0P: SPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in RA2_ME__0P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with start_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 RA2_ME__0P products with start_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with stop_lat out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with stop_long out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with sat_track out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with num_error_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with num_missing_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with num_discarded_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with num_RS_ISPs out of range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with ISP_errors_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with missing_ISPs_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with ISP_discarded_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_ME__0P products with RS_significant set to 1 N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_ME__0P: SPH checks](#)

Level 1

Planning vs. Production

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_MW__1P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[Mission Plan vs. production chart](#)

Inventoried production: [RA2_MW__1P](#)

Missing products: [RA2_MW__1P](#)

Unplanned products: [RA2_MW__1P](#)

Overlaps: [RA2_MW__1P](#)

Duplicates: [RA2_MW__1P](#)

ADF usage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
Current IECF list for ADFs not available N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 differences with IECF detected for type RA2_MW__1P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 new ADFs in use for type RA2_MW__1P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_MW__1P: ADFs usage](#)

Header checks

MPH errors

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 RA2_MW__1P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 RA2_MW__1P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_MW__1P: MPH checks](#)

SPH errors

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in RA2_MW__1P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with processing errors significance flag set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with percentage DSRs free of processing errors below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with percentage of valid measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with percentage of 320 MHz band processed below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with percentage of 80 MHz band processed above threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_MW__1P products with percentage of 20 MHz band processed above threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_MW__1P: SPH checks](#)

Level 2

Planning vs. Production

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_FGD_2P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
RA2_WWV_2P products: 0 produced; 0 gaps; 0 unplanned	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[Mission Plan vs. production chart](#)

Inventoried production: [RA2_FGD_2P](#) , [RA2_WWV_2P](#)

Missing products: [RA2_FGD_2P](#) , [RA2_WWV_2P](#)

Unplanned products: [RA2_FGD_2P](#) , [RA2_WWV_2P](#)

Overlaps: [RA2_FGD_2P](#) , [RA2_WWV_2P](#)

Duplicates: [RA2_FGD_2P](#) , [RA2_WWV_2P](#)

ADF usage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
Current IECF list for ADFs not available N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 differences with IECF detected for type RA2_FGD_2P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 new ADFs in use for type RA2_FGD_2P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_FGD_2P: ADFs usage](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
Current IECF list for ADFs not available N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 differences with IECF detected for type RA2_WWV_2P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 new ADFs in use for type RA2_WWV_2P N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_WWV_2P: ADFs usage](#)

Header checks

MPH errors

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 RA2_FGD_2P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 RA2_FGD_2P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_FGD_2P: MPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 RA2_WWV_2P products with wrong filename N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with unknown processing stage N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with unknown acquisition station N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with unknown processing center N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with wrong processing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with software version not equal to the current version N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with wrong sensing start N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with wrong sensing stop N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 RA2_WWV_2P products with wrong phase N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with wrong state vector time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with unknown vector source N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with UTC to SBT time too far from sensing time N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with satellite binary time out-of-range N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with wrong clock step N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with leap utc set to blank N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with leap err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with product err set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with tot_size not equal to real file size N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_WWV_2P: MPH checks](#)

SPH errors

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in RA2_FGD_2P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with I2 processing errors significance flag set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with I1b processing errors significance flag set N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage DSRs free of I2 processing errors below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage DSRs free of I1b processing errors below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of valid measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of 320 MHz band processed below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of 80 MHz band processed above threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of 20 MHz band processed above threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of valid Ku ocean retracker measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of valid Ku ice1 retracker measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

0 RA2_FGD_2P products with percentage of valid S ice1 retracker measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of valid Ku ice2 retracker measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of valid S ice2 retracker measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_FGD_2P products with percentage of valid Ku sea/ice retracker measurements below threshold N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_FGD_2P: SPH checks](#)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
0 ADFs not covering sensing time are referenced in RA2_WWV_2P products N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_I2_proc_flag anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_I1b_proc_flag anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_I2_proc_quality anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_I1b_proc_quality anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_measurement_percent anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_320_band_percent anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_80_band_percent anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_20_band_percent anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A
0 RA2_WWV_2P products with ra2_ocean_ku_retrack_percent anomalies N/A	0	29-SEP-2008 00:00:00.000 30-SEP-2008 00:00:00.000	None	N/A

[RA2_WWV_2P: SPH checks](#)

Time Correlation

[Time Correlation propagation error](#)

Overall Production

Inventoried Production (sensing time)



Mission Plan vs. Production (level 0)



Production covering Mission Plan

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
Mission Plan (extracted from DMOP)				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Inventoried Products

RA2_CAL_0P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL_0P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME_0P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Missing Products

RA2_CAL_0P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL_0P missing products

Unplanned Products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Overlaps

RA2_CAL_0P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Duplicates

RA2_CAL_0P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Mission Plan vs. Production (level 1)

✕
Mission Plan (extracted from DMOP)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Inventoried Products

RA2_MW__1P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Missing Products

RA2_MW__1P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Unplanned Products

RA2_MW__1P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Overlaps

RA2_MW__1P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Duplicates

RA2_MW__1P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Mission Plan vs. Production (level 2)

✕
Mission Plan (extracted from DMOP)

Inventoried Products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Missing Products

RA2_FGD_2P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P missing products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Unplanned Products

RA2_FGD_2P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P unplanned products

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Overlaps

RA2_FGD_2P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P overlaps

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Duplicates

RA2_FGD_2P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P duplicates

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

ADF usage

RA2_CAL_0P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Current ADFs (from IECF list)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Differences with IECF list

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Current ADFs (from IECF list)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Differences with IECF list

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P: ADF usage

New ADFs

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Current ADFs (from IECF list)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Differences with IECF list

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH checks (Level 0)

MPH Errors for RA2_CAL_0P



RA2_CAL_0P MPH checks

RA2_CAL_0P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with unknown acquisition station

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with unknown processing center

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong phase

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong state vector time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong x_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong y_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong z_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong x_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong y_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong z_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with unknown vector source

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with UTC to SBT time too far from sensing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with satellite binary time out-of-range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with wrong clock step

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with leap utc set to blank

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with leap err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH Errors for DOR_DOP_0P



DOR_DOP_0P MPH checks

DOR_DOP_0P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with unknown acquisition station

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with unknown processing center

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with wrong phase

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with wrong state vector time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
				DOR_DOP_0P products with wrong x_position
				DOR_DOP_0P products with wrong y_position
				DOR_DOP_0P products with wrong z_position
				DOR_DOP_0P products with wrong x_velocity
				DOR_DOP_0P products with wrong y_velocity
				DOR_DOP_0P products with wrong z_velocity
				DOR_DOP_0P products with unknown vector source
				DOR_DOP_0P products with UTC to SBT time too far from sensing time
				DOR_DOP_0P products with satellite binary time out-of-range
				DOR_DOP_0P products with wrong clock step
				DOR_DOP_0P products with leap utc set to blank
				DOR_DOP_0P products with leap err set
				DOR_DOP_0P products with product err set

MPH Errors for DOR_NAV_0P



DOR_NAV_0P MPH checks

DOR_NAV_0P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with unknown acquisition station				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with unknown processing center				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong phase				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong state vector time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong x_position				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong y_position				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong z_position				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong x_velocity				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong y_velocity				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong z_velocity				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with unknown vector source				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with UTC to SBT time too far from sensing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with satellite binary time out-of-range				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with wrong clock step				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with leap utc set to blank				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with leap err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
DOR_NAV_0P products with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH Errors for MWR_NL__0P



MWR_NL__0P MPH checks

MWR_NL__0P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with unknown acquisition station				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with unknown processing center				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong phase				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong state vector time				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong x_position				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong y_position				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong z_position				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong x_velocity				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong y_velocity				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong z_velocity				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with unknown vector source				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with UTC to SBT time too far from sensing time				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with satellite binary time out-of-range				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with wrong clock step				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with leap utc set to blank				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with leap err set				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_NL__0P products with product err set				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

MPH Errors for RA2_ME__0P



RA2_ME__0P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with unknown acquisition station

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with unknown processing center

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong phase

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong state vector time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong x_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong y_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong z_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong x_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong y_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong z_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with unknown vector source

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with UTC to SBT time too far from sensing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with satellite binary time out-of-range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with wrong clock step

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with leap utc set to blank

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with leap err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH checks (Level 1)

MPH Errors for RA2_MW__1P



RA2_MW__1P MPH checks

RA2_MW__1P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with unknown acquisition station

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with unknown processing center

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong phase

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong state vector time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong x_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong y_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong z_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong x_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong y_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong z_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with unknown vector source

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with UTC to SBT time too far from sensing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with satellite binary time out-of-range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with wrong clock step

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with leap utc set to blank

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with leap err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MW__1P products with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH checks (Level 2)

MPH Errors for RA2_FGD_2P



RA2_FGD_2P MPH checks

RA2_FGD_2P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with unknown acquisition station

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with unknown processing center

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong phase

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong state vector time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong x_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong y_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong z_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong x_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong y_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong z_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with unknown vector source

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with UTC to SBT time too far from sensing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with satellite binary time out-of-range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with wrong clock step

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with leap utc set to blank

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with leap err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH Errors for RA2_WWV_2P



RA2_WWV_2P MPH checks

RA2_WWV_2P products with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with unknown acquisition station

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with unknown processing center

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong phase

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong state vector time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong x_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong y_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong z_position

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong x_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong y_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with wrong z_velocity

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with unknown vector source

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with UTC to SBT time too far from sensing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_WWV_2P products with satellite binary time out-of-range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_WWV_2P products with wrong clock step				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_WWV_2P products with leap utc set to blank				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_WWV_2P products with leap err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_WWV_2P products with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

SPH checks

RA2_CAL_0P SPH checks

SPH fields with errors



RA2_CAL_0P products using a wrong ADF (sensing not included in validity)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with start_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with start_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with stop_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with stop_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with sat_track out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Percentage of RA2_CAL_0P products with ISP_errors_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with num_error_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for RA2_CAL_0P products with num_error_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of RA2_CAL_0P products with missing_ISPs_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with num_missing_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for RA2_CAL_0P products with num_missing_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of RA2_CAL_0P products with ISP_discarded_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with num_discarded_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for RA2_CAL_0P products with num_discarded_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of RA2_CAL_0P products with RS_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CAL_0P products with num_RS_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for RA2_CAL_0P products with num_RS_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

DOR_DOP_0P SPH checks

SPH fields with errors



DOR_DOP_0P products using a wrong ADF (sensing not included in validity)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with start_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with start_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with stop_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with stop_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with sat_track out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Percentage of DOR_DOP_0P products with ISP_errors_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_DOP_0P products with num_error_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for DOR_DOP_0P products with num_error_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

Percentage of DOR_DOP_0P products with missing_ISPs_significant set to 1

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

DOR_DOP_0P products with num_missing_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for DOR_DOP_0P products with num_missing_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

Percentage of DOR_DOP_0P products with ISP_discarded_significant set to 1

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

DOR_DOP_0P products with num_discarded_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for DOR_DOP_0P products with num_discarded_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

Percentage of DOR_DOP_0P products with RS_significant set to 1

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

DOR_DOP_0P products with num_RS_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for DOR_DOP_0P products with num_RS_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

DOR_NAV_0P SPH checks

SPH fields with errors



DOR_NAV_0P products using a wrong ADF (sensing not included in validity)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with start_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with start_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with stop_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with stop_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with sat_track out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Percentage of DOR_NAV_0P products with ISP_errors_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with num_error_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for DOR_NAV_0P products with num_error_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of DOR_NAV_0P products with missing_ISPs_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with num_missing_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for DOR_NAV_0P products with num_missing_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of DOR_NAV_0P products with ISP_discarded_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with num_discarded_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for DOR_NAV_0P products with num_discarded_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of DOR_NAV_0P products with RS_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

DOR_NAV_0P products with num_RS_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for DOR_NAV_0P products with num_RS_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

MWR_NL__0P SPH checks

SPH fields with errors



MWR_NL__0P products using a wrong ADF (sensing not included in validity)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with start_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with start_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with stop_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with stop_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with sat_track out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Percentage of MWR_NL__0P products with ISP_errors_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with num_error_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for MWR_NL__0P products with num_error_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of MWR_NL__0P products with missing_ISPs_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_NL__0P products with num_missing_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for MWR_NL__0P products with num_missing_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

Percentage of MWR_NL__0P products with ISP_discarded_significant set to 1

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

MWR_NL__0P products with num_discarded_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for MWR_NL__0P products with num_discarded_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

Percentage of MWR_NL__0P products with RS_significant set to 1

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

MWR_NL__0P products with num_RS_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for MWR_NL__0P products with num_RS_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

RA2_ME__0P SPH checks

SPH fields with errors



RA2_ME__0P products using a wrong ADF (sensing not included in validity)

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_ME__0P products with start_lat out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_ME__0P products with start_long out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_ME__0P products with stop_lat out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with stop_long out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with sat_track out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Percentage of RA2_ME__0P products with ISP_errors_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with num_error_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for RA2_ME__0P products with num_error_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of RA2_ME__0P products with missing_ISPs_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with num_missing_ISPs out of range

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Statistics for RA2_ME__0P products with num_missing_ISPs out of range

Gauge	Statistics	Segment (Start-Stop)	Partition	Processing Context
-------	------------	----------------------	-----------	--------------------

Percentage of RA2_ME__0P products with ISP_discarded_significant set to 1

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_ME__0P products with num_discarded_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for RA2_ME__0P products with num_discarded_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

Percentage of RA2_ME__0P products with RS_significant set to 1

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_ME__0P products with num_RS_ISPs out of range

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

Statistics for RA2_ME__0P products with num_RS_ISPs out of range

Gauge Statistics Segment (Start-Stop) Partition Processing Context

RA2_MW__1P SPH checks

SPH fields with errors



RA2_MW__1P products using a wrong ADF (sensing not included in validity)

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_MW__1P products with processing errors significance flag set

RA2_MW__1P products with percentage DSKs free of processing errors below threshold

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_MW__1P products with percentage of valid measurements below threshold

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_MW__1P products with percentage of 320 MHz band processed below threshold

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_MW__1P products with percentage of 80 MHz band processed above threshold

Gauge Value Segment (Start-Stop) Processing Context Explicit Reference

RA2_MW__1P products with percentage of 20 MHz band processed above threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P SPH checks

SPH fields with errors



RA2_FGD_2P products using a wrong ADF (sensing not included in validity)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Products with processing errors significance flag set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Products with percentage DSRs free of processing errors below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Products with percentage DSRs free of processing errors below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of valid measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of 320 MHz band processed below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of 80 MHz band processed above threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of 20 MHz band processed above threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of valid Ku ocean retracker measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of valid Ku ice1 retracker measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of valid S ice1 retracker measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of valid KU ice2 retracker measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_FGD_2P products with percentage of valid S ice2 retracker measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_FGD_2P products with percentage of valid KU sea/ice retracker measurements below threshold				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P SPH checks

SPH fields with errors



RA2_WWV_2P products using a wrong ADF (sensing not included in validity)

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with processing errors significance flag set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage DSRs free of processing errors below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage DSRs free of processing errors below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage of valid measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage of 320 MHz band processed below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage of 80 MHz band processed above threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage of 20 MHz band processed above threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_WWV_2P products with percentage of valid Ku ocean retracker measurements below threshold

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MPH checks

MWR_CHD_AX MPH checks

MPH Errors for MWR_CHD_AX



MWR_CHD_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CHD_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CHD_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CHD_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CHD_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CHD_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CHD_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_CON_AX MPH checks

MPH Errors for MWR_CON_AX



MWR_CON_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CON_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CON_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_CON_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_CON_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_CON_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_CON_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX MPH checks

MPH Errors for MWR_LSF_AX



MWR_LSF_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_LSF_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

MWR_SLT_AX MPH checks

MPH Errors for MWR_SLT_AX



MWR_SLT_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_SLT_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_SLT_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_SLT_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_SLT_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_SLT_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
MWR_SLT_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CHD_AX MPH checks

MPH Errors for RA2_CHD_AX



RA2_CHD_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CHD_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CHD_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CHD_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CHD_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CHD_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CHD_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CON_AX MPH checks

MPH Errors for RA2_CON_AX



RA2_CON_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CON_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CON_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CON_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CON_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CON_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CON_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_CST_AX MPH checks

MPH Errors for RA2_CST_AX



RA2_CST_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CST_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CST_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CST_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CST_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CST_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_CST_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_DIP_AX MPH checks

MPH Errors for RA2_DIP_AX



RA2_DIP_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_DIP_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_DIP_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_DIP_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_DIP_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_DIP_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_DIP_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_GEO_AX MPH checks

MPH Errors for RA2_GEO_AX



RA2_GEO_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_GEO_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_GEO_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_GEO_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_GEO_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_GEO_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_GEO_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_ICT_AX MPH checks

MPH Errors for RA2_ICT_AX



RA2_ICT_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_ICT_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_ICT_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_ICT_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_ICT_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_ICT_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_ICT_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFA_AX MPH checks

MPH Errors for RA2_IFA_AX



RA2_IFA_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IFA_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFA_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFA_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFA_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFA_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFA_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFB_AX MPH checks

MPH Errors for RA2_IFB_AX



RA2_IFB_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IFB_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFB_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFB_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFB_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFB_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFB_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX MPH checks

MPH Errors for RA2_IFF_AX



RA2_IFF_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IFF_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_IOC_AX MPH checks

MPH Errors for RA2_IOC_AX



RA2_IOC_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IOC_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IOC_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IOC_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IOC_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IOC_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_IOC_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_MET_AX MPH checks

MPH Errors for RA2_MET_AX



RA2_MET_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_MET_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_MET_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_MET_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_MET_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_MET_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_MET_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX MPH checks

MPH Errors for RA2_MSS_AX



RA2_MSS_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_MSS_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_OT1_AX MPH checks

MPH Errors for RA2_OT1_AX



RA2_OT1_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_OT1_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_OT1_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT1_AX files with software version not equal to the current version				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT1_AX files with wrong sensing start				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT1_AX files with wrong sensing stop				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT1_AX files with product err set				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_OT2_AX MPH checks

MPH Errors for RA2_OT2_AX



RA2_OT2_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT2_AX files with unknown processing stage				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT2_AX files with wrong processing time				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT2_AX files with software version not equal to the current version				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT2_AX files with wrong sensing start				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT2_AX files with wrong sensing stop				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_OT2_AX files with product err set				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_PLA_AX MPH checks

MPH Errors for RA2_PLA_AX



RA2_PLA_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_PLA_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_PLA_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_PLA_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_PLA_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_PLA_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_PLA_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_POL_AX MPH checks

MPH Errors for RA2_POL_AX



RA2_POL_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_POL_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_POL_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_POL_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_POL_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_POL_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_POL_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX MPH checks

MPH Errors for RA2_SET_AX



RA2_SET_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SET_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SL1_AX MPH checks

MPH Errors for RA2_SL1_AX



RA2_SL1_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SL1_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SL1_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL1_AX files with software version not equal to the current version				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL1_AX files with wrong sensing start				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL1_AX files with wrong sensing stop				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL1_AX files with product err set				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_SL2_AX MPH checks

MPH Errors for RA2_SL2_AX



RA2_SL2_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL2_AX files with unknown processing stage				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL2_AX files with wrong processing time				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL2_AX files with software version not equal to the current version				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL2_AX files with wrong sensing start				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL2_AX files with wrong sensing stop				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SL2_AX files with product err set				
Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_SOI_AX MPH checks

MPH Errors for RA2_SOI_AX



RA2_SOI_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOI_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOI_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOI_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOI_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOI_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOI_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_SOL_AX MPH checks

MPH Errors for RA2_SOL_AX



RA2_SOL_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOL_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOL_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOL_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOL_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_SOL_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

RA2_SOL_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX MPH checks

MPH Errors for RA2_SSB_AX



RA2_SSB_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_SSB_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_TLD_AX MPH checks

MPH Errors for RA2_TLD_AX



RA2_TLD_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_TLD_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_TLD_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_TLD_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_TLD_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_TLD_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_TLD_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

RA2_USO_AX MPH checks

MPH Errors for RA2_USO_AX



RA2_USO_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_USO_AX files with unknown processing stage				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_USO_AX files with wrong processing time				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_USO_AX files with software version not equal to the current version				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_USO_AX files with wrong sensing start				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_USO_AX files with wrong sensing stop				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
RA2_USO_AX files with product err set				

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
-------	-------	----------------------	--------------------	--------------------

AUX_ATT_AX MPH checks

MPH Errors for AUX_ATT_AX



AUX_ATT_AX files with wrong filename

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

AUX_ATT_AX files with unknown processing stage

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

AUX_ATT_AX files with wrong processing time

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

AUX_ATT_AX files with software version not equal to the current version

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

AUX_ATT_AX files with wrong sensing start

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

AUX_ATT_AX files with wrong sensing stop

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

AUX_ATT_AX files with product err set

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference

Time Correlation

AUX_TIM_AX Propagation Error

Gauge	Value	Segment (Start-Stop)	Processing Context	Explicit Reference
Propagation Error (us) N/A	-3.32598972320557	29-SEP-2008 21:11:01.000 29-SEP-2008 22:54:16.000	None	AUX_TIM_AX\FOS20080929_213910_00000000_00007091_20080929_211101_20081002_211101.N1 AUX_TIM_AX.STEP_LENGTH=3906250462

xReportTemplate. Copying internal and external template references...
xReportTemplate. Processing Conditionals inclusions...
xReportTemplate. ...No Conditionals inclusions found
xReportTemplate. Generating data extraction schema document...
xReportTemplate. Inserting embedded DEL scripts and extracting data...
xReportTemplate. Generating data extraction scheleton for explicit references...
xReportTemplate. Extracting Explicit References data...
xReportTemplate. Merging object data with explicit_references data...
xReportTemplate. Generating stylesheet to transform template to report...
xReportTemplate. Generating stylesheet for grouping and zooming...
xReportTemplate. Generating intermediate report without grouping and zooming...
xReportTemplate. Generating final xhtml report...
xReportTemplate. Generating the IDL program for the graphs