
/document title/ titre du document

SCIAMACHY BI-MONTHLY REPORT: MARCH - APRIL 2007

| | |
|--|---------------------------|
| prepared by/ <i>préparé par</i> | Angelika Dehn |
| reference/ <i>référence</i> | ENVI-SPPA-EOPG-TN-07-0036 |
| issue/ <i>édition</i> | 1 |
| revision/ <i>révision</i> | 0 |
| date of issue/ <i>date d'édition</i> | 15 June 2007 |
| status/ <i>état</i> | |
| Document type/ <i>type de document</i> | Technical Note |
| Distribution/ <i>distribution</i> | |

APPROVAL

| | | | |
|------------------------------|---|--------------------------------|--------------------------------------|
| Title <i>titre</i> | SCIAMACHY Bi-Monthly Report: March - April 2007 | issue 1 <i>issue</i> | revision 0 <i>revision</i> |
|------------------------------|---|--------------------------------|--------------------------------------|

| | | |
|--------------------------------|---|---------------------------------------|
| author <i>auteur</i> | Angelika Dehn, SERCO, Manfred Gottwald, SOST-DLR, Stefan Noël, SOST-IFE | date 10/06/2007 <i>date</i> |
|--------------------------------|---|---------------------------------------|

| | | |
|--|---|---------------------------------------|
| approved by <i>approuvé by</i> | A. von Bargaen, G. Lichtenberg, DLR (DPQC) T. Fehr ESA/ESRIN, D/EOP-GQ | date 14/06/2007 <i>date</i> |
|--|---|---------------------------------------|

CHANGE LOG

| <i>reason for change /raison du changement</i> | <i>issue/issue</i> | <i>revision/revision</i> | <i>date/date</i> |
|--|--------------------|--------------------------|------------------|
| | | | |

CHANGE RECORD

Issue: 1 Revision: 0

| <i>reason for change/raison du changement</i> | <i>page(s)/page(s)</i> | <i>paragraph(s)/paragraph(s)</i> |
|---|------------------------|----------------------------------|
| | | |

TABLE OF CONTENTS

| | | |
|-----------|--|-----------|
| 1 | INTRODUCTION | 5 |
| 1.1 | Scope..... | 5 |
| 1.2 | References..... | 5 |
| 1.3 | Acronyms and Abbreviations..... | 7 |
| 2 | SUMMARY | 9 |
| 3 | INSTRUMENT CONFIGURATION AND PERFORMANCE | 11 |
| 3.1 | In-Flight Status and Performance | 11 |
| 3.1.1 | Planned Operations and Measurements (SOST-DLR) | 11 |
| 3.1.2 | Instrument Measurement Status (SOST-DLR)..... | 12 |
| 3.1.3 | Executed Operations and Measurements (SOST-DLR) | 12 |
| 3.1.4 | Performance Monitoring - System (SOST-DLR)..... | 14 |
| 3.1.5 | Performance Monitoring - Light Path (SOST-IFE) | 21 |
| 3.1.5.1 | Science Channel Averages..... | 21 |
| 3.1.5.2 | Spectral light path monitoring results | 25 |
| 3.1.5.3 | PMD monitoring results..... | 31 |
| 3.1.6 | Problem Report Status (DLR-BO)..... | 33 |
| 4 | DATA AVAILABILITY STATISTICS | 34 |
| 4.1 | Downlink/Acquisition Performance | 34 |
| 4.2 | Statistics on unconsolidated data (SCI_NL__0P, SCI_NL__1P) | 35 |
| 4.3 | Statistics on consolidated data | 36 |
| 4.3.1 | Anomalies on level 0 consolidated data products | 36 |
| 4.3.2 | Availability of consolidated SCI_NL__1P products | 37 |
| 4.4 | Statistics on reprocessed data..... | 37 |
| 5 | LEVEL 1 PRODUCT QUALITY MONITORING | 38 |
| 5.1 | Processor Configuration..... | 38 |
| 5.1.1 | Version | 38 |
| 5.1.2 | Auxiliary Data Files | 40 |
| 5.1.3 | Spectral Performance | 41 |
| 5.1.4 | Radiometric Performance | 41 |
| 5.1.5 | Other Calibration Results..... | 41 |
| 5.1.5.1 | SMR analysis | 41 |
| 5.1.5.2 | LK1 analysis | 46 |
| 5.1.5.2.1 | Leakage Constant part..... | 46 |
| 5.1.5.2.2 | Leakage Variable part | 49 |
| 5.1.6 | Pointing Performance..... | 50 |

| | | |
|-------------------|---|-----------|
| 5.2 | SciaL1c tool | 50 |
| 6 | LEVEL 2 NRT PRODUCT QUALITY MONITORING | 51 |
| 6.1 | Processor Configuration..... | 51 |
| 6.1.1 | Version | 51 |
| 6.1.2 | Auxiliary Data Files | 53 |
| 7 | LEVEL 2 OFF-LINE PRODUCT QUALITY MONITORING..... | 54 |
| 7.1 | Processor Configuration..... | 54 |
| 7.1.1 | Version | 54 |
| 7.1.2 | Auxiliary Data Files | 55 |
| 7.1.3 | Anomalous data due to Ground Segment anomaly..... | 55 |
| 7.2 | Monitoring results | 56 |
| 7.2.1 | NADIR: NO ₂ consistency checking..... | 56 |
| 7.2.1.1 | NADIR: VCD NO ₂ map March 2007 | 57 |
| 7.2.1.2 | NADIR: VCD NO ₂ map April 2007 | 58 |
| 7.2.2 | NADIR: O ₃ consistency checking..... | 59 |
| 7.2.2.1 | NADIR: VCD O ₃ map March 2007 | 60 |
| 7.2.2.2 | NADIR: VCD O ₃ map April 2007 | 61 |
| 7.2.3 | LIMB..... | 62 |
| 8 | VALIDATION ACTIVITIES AND RESULTS..... | 63 |
| APPENDIX A | 64 | |
| | LEVEL 1B OFF-LINE PRODUCTS PROCESSED WITH OUTDATED AUXILIARY FILES | 64 |
| APPENDIX B | 65 | |
| | LEVEL 2 OFF-LINE PRODUCTS WITH ANOMALOUS LIMB DAT SETS..... | 65 |
| APPENDIX C | 74 | |
| | LEVEL 2 OFF-LINE PRODUCTS DUPLICATES (REMOVED FROM D-PAC SERVER)..... | 74 |

SCIAMACHY BI-MONTHLY REPORT MARCH - APRIL 2007

1 INTRODUCTION

The SCIAMACHY Bi-Monthly report documents the current status and recent changes to the SCIAMACHY instrument, its data processing chain, and its data products.

The Bi-Monthly Report (hereafter BMR) is composed of analysis results obtained by the DPQC, combined with inputs received from the different groups working on SCIAMACHY operation, calibration, product validation and data quality.

The first part of the report is dedicated to Instrument Configuration and Performance. It is composed of contributions from SOST-DLR and SOST-IFE.

The remainder of the report is dedicated to level 1 and level 2 performance assessment and is generated by ESA/ESRIN DPQC with contributions from ESA/ESTEC PLSO and DLR-IMF.

The structure of the report will be in constant evolution through the ENVISAT mission, as experience with SCIAMACHY data and quality control grows.

1.1 Scope

The main objective of the BMR is to give, on a regular basis, the status of SCIAMACHY instrument performance, data acquisition, results of anomaly investigations, calibration activities and validation campaigns. The BMR is composed of the following six sections:

- Summary;
- Instrument Configuration and Performance;
- Data Availability Statistics;
- Level 1 Product Quality Monitoring;
- Level 2 Product Quality Monitoring;
- Validation Activities and Results.

1.2 References

- [1] 'Instrument Operation Manual', MA-SCIA-0000DO/01, Issue F R2, 16 Dec. 2004
- [2] 'ENVISAT-1 Products Specifications Volume 15: SCIAMACHY Products Specifications', PO-RS-MDA-GS-2009, Issue 3, Rev: K, Gianni Sotis, 06 May 2006
- [3] 'SCIAMACHY cL0 Statistics, PO-TN-DLR-SH-0012, Issue 1, Rev. 1 14 April 2005'

-
- [4] SCIAMACHY cL0 Statistics 2003, PO-TN-DLR-SH-0013, Issue 1, Rev. 0 14 April 2005
- [5] 'SCIAMACHY Consolidated Level 0: Statistics for the Year 2005', PO-TN-DLR-SH-0014, Issue 1, Rev. 0 11 July 2006
- [6] 'Summary of the Atmospheric Chemistry Instrument Validation results as presented at the ACVE-3 Workshop', Paul Snoeij, Ankie Pitters, Herbert Fischer, Yasjka Meijer, Jean-Christopher Lambert, Thorsten Fehr
- [7] 'SCIAMACHY Extra Misalignment Model', PO-TN-DLR-SH-0016 Issue 1, M. Gottwald, E. Krieg, DLR-IMF, C. von Savigny, S. Noël, K. Bramstedt IUP-IFE, 07 March 2007



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHLY



page 7 of 74

1.3 Acronyms and Abbreviations

| | |
|---------|--|
| ADC | Analogue to Digital Converter |
| ADF | Auxiliary Data File |
| ANX | Ascending Node Crossing |
| AOCS | Attitude and Orbit Control System |
| APSM | Aperture Stop Mechanism |
| ASM | Azimuth Scan Mechanism |
| ATC | Active Thermal Control |
| BMR | Bi-Monthly Report |
| CA | Corrective Action |
| CCA | Communication Area |
| CTI | Configurable Transfer Item |
| DAC | Digital Analogue Converter |
| DLR-IMF | Deutsches Zentrum fuer Luft- und Raumfahrt |
| DPQC | Data Processing Quality Control |
| ESM | Elevation Scan Mechanism |
| FPN | Fixed Pattern Noise |
| HK | Housekeeping |
| ICE | Instrument Control Electronics |
| ICU | Instrument Control Unit |
| IECF | Instrument Engineering and Calibration Facilities |
| IOM | Instrument Operation Manual |
| LK1 | Leakage Current Auxiliary File (SCI_LK1_AX) |
| LOS | Line of Sight |
| MCMD | Macro Command |
| MPS | Mission Planning Schedule |
| MR | Monthly Report |
| NCWM | Nadir Calibration Window Mechanism |
| NDFM | Neutral Density Filter Mechanism |
| NIVR | Netherlands Agency for Aerospace Programmes |
| NNDEC | Non-nominal Decontamination |
| NRT | Near Real Time |
| OAR | Observation Anomaly Report |
| OBM | Optical Bench Module |
| OCR | Operations Change Request |
| OSDF | Orbit Sequence Definition File |
| PCF | Product Control Facility |
| PDHS | Payload Data Handling Station (PDS) |
| PDHS-E | Payload Data Handling Station – ESRIN |
| PDHS-K | Payload Data Handling Station – Kiruna |
| PDS | Payload Data Segment |
| PE1 | Pixel to Pixel/ Etalon Auxiliary File (SCI_PE1_AX) |
| PLSO | Payload Switch OFF |



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHLY



| | |
|-----------|---|
| PMD | Polarization Measurement Device |
| QUADAS | Quality Analysis of Data from Atmospheric Sounders |
| SAA | South Atlantic Anomaly |
| SCIAMACHY | Scanning Imaging Absorption Spectrometer for Atmospheric Chartography |
| SCICAL | SCIAMACHY Calibration tool |
| SEU | Single Event Upset |
| SLS | Spectral Line Source |
| SMR | Sun Mean Reference |
| SOST | SCIAMACHY Operations Support Team |
| SP1 | Spectral Calibration Auxiliary File (SCI_SP1_AX) |
| SU1 | Sun Reference Auxiliary File (SCI_SU1_AX) |
| SZA | Sun Zenith Angle |
| TC | Thermal Control |
| TCFoV | Total Clear Field of View |
| TOA | Top of Atmosphere |
| TRUE | Tangent height Retrieval by UV-B Exploitation |
| VCD | Vertical Column Density |
| WLS | White Light Source |
| WUR | Wageningen University and Research |

2 SUMMARY

- During the reported period SCIAMACHY measurements were nominal with respect to planning. One OCM was executed, SCIAMACHY was unavailable during following orbits:
 - 26609 - 26616 (02 - 03 April 2007) OCM
- Monthly Calibration was executed during Orbits:
 - 26162-26166 (02/03-Mar-2007)
 - 26562-26566 (30-Mar-2007)
- Occultation measurements with the moon rising on nightside:
 - 26137-26173 (01-Mar-2007 until 03-Mar-2007)
 - 26496-26595 (26-Mar-2007 until 02-Apr-2007)
 - 26926-27009 (25-Apr-2007 until 30-Apr-2007)
- One OCR was implemented:
 - OCR_029 (investigation of extra misalignment in pitch, roll and yaw)
- Two TC adjustments were required during orbits:
 - 26441 (22-Mar-2007)
 - 26945 (26-Apr-2007)
- Light Path monitoring:
 - Channel 1&2: degradation in UV for all light paths involving ESM increases with a rate of 0.5-1 % per month. The average throughput loss in channel 1 is currently ca 34%.
 - Channel 3 small throughput loss (about 3.5%)
 - Channel 4 small throughput loss (sub percent level)
 - Channel 5 throughput seems to slightly increase
 - Channel 6 throughput stable at ca. 98%, but seems to slightly increase
 - Channel 7 throughput shows a decrease of ca. 0.5%
 - Channel 8 throughput remains stable at about 68%
- PMD monitoring:
 - UV degradation visible in science channels is also visible in PMD 1 to 3



esa



DLR



serco

SCIAMACHY Bi-MONTHLY



page 10 of 74

-
- PMD 4 and 7 show a large decrease in throughput which is currently unexplained. (possible explanation: specific detector material)
 - PMD 6 results still under investigation

 - The SciaL1c tool was upgraded, the recent version is 1.24, available as LINUX on x86 processors, SUN Solaris, LINUX on DEC-Alpha and HP-UX on IA64



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



3 INSTRUMENT CONFIGURATION AND PERFORMANCE

3.1 In-Flight Status and Performance

Detailed operations, planning and instrument status information can be found on the website of the *SCIAMACHY Operations Support (SOST)* under <http://atmos.caf.dlr.de/projects/scops/>. These pages are maintained on a daily basis and show the history and actual progress of the SCIAMACHY mission.

3.1.1 Planned Operations and Measurements (SOST-DLR)

The reporting period covers the orbits 26137 (ANX = 01-Mar-2007, 00:17:27.076) to 27009 (ANX = 30-Apr-2007, 22:19:36.418). Two OSDFs specified the planning baseline.

| Orbit | | ANX | | OSDF |
|-------|-------|-----------------------------|-----------------------------|--|
| Start | Stop | Start | Stop | |
| 26137 | 26580 | 01-Mar-2007 00:17:27.076 | 31-Mar-2007 23:02:43.244 | MPL_OSD_SHVSH_20070129_010101_00000000_34060001_20070301_001729_20070401_004317.N1 |
| 26581 | 27453 | 01-Apr-2007 00:43:19.172 | 31-May-2007 22:45:28.513 | MPL_OSD_SHVSH_20070228_010101_00000000_34070001_20070401_004321_20070601_002602.N1 |

Table 3-1: SCIAMACHY OSDF planning file from March – April 2007

All measurements were nominal, i.e. timelines executed on the dayside of the orbit limb/nadir sequences with wide swath settings. One OCR (see below) was implemented between orbits 26812-26819 (17-Apr-2007) and 26826-26833 (18-Apr-2007). In-flight calibration and monitoring measurements occurred on daily, weekly and monthly timescales according to the mission scenarios. Monthly calibration was scheduled between orbits

- 26162-26166 (02/03-Mar-2007)
- 26562-26566 (30-Mar-2007)

The moon was in the limb TCFoV between orbits

- 26137-26189 (01-Mar-2007 until 04-Mar-2007)
- 26496-26629 (26-Mar-2007 until 04-Apr-2007)
and 26926-27009 (25-Apr-2007 until 30-Apr-2007)

Occultation measurements with the moon rising on the nightside could be executed between orbits

- 26137-26173 (01-Mar-2007 until 03-Mar-2007)
- 26496-26595 (26-Mar-2007 until 02-Apr-2007)
and 26926-27009 (25-Apr-2007 until 30-Apr-2007)



esa



serco

SCIAMACHY Bi-MONTHL



One OCR was implemented. This was OCR_029 (Investigation of extra misalignment in pitch, roll and yaw). In a series of several orbits 4 special states with sun acquisition above the atmosphere, both for ESM and ASM, were scheduled. Analysis of the measurement data confirmed the postulated extra misalignment model, i.e. an extra mispointing of

- pitch = -0.026 ± 0.003 deg
- roll = -0.020 ± 0.001 deg
- yaw = $+0.009 \pm 0.008$ deg

accounts for the observed tangent height offset in limb measurements and the LoS anomalies in sun observations, see [7].

3.1.2 Instrument Measurement Status (SOST-DLR)

The final flight status for states and timelines remained unchanged.

3.1.3 Executed Operations and Measurements (SOST-DLR)

Measurements and instrument availability

The OSDF planning file has been scheduled as requested except for one period in April when a Out-of-Plane orbit control manoeuvre (OCM) was executed which required to operate SCIAMACHY in MEASUREMENT IDLE mode. Thus MPS driven operations stopped in orbit 26609 (02-Apr-2007, 23:51:00 UTC) and commenced in orbit 26616 (03-Apr-2007, 11:39:16 UTC).




Fig. 3-1: Current instrument availability status including the reporting period

Detector thermal adjustment

Two thermal adjustments were required. In orbit 26441 (22-Mar-2007, 07:22:58 UTC) a TC adjustment was executed to keep detector 4 & 5 temperatures within limits. The new TC settings are



esa



serco

SCIAMACHY Bi-MONTHL



- DAC1 = 0.53 W
- DAC2 = 0.70 W
- DAC3 = 0.00 W

The seasonal variation increased temperatures further such that in orbit 26945 (26-Apr-2007, 12:20:22 UTC) another adjustment was needed to lower temperatures of detector 4 & 5. Since DAC3 was already at 0 W, reducing DAC2 was the next option. DAC2 is most sensitive to detectors 1,2,3 and 6. Thus a larger power reduction was necessary to achieve the required temperature change. This resulted in a significant decrease of the temperatures of detectors 1,2,3 and 6 (see fig. 3-2). The new TC settings are

- DAC1 = 0.53 W
- DAC2 = 0.50 W
- DAC3 = 0.00 W

APSM/NDFM health checks & PMD ADC cal

In the reporting period 1 APSM/NDFM health check and 2 PMD ADC calibrations were executed. All showed nominal results.

| APSM/NDFM | | | PMD ADC | |
|-----------|-------------------------|--------|---------|-------------------------|
| Orbit | ANX | Result | Orbit | ANX |
| n.a. | n.a. | n.a. | 26528 | 28-Mar-2007 09:14:17 |
| 26956 | 27-Apr-2007 06:51:04 | ok | 26957 | 27-Apr-2007 08:27:34 |

Table 3-2: APSM/NDFM health check and PMD ADC calibration

Anomalies

One minor on-board anomaly had occurred. It was related to the implementation of the special states for OCR_029. These states executed a sequence of scanner state phases where the movement of the ESM/ASM changed between pointing and scanning being controlled by different functions (prediction, Sun Follower). In the scanning part of the states the ESM lost SF control since at the edges of the ASM scan, outside the solar disk, the threshold for SF ‘object detected’ was just not reached for very short time. Each state executed 10 scans such that in total 80 warnings were generated between orbits 26826 and 26833. SCIAMACHY remained throughout the OCR_029 measurements in MEASUREMENT TIMELINE mode and all special states were concluded successfully.



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



page 15 of 74

Minimum/maximum values per orbit are indicated as vertical bars. The temperature limits of each detector are shown as horizontal lines.

Except for detector 5 all temperatures remained within limits. When detector 5 temperatures reached the lower limit, TC adjustments were executed (see above).

It has to be noted that the detector temperature curves since 2002 clearly indicate a degrading TC system with constantly rising temperatures (0.2-0.3 K/year for detectors 1-6 and 1 K/year for detectors 7 & 8). This is however a predicted behaviour. In future it will cause the situation that lowering rising temperatures by reducing TC heater power becomes limited since each of the 3 TC heaters gradually will approach 0 W.

OBM temperatures

OBM temperatures are monitored according to the requirements of the IOM [1]. It requests to ensure that the average temperature per orbit remains within the specified limits. The average OBM temperature per orbit is determined from specific HK telemetry parameters. In addition power readings for the ATC heaters are monitored. Temperatures and ATC heater powers are given in Fig. 3-3 and 3-4. Colour coding is as in Fig. 3-2.

OBM temperatures and ATC heater powers remained within limits.

Also the ATC systems shows signs of degradation, particularly in the power readings of the ATC_nadir heater. In the near future this heater will hit the allocated lower limit. Then the ATC setpoints have to be re-adjusted. This activity will follow a defined IOM procedure.

PMD ADC status

The status of the PMD ADC is monitored according to the requirements of the IOM [1]. It requests to ensure that no glitches occur caused by an SEU.

No PMD ADC glitches have been detected.





esa





serco

SCIAMACHY Bi-MONTHL



Filename: PIN_401_26137_27009
Date : 31-05-2007 Page : 1



Filename: PIN_401_26137_27009
Date : 31-05-2007 Page : 1





esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3-2: Detector temperatures



esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3-3: OBM temperatures (top: derived OBM, middle: limb sensor, bottom: nadir sensor)




Fig. 3-4: ATC heater power (top: ATC limb, middle: ATC nadir, bottom: ATC Rad A)



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHLY



page 19 of 74

LLI status

Life Limited Items are monitored based on analysis of the

- OSDF: This yields a predicted LLI usage.
- Report format: This counts the actual LLI switches or used LLI cycles. No WLS/SLS burning times can be derived thereof.

In addition, the in-flight usage of the cryogenic heat pipe is recorded. This subsystem has a limited number of cycles. Each decontamination increases the accumulated number of cycles by 1.

At the end of the reporting period the fractional usage of the LLI relative to the allowed in-flight budget was (based on OSDF prediction)

- NDFM: 0.70
- APSM: 0.64
- NCWM (sub-solar port): 0.70
- WLS (switches): 0.13
- WLS (burning time): 0.24
- SLS (switches): 0.05
- SLS (burning time): 0.01

How the relative LLI usage has accumulated since launch can be seen in fig. 3-5. 'EOL' assumes a total mission lifetime until end of 2010. The relative usage at EOL in fig. 3-5 reflects the modifications of the mission scenario implemented in October 2006 (reduction of subsolar rate to 2/week). For the NDFM and APSM the safety margin factor of 2 was no longer applied since it was found acceptable to stay below the figures of the lifetests.



esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3-5: Relative usage of LLIs. 'EOL' is derived for a mission lifetime until 2010. For the NDFM and APSM no margin factors have been applied to derive the EOL relative usage. Note the change in slope for the NCWM due to the reduction of subsolar measurements starting in October 2006.

The number of cryogenic heatpipe cycles did not increase (no decontamination). The budget used remained at 38% of the allowed in-flight budget.

Time reference

The times quoted in all planning files refer to the reference orbit. Since the actual orbit differs from the reference orbit (e.g. orbit drift), the times given w.r.t. the reference orbit also do not reflect exactly the actual absolute times of events along the orbit (e.g. ANX, sunrise, sub-solar, moonrise, eclipse). The requirements for orbit maintenance may result in time differences of usually $< \pm 10$ sec. In some cases this value may even reach ± 1 min, however.

SOST monitors how the reference time deviates from the actual time. This is done by using the predicted time which comes very close to the actual = restituted time. If the predicted times are delayed w.r.t. the reference orbit, then the difference *predicted - reference time* is > 0 sec; in the other case it is < 0 sec.

Fig. 3-6 displays the time difference *predicted - reference*. Orbit manoeuvres cause distinct discontinuities.



esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3-6: Time difference between predicted and reference time.

3.1.5 Performance Monitoring - Light Path (SOST-IFE)

3.1.5.1 Science Channel Averages

One part of the SOST long-term monitoring activities is the trend analysis of measurements with the internal White Light Source (WLS) and of observations of the unobscured Sun above the atmosphere. In order to monitor the different SCIAMACHY light paths solar measurements are taken in various viewing geometries: In limb/occultation geometry (via ASM and ESM mirrors), in nadir geometry (via the ESM mirror through the subsolar port), and via the so-called calibration light path involving the ASM mirror and the ESM diffuser. SCIAMACHY long-term monitoring comprises a regular analysis of these measurements. The plots displayed in Fig. 3.7 show results of these monitoring activities for the time interval March to April 2007.

The displayed data have been produced in the following way:

All measured spectra have been divided by the corresponding measurement at a reference time; then for each channel a median of the ratio is computed, yielding an effective instrument throughput for the different light paths.

The reference spectra for all light paths are derived from measurements on 16 January 2003 (the time of the first monthly calibration performed with final flight settings). The resulting medians are then scaled to be 1 just after the first decontamination under (quasi-)nominal measurement conditions in August 2002. Therefore, the reference date for all data is in fact 2 August 2002.



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHLY



page 22 of 74

Subsolar measurements before 30 November 2002 (about orbit 3922) did not consider the known yaw misalignment of SCIAMACHY on ENVISAT and thus may not be used for monitoring purposes. Therefore there are no subsolar data shown before December 2002. Since no valid subsolar measurements are available for August 2002 the subsolar throughput data have been scaled to 2 August 2002 by using the same factor as for the limb light path.

Note that measurements performed during times of reduced instrument performance (e.g. switch-offs or decontamination periods) have been omitted.

The results presented in Fig. 3.7 are based on the analysis of Level 0 data, which have been corrected for dead/bad pixels, dark current (fixed value from August 2002), scan angle dependencies, quantum efficiency changes, and the seasonally varying distance to the Sun. Additional calibration steps have not been performed, like for example a straylight correction. Therefore, variations smaller than about 1% require careful interpretation. Especially, small variations of the throughput signal may be caused by remaining seasonal effects due to the limited calibration of the data.

Until October 2006 the nadir/subsolar light path was monitored based mainly on fast sweep measurements. However, subsolar pointing measurements are considered to have a better quality for monitoring purposes (especially for PMD monitoring) and thus have become the new baseline.

Since 1 October 2006 subsolar measurements in fast sweep scan mode are only executed once per month (before that time: daily) whereas subsolar measurements in pointing mode are executed twice per week (before: once per month).

The channel average plots in Fig. 3.7 show both data sets for the subsolar light path.

Note that the reference time for the subsolar pointing data is 16 January 2003 (instead of 10 January 2003 for subsolar fast sweep).

The light path monitoring results presented in this section may be regarded as a first step towards spectrally resolved monitoring factors (m-factors) which will be produced based on fully calibrated data.

Daily updated light path monitoring results can be found on the SOST or IUP web site (<http://www.iup.uni-bremen.de/sciamachy/LTM/LTM.html>).

The following specific features can be identified from the light path monitoring results during the time interval of this report:

- Overall, the instrument throughput changes were close to expectation.
- For all light paths involving the ESM mirror the degradation in the UV (channels 1 and 2) increases with a rate of about 0.5-1% per month, similar as observed during the previous time intervals. The maximum average throughput loss in channel 1 lies currently around 34% (for the limb light path; the WLS throughput is considered to be not representative here because a degradation of the lamp may not be excluded). The throughput of the calibration light path which involves the ESM diffuser instead of the ESM mirror is currently slightly below 91%, showing a small decrease of less than 1% over the two months covered by this report.
- The overall degradation of channel 3 is very small (about 3.5%) compared to channels 1 and 2, but is still slowly increasing.



esa



DLR



serco

SCIAMACHY Bi-MONTHLY



page 23 of 74

- Channel 4 to 8 remain stable on a sub-percent level. For channels 5 to 8 the throughput for the nadir and limb light paths even seems to slightly increase, in contrast to the WLS light path. This could be a calibration effect: Whereas the WLS data are determined using an actual dark correction (from a dedicated measurement), the solar light paths use a fixed dark correction from early in the mission.
- The Channel 8 transmission remains for all light paths at around 68%.
- Note: The varying throughput for the calibration light path (especially in channel 6) within the two months covered by this report is probably a seasonal effect related to calibration issues.
- The calibration light path throughput of all channels shows some prominent features at the begin of April 2007 (especially evident in channels 3 and 4). These are most likely not related to seasonal effects, because they did not occur in previous years. Similar but considerably smaller features are visible in the limb light path. This may be related to the Orbit Control Manoeuvre on 3 April 2007.





Fig. 3.7: Light path monitoring results March to April 2007 (medians).



esa



serco

SCIAMACHY Bi-MONTHLY



3.1.5.2 Spectral light path monitoring results

Fig. 3.8 – 3.11 show results of spectral throughput monitoring performed by SOST-IFE for the different light paths (nadir, limb, calibration, and WLS). These results have been derived from Level 0 data analysed in a similar way as for the channel averaged throughput data (but of course without spectral averaging). Because the variation in spectral direction is very small within two month, Fig. 3.8 – 3.11 show the complete time series from 2 August 2002 to the end of April 2007.

Notes:

- Dates in the graphs refer to UTC noon (12:00).
- The data have been interpolated over dead/bad pixels (using the on-ground list).
- Data from times of reduced instrument performance (like decontaminations or instrument switch-offs) have not been considered. These times are masked out by grey vertical bars.
- All data have been transformed to a daily grid, involving averaging and interpolation.
- Ratios have been performed on a pixel axis without any spectral interpolations. The wavelength axis is just for illustration and gives only approximate values, assuming a linear relation between pixel number and wavelength.
- Depending on the availability of measurement data, features close to large data gaps (especially before and after a decontamination) may be caused by interpolation.
- WLS data have not been corrected for a potential degradation of the lamp. Only the intensity jump after the extended WLS usage in June 2003 has been removed.
- As mentioned before, the timing of subsolar measurements before 30 November 2002 did not consider the known yaw misalignment of SCIAMACHY on ENVISAT. The timing has been corrected in the final flight settings. To take this change into account, all subsolar measurements have been referred to orbit 4519 (10 January 2003).
Therefore, subsolar results before 30 November 2002 are not reliable.
- Subsolar pointing data are not considered here yet because of their low measurement frequency before October 2006. Activities to generate a joined consistent subsolar fast sweep/pointing data set are ongoing.

The underlying data for the spectral monitoring are available via the SOST-IFE web site (see http://www.iup.uni-bremen.de/sciamachy/LTM/LTM_spectral/LTM_spectral.html). As for the plotted results, these data are regularly updated one to two times per month.

The following main features can be identified in the spectral monitoring plots:

- As expected, the UV degradation generally decreases with increasing wavelength.
- The SCIAMACHY degradation strongly depends on wavelength and is largest at the channel edges. The prominent degradation peak around 350 nm in channel 2 coincides with a region of high polarisation sensitivity, although this is probably not directly related.



esa



DLR



serco

SCIAMACHY Bi-MONTHLY



page 26 of 74

- The minimum throughput reaches 50% for the limb and WLS (nadir) light paths at the short wavelength edge of channel 1.
- Also solar activity variation can be seen in the plots, e.g. the intensity change of the solar Mg II Fraunhofer line at about 280 nm.
- The degradation in channel 3 which was already indicated by the channel integrated results is much better visible in the spectrally resolved plots, where the propagation of this effect in time to higher wavelengths can be clearly identified.
- The difference in degradation between the diffuser light path and the other light paths is also visible in the plots; however, the spectral regions where degradation is strongest coincide quite well.
- The spectral plots also show that the relative stability for channels 4 and 5 observed in the integrated data is not present over the whole spectral range; also these channels show variations, but these are restricted to the overlap regions close to the channel edges.
- Channel 6 spectral results confirm the assumption of a slight degradation in this channel which is concentrated at the lower wavelength edge and independent of the overlaid remaining seasonal cycle.
- For channels 7 and 8 the spectral behaviour of the throughput loss is consistent with (broadband) ice absorption features. The effect of the decontaminations is of course also clearly visible in these channels.
- Especially channel 8 shows a large pixel dependence of the throughput variation caused by the different sensitivity of the pixels. This variation is much higher for light paths where the small aperture is involved (i.e. nadir (subsolar) and limb), indicating that the small aperture causes additional effects which need to be considered when applying these results to Earthshine data.
- In general, the WLS data are much smoother than the solar data.



esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3.8: Spectral light path monitoring results August 2002 to April 2007 (nadir light path)



esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3.9: Spectral light path monitoring results August 2002 to April 2007 (limb light path)



esa



serco

SCIAMACHY BI-MONTHL




Fig. 3.10: Spectral light path monitoring results August 2002 to April 2007 (calibration light path)



esa



serco

SCIAMACHY Bi-MONTHL




Fig. 3.11: Spectral light path monitoring results August 2002 to April 2007 (WLS light path)



esa



serco

SCIAMACHY Bi-MONTHLY



page 31 of 74

3.1.5.3 PMD monitoring results

The SCIAMACHY PMDs are monitored in a similar way as the science channels, but of course no channel averaging is performed. However, the results presented here are based on the same measurements as the science channel results (but using the PMD low gain signal), and they have been normalized to the same reference times as the spectral results. Thus, the reference time for the subsolar data is January 2003, whereas it is August 2002 for the other data sets.

For the nadir light path it is not possible to use subsolar fast sweep measurements for PMD monitoring, because these show too large scatter. This is probably caused by a combination of the very time-sensitive measurement type and scan mode and the fact that the PMDs measure a sampled signal, not an integrated one. Therefore, subsolar pointing measurements are used for monitoring of the PMD nadir light path, because the pointing signal is much more stable. Until October 2006 subsolar pointing measurements were only performed once per month, therefore the temporal sampling is much less than for the other light paths. Since 1 October 2006 the number of subsolar pointing measurements has been increased (on the cost of subsolar fast sweep data).

Fig. 3.12 shows the PMD throughput variation for the whole time period between 2 August 2002 and 30 April 2007. Note that a constant dark signal for each of the PMDs has been assumed. To verify this assumption, Fig. 3.12 also shows the variation of the PMD dark signal over time, which is usually quite low.

Note that PMD 7 results are most likely dominated by straylight and not reliable. They are only shown for completeness. Furthermore, WLS data are only available for PMD 1 to 3 because of saturation in the other PMD channels.


Considering the broadband character of the PMDs, the observed PMD throughput changes are (except for PMD 4 and 7) very similar to those of the science channels with the following features:

- The UV degradation apparent in the science channels is also visible in PMD 1 to 3.
- PMD 4 and 7 (which cover the same wavelength interval) show a considerably large decrease in throughput which is still unexplained (but may be related to the specific detector material).
- There are remaining seasonal variations in the data which could up to now not be corrected out. The amplitude of these seasonal variations increases with the wavelength range covered by the PMD. This issue is still unresolved.
- The PMD 6 dark signal shows a strange variation over time which is still under investigation.

A more detailed investigation of the open issues listed above requires a better calibration of the monitoring data which is currently under development.



esa



serco

SCIAMACHY BI-MONTHLY




Fig. 3.12: PMD monitoring results August 2002 to April 2007



esa



serco

SCIAMACHY Bi-MONTHL



3.1.6 Problem Report Status (DLR-BO)

No updates on problem report statistics were reported. The last status is as from period July-August 2005:

- Total number of problem reports: 43
- Open problem reports: 5
- New problem reports during the reporting period: 0



esa



serco

SCIAMACHY Bi-MONTHL



4 DATA AVAILABILITY STATISTICS

4.1 Downlink/Acquisition Performance

Problems are known for the products listed in Tab. 4.1:

| Product | Day | Filename | description |
|------------|-------------|--|--|
| SCI_NL__0P | 06-MAR-2007 | SCI_NL__0PNPDK20070306_144821_000057992056_00111_26217_4145.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 12-MAR-2007 | SCI_NL__0PNPDK20070312_150005_000058552056_00197_26303_4199.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 18-MAR-2007 | SCI_NL__0PNPDK20070318_072734_000039072056_00278_26384_4247.N1 SCI_NL__0PNPDK20070318_192017_00002062056_00285_26391_4264.N1 SCI_NL__0PNPDK20070318_182400_000061982056_00285_26391_4290.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 22-MAR-2007 | SCI_NL__0PNPDK20070322_094903_000059802056_00337_26443_4306.N1 SCI_NL__0PNPDK20070322_112843_000059672056_00338_26444_4307.N1 SCI_NL__0PNPDK20070322_130714_000060352056_00339_26445_4308.N1 SCI_NL__0PNPDK20070322_144653_000057742056_00340_26446_4309.N1 SCI_NL__0PNPDK20070322_162116_000060382056_00341_26447_4310.N1 SCI_NL__0PNPDK20070322_180058_000060012056_00342_26448_4311.N1 SCI_NL__0PNPDE20070322_193939_000038502056_00343_26449_4055.N1 SCI_NL__0PNPDE20070322_205012_000061672056_00343_26449_4056.N1 SCI_NL__0PNPDE20070322_223215_000061152056_00344_26450_4057.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 23-MAR-2007 | SCI_NL__0PNPDK20070323_105659_000060352056_00352_26458_4315.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 24-MAR-2007 | SCI_NL__0PNPDK20070324_134531_000000562056_00368_26474_4327.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 30-MAR-2007 | SCI_NL__0PNPDK20070330_060623_000033102056_00449_26555_4375.N1 SCI_NL__0PNPDK20070330_070133_000009282056_00450_26556_4376.N1 SCI_NL__0PNPDK20070330_071552_000061042056_00450_26556_4377.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 01-APR-2007 | SCI_NL__0PNPDK20070401_093337_000056062056_00480_26586_4398.N1 SCI_NL__0PNPDK20070401_160549_000061692056_00484_26590_4404.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 01-APR-2007 | SCI_NL__0PNPDK20070403_115026_000059672057_00009_26616_4419.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 04-APR-2007 | SCI_NL__0PNPDK20070404_094108_000059802057_00022_26629_4428.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 05-APR-2007 | SCI_NL__0PNPDK20070405_104904_000059672057_00037_26644_4440.N1 SCI_NL__0PNPDK20070405_190010_000060152057_00042_26649_4446.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 06-APR-2007 | SCI_NL__0PNPDK20070406_083743_000059802057_00050_26657_4449.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 07-APR-2007 | SCI_NL__0PNPDK20070407_065644_000040322057_00063_26670_4456.N1 SCI_NL__0PNPDK20070407_080356_000061732057_00064_26671_4457.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 08-APR-2007 | SCI_NL__0PNPDK20070408_190442_000061832057_00085_26692_4478.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 09-APR-2007 | SCI_NL__0PNPDK20070409_183259_000060362057_00099_26706_4489.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 15-APR-2007 | SCI_NL__0PNPDK20070415_121424_000059672057_00181_26788_4541.N1 SCI_NL__0PNPDK20070415_153030_000030932057_00183_26790_4543.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 17-APR- | SCI_NL__0PNPDK20070417_174127_000061472057_00213_26820_4565.N1 | products have a high |



esa



serco

SCIAMACHY Bi-MONTHL



| | | | |
|------------|-------------|--|---|
| | 2007 | | number of ISP Errors the data format is not correct |
| SCI_NL__0P | 18-APR-2007 | SCI_NL__0PNPDK20070418_061123_000041132057_00220_26827_4568.N1 SCI_NL__0PNPDK20070418_171341_000059672057_00227_26834_4575.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 19-APR-2007 | SCI_NL__0PNPDK20070419_072044_000040322057_00235_26842_4577.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 21-APR-2007 | SCI_NL__0PNPDK20070421_072432_000061042057_00264_26871_4597.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 22-APR-2007 | SCI_NL__0PNPDK20070422_072805_000039332057_00278_26885_4604.N1 SCI_NL__0PNPDK20070422_101510_000059112057_00280_26887_4607.N1 SCI_NL__0PNPDK20070422_115341_000053022057_00281_26888_4608.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 24-APR-2007 | SCI_NL__0PNPDK20070424_091242_000059802057_00308_26915_4629.N1 SCI_NL__0PNPDK20070424_113103_000032732057_00309_26916_4631.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 25-APR-2007 | SCI_NL__0PNPDK20070425_102136_000059112057_00323_26930_4640.N1 | products have a high number of ISP Errors the data format is not correct |
| SCI_NL__0P | 27-APR-2007 | SCI_NL__0PNPDK20070427_073532_000061042057_00350_26957_4657.N1 | sciamachy_source_packets ERROR: incorrect file size (actual: 225391627, calculated: 3203) |
| SCI_NL__0P | 28-APR-2007 | SCI_NL__0PNPDK20070428_134408_000059112057_00368_26975_4673.N1 | sciamachy_source_packets ERROR: incorrect file size (actual: 216060633, calculated: 3203) |
| SCI_NL__0P | 30-APR-2007 | SCI_NL__0PNPDK20070430_191315_000016732057_00400_27007_4708.N1 | sciamachy_source_packets ERROR: incorrect file size (actual: 72570071, calculated: 3203) |

Table 4-1

These occurrences of data corruptions are currently under investigation.

4.2 Statistics on unconsolidated data (SCI_NL__0P, SCI_NL__1P)

This paragraph reports the availability of NRT data on a monthly basis. The statistics are based on level 0 data and level 1 data inventoried in the ground segment. Unavailability periods due to instrument anomalies or Satellite switch-offs are excluded. The gaps considered are only interfile gaps.



esa



serco

SCIAMACHY Bi-MONTHLY




Fig. 4-1: Statistics on available unconsolidated level 0 and level 1 products

4.3 Statistics on consolidated data

In this chapter an overview about operational off-line data (consolidated data) is provided.

4.3.1 Anomalies on level 0 consolidated data products

In the past it had been reported by SOST-DLR that the SCIAMACHY consolidated level 0 data contain errors and are not complete. Following specific problems have been identified and are reported in detail in the technical notes [3], [4] for years 2003 and 2004 as well as for products of 2005 [5]:

- For one orbit there can be more than one consolidated level 0 product. These products may be identical or different in content (disregarding the product type file counter).
- Some orbits are not covered by consolidated level 0 products although SCIAMACHY was operational.
- Some orbits are covered by consolidated level 0 products but the product duration does not comply with the actually planned and executed instrument operations in that particular orbit.
- Some consolidated level 0 products exceed the Reed Solomon correction threshold and are flagged accordingly. The occurrence of Reed Solomon errors is non-uniform.
- Until late October / early November 2003 consolidated level 0 data are hampered by an incorrect orbit number.



esa



serco

SCIAMACHY Bi-MONTHLY



More details on consolidated level 0 anomalies can be found on the SOST web page, which contains a catalogue of available level 0 consolidated data and description of errors.

http://atmos.caf.dlr.de/projects/scops/data_availability/availability.html

A recovery plan was initiated in order to reprocess erroneous data 2003 - 2004. This activity has been completed. Following this recovery plan also the data for 2005 were analysed and reprocessing of anomalous data has been completed as well. Data from 2002 were recovered as well besides December 2002.

Next step afterwards will be the flagging of duplicate level 0 products in the ENVISAT ground segment inventory.

The overall goal is to achieve a level 0 consolidated data 'master set' that will allow data reprocessing of improved data quality.

4.3.2 Availability of consolidated SCI_NL__1P products

SCIAMACHY level 1b consolidated data are generated at D-PAC using the consolidated level 0 products as input for processing. The available level 1b off-line products on the D-PAC ftp-server are checked for completeness and an overview for the months March and April 2007 is summarised here, considering flight segment and ground segment anomalies. Note that no interfile gaps are considered and no data gaps inside the products.

| Month/Year | Planned orbit range | Number of orbits unavailable due to anomalies | Number of unique orbits available at D-PAC | Expected number of orbits (considering anomalies) | Availability in percentage during month |
|------------|---------------------|---|--|---|---|
| 03/2007 | 26137 - 26580 | 0 | 406 | 443 | 91.6% |
| 04/2007 | 26581 - 27010 | 8 | 403 | 421 | 95.7% |

Table 4-2

The statistics for the months January and February will be provided in the following report. Due to a maintenance activity at D-PAC of the ftp-server hosting the level 1b consolidated products, currently some data of the previous months are not yet restored.

4.4 Statistics on reprocessed data

A second reprocessing cycle is foreseen in summer 2007. The reprocessing will follow after the upgrade of the level 1b IPF to version 6.03 and level 2 off-line products after the upgrade of processor version 3.00 to version 3.01.



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



5 LEVEL 1 PRODUCT QUALITY MONITORING

5.1 Processor Configuration

5.1.1 Version

The current IPF version used for processing of SCIAMACHY level 1 data is 6.02.

The corresponding product specification has been updated. The actual version now is Volume 15 issue 3/k [2] available at

http://earth.esa.int/pub/ESA_DOC/ENVISAT/Vol15_Sciamachy_3k.pdf

The disclaimer at

http://envisat.esa.int/dataproducts/availability/disclaimers/SCI_NL_1P_Disclaimers.pdf describes known artefacts as well as major improvements with respect to the previous IPF version.

During the period 13 to 18 May 2006 a number of level 1b IPF 6.02 off-line products were processed with outdated auxiliary files. These occurrences are described in more detail in the disclaimer mentioned above. Appendix A lists the product names of the level 1b data affected. These products were removed from the D-PAC ftp server and should not be used. The corresponding orbits were already reprocessed with the correct auxiliary files and are available on the ftp-server.

An IPF implementation error was detected which results in erroneous Leakage GADS in the off-line processing chain. In some cases level 1b products contain leakage values equal to 0 in channel 6-8 or the values are anomalous high. A patch of the IPF to version 6.03 is under acceptance testing, which will contain also the implementation of the updated CFI version 5.6.

Table 5.1 gives a brief overview of changes implemented with processor versions IPF 6.02, 6.01, 5.04 and 5.01.

| IPF Version | Description | Proc Centre | Date | Start Orbit |
|-------------|--|-------------|-------------|-------------|
| 6.02 | No algorithm specification changes were implemented, but following non compliances of version 6.01 have been corrected, to get <ul style="list-style-type: none"> • Polarisation correction factors different from 0 • Correct order of SMR spectra in Sun Reference ADS | D-PAC | 05-MAY-2006 | 21843 |
| | | PDHS-E | 07-JUN-2006 | 22327 |
| | | PDHS-K | 07-JUN-2006 | 22318 |



esa



serco

SCIAMACHY Bi-MONTHLY



| | | | | |
|------|---|--------|-------------------------|-------|
| | <ul style="list-style-type: none"> Solar mean reference spectra in New Sun Reference Data set with positive sign (was negative in IPF 6.01) | | | |
| 6.01 | <ul style="list-style-type: none"> Improved parameterization of the Memory effect for channels 1 to 5 New correction for the Non-Linearity effect in the infrared channels Usage of improved key data for the radiometric calibration of all channels Each solar spectrum is provided in a calibrated and un-calibrated manner for all channels Orbital dependency of channel 6 to 8 leakage calculated; currently applied only to channel 8 Improvement of the pointing accuracy through the usage of the ENVISAT Restituted Attitude auxiliary files for the off-line processing decontamination flag added to the SPH | D-PAC | No operations activated | - |
| | | PDHS-E | 22-MAY-2006 | 22098 |
| | | PDHS-K | 22-MAY-2006 | 22090 |
| 5.04 | <p>No algorithm specification changes were implemented, but two algorithm implementation errors have been corrected. In addition, code adaptations have been performed to resolve performance problems encountered during reprocessing. The list of modifications is as follows:</p> <ul style="list-style-type: none"> An incorrect polarisation-ratio calculation has been corrected, to remove radiance discrepancies up to 1% between prototype and operational processor. Memory leaks have been detected and eliminated Two modifications have been performed to avoid level 1B processing crashes | PDHS-K | 21-AUG-2004 | 12942 |
| | | LRAC | 20-AUG-2004 | 12750 |
| | | PDHS-E | 16-AUG-2004 | 12823 |
| | | DPAC | 12-AUG-2004 | 12879 |



esa



serco

SCIAMACHY Bi-MONTHL



| | | | | |
|------|--|--------------------------|-------------|--|
| 5.01 | | DPAC | 31-MAR-2004 | |
| | | PDHS-E PDHS-K LRAC | 24-MAR-2004 | |

Tab. 5-1: Processor Version and main changes

5.1.2 Auxiliary Data Files

For operation of the SCIAMACHY level 1 processor a set of auxiliary files as input is required.

One subset of these auxiliary files usually changes only in correspondence with a new IPF version, namely the Initialisation file (SCI_LI1_AX), the Key Data File (SCI_KD1_AX).

In addition there is the m-factor file (SCI_MF1_AX), which shall describe the degradation of the instrument during its stay in orbit. Note that the m-factor file has not been changed so far.

Another subset of auxiliary files are the In-flight calibration data files which are generated when calibration measurements are included in the set of level 0 data to be processed. Four types of In-flight calibration auxiliary files exist:

- Leakage Current Calibration (SCI_LK1_AX - updated on orbital basis)
- Solar Reference Spectrum (SCI_SU1_AX - updated on daily basis)
- Spectral Calibration Parameters (SCI_SP1_AX - updated on a weekly basis)
- Pixel-to-Pixel Gain and Etalon Parameters (SCI_PE1_AX - updated on a weekly basis)

Table 5-2 lists the actual Key Data File and Initialisation File used with IPF 6.02.

Table 5-2

| |
|---|
| SCI_LI1_AXVIEC20060523_182643_20020701_000000_20991231_235959 |
| SCI_KD1_AXVIEC20060523_182626_20020301_000000_20991231_235959 |

Fig. 5.1 shows statistics of the SU1 and LK1 ADFs generated operationally with SCICAL. It has to be noted that unavailability periods are excluded from statistics. Generation of SU1 ADFs for March 2007 was 100% and April 2007 93.3%. During April two ADFs were not generated (days 23, 29) due to system anomalies.

The LK1 ADF statistic is calculated by dividing the number of all LK1 ADFs by number of all available (to SCICAL) level 0 products. The statistics on available LK1 ADFs during March (56.7%) and April 2007 (48.6%) are lower compared to the previous reporting periods related to ADFs generated with SCICAL.

The lower statistics can be explained with a system anomaly (malfunction of a data-transfer procedure) causing an incomplete data transfer to SCICAL for a part of the data set. This system anomaly was corrected in the meantime (May 2007).



The statistic does not exclude dark measurements that cannot be used for ADF generation due to SAA and orbit phase constraints leading to an over-estimation of missing files.




Fig. 5-1: Statistics on SU1 and LK1 processing

5.1.3 Spectral Performance

Future reports will contain analyses of spectral performance.

5.1.4 Radiometric Performance

Future reports will contain analyses of spectral performance.

5.1.5 Other Calibration Results

5.1.5.1 SMR analysis

SCICAL generates daily SU1 Auxiliary Files. Solar spectra obtained from ESM and ASM calibration measurements are provided in two ways:

- fully calibrated
- not radiometrically calibrated.

The different types of spectra can be recognized by the so called identifier in the solar reference global annotation data set record.

Note the following recommendation:

- Use a not radiometrically calibrated ASM diffuser spectrum (A0) for DOAS type applications.
- All retrieval methods requiring absolute calibrated radiance and irradiance are obliged to use the calibrated ESM diffuser spectrum (D0) (see also disclaimer).



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHLY



Fig. 5-2 to Fig. 5-5 show the ratios of SMR spectra derived from calibrated SMR/ESM (D0) during the months March - April 2007. The ratios were determined by dividing the spectra of the beginning of each month to a set of days during each month. All ratios are not corrected for variation of distance earth/sun.

In detail the spectra used for the ratios of each month are the following:

- **March 2007**
Reference SMR - 01 March 2007
SMR used for ratios: 02, 03, 04, 05, 06, 07, 08, 09, 10, 14, 21, 31 March 2007
- **April 2007**
Reference SMR - 01 April 2007
SMR used for ratios: 02, 03, 04, 05, 06, 07, 08, 09, 10, 14, 21, 30 April 2007

The overall changes lie at about 1-2 % during one month for all channels, which is at least partly caused by the decreasing distance between sun and earth. In channel 1 around pixel 550 (at 282 nm) some strong features can be noticed, as well as in channel 2 near pixel 840 (near 393 nm). These strong features coincide with the Mg II and Ca Fraunhofer lines respectively. These lines are partially formed in the solar chromosphere and are known to change with solar variability.

The weaker spectral features in channel 2 (e.g. near pixels 550, 650,750), on the other hand, correlate with strong Fraunhofer lines, which are not chromospheric. These features probably arise from small wavelength shifts (order of 1/100 of a pixel).

Generally a spectral feature could have significant impact on the product quality, especially when the affected spectral parts are used for DOAS retrieval.

The large features in the end of channel 6 (channel 6+) and channels 7 and 8 are due to bad pixels.

Note that the bad pixel mask used is still from the on ground calibration.

A regular update of the bad pixel mask is implemented starting with IPF 6.02. However a bad pixel correction will not be applied to the SMR spectra, but only to PMD out-of-band factors, in order to enable the user to apply a different mask from the one provided by the ADF.

Fig. 5-6 and Fig. 5-7 show SMR ratios on a long term trend dividing the ESM spectra from days 31 March 2003 and 31 March 2007, respectively 29 April 2003 and 29 April 2007.

The first spectrum available exists for 18-Jul-2002. However to consider sun/earth distance, the ratio was performed with spectra from same calendar days. All SCI_SU1_AX files used were generated with SCICAL.

What can be concluded is that for channels 1-2 an average degradation in 4 years of about 7-10% is observed, channels 3 degrades by about 2% and channels 4-6 degrade by less than 1%. The signal in channel 7 has increased with respect to the SMR of year 2003. This is due to the impact of the icing of the IR detectors, increasing slowly after the decontamination in December 2002.

This is consistent with the Light Path monitoring at SOST-IFE.



esa



serco

SCIAMACHY Bi-MONTHLY



ratio of smrs as a function of pixel, March 2007




Fig. 5-2: SMR ratios per detector channel 1-4 (changes during March 2007)

ratio of smrs as a function of pixel, March 2007




Fig. 5-3: SMR ratios per detector channel 5-8 (changes during March 2007)



esa



serco

SCIAMACHY Bi-MONTHL



ratio of smrs as a function of pixel, April 2007




Fig. 5-4: SMR ratios per detector channel 1-4 (changes during April 2007)

ratio of smrs as a function of pixel, April 2007




Fig. 5-5: SMR ratios per detector channel 5-8 (changes during April 2007)



esa



serco

SCIAMACHY Bi-MONTHLY



smr ratio, D0 31/03/2007 divided by 31/03/2003




Fig. 5-6: SMR ratios per detector channel on Long Term Trend

smr ratio, D0 29/04/2007 divided by 29/04/2003




Fig. 5-7: SMR ratios per detector channel on Long Term Trend



esa



DLR



serco

SCIAMACHY Bi-MONTHL



page 46 of 74

5.1.5.2 LK1 analysis

5.1.5.2.1 Leakage Constant part

On an orbital basis a leakage current calibration is performed, if measurement data do not lie in the South Atlantic Anomaly region.

In Fig. 5-8 to Fig. 5-11 the leakage constant part FPN (fixed pattern noise) of the LK1 ADFs are analysed by determining the ratios of the FPN of each month with a time distance of one orbit, one day, one week, two weeks, three weeks and a month.

For channels 1-5 and the first part of channel 6, during up to three weeks nearly no changes can be noticed. Sudden jumps however between the different dark current ratios can be seen for channels 1, 2, 4 and 5 between 4 weeks. They are very small but above the noise level.

The IR channels show a lot of noise. Note that with the new processor version IPF 6.02, the time dependent part of the leakage current is considered (see 5.1.5.2.2).



esa



serco

SCIAMACHY Bi-MONTHL



LK1 ADF analysis, ratios of fpn const March 2007




Fig. 5-8: dark current ratios (constant part) channel 1-4 during March 2007, Reference Spectrum used: Orbit 26141, 01-March-2007

LK1 ADF analysis, ratios of fpn const March 2007




Fig. 5-9: dark current ratios (constant part) channel 5-8 during March 2007, Reference Spectrum used: Orbit 26141, 01-March-2007



esa



serco

SCIAMACHY BI-MONTHL



LK1 ADF analysis, ratios of fpn const April 2007




Fig. 5-10: dark current ratios (constant part) channel 1-4 during April 2007, Reference Spectrum used: Orbit 26584, 01-April 2007

LK1 ADF analysis, ratios of fpn const April 2007





Fig. 5-11: dark current ratios (constant part) channel 5-8 during April 2007, Reference Spectrum used: Orbit 26584, 01-April-2007



esa



serco

SCIAMACHY Bi-MONTHL



5.1.5.2.2 Leakage Variable part

With the IPF 6.02 the orbital dependency of channel 6 to 8 leakage current is considered. SCIAMACHY detector channels 6 – 8 have a time dependent leakage dark signal that consists of two components, the leakage current of the detector pixel and second a component due to thermal background that varies along the orbit.

The implementation of the orbital variation of the leakage current is expected to improve retrieval especially in detector channel 8, e.g. for infrared products.

Figure 5-12 shows an example of the newly included leakage variable part into the SCI_LK1_ADF. The leakage variation for selected pixels in channels 6-8 in dependency of the orbit phase (12 values between 0 and 1) are shown.

As the orbital variation is different for each individual detector pixel, the lower picture shows a selected range of detector pixels and their orbital leakage variation, showing a typical sine curve. Differences between the detector pixels are due to the quality of the pixels. In case of dead pixels, strong outliers are expected.

As reported in the previous report, due to an incomplete data transfer the leakage variable parts were not updated as expected during the period April 2006 – May 2007. A re-calibration of this time period to be used for full mission reprocessing is on-going.




Figure 5-12: Example on leakage variation, SCI_LK1_AX 31 December 2006



esa



DLR



serco

SCIAMACHY Bi-MONTHLY



page 50 of 74

5.1.6 Pointing Performance

The new SCIAMACHY processor IPF 6.02 contains the implementation of a limb pointing correction scheme. Results on first products analysed by IFE Bremen were summarised in previous BMR.

Note, that only operational level 1b Off-line products contain the pointing correction, used for level 2 Off-line processing with version 3.0.

The technical solution for the correction of the roll misalignment is foreseen in an updated initialisation file (SCI_LI1_AX), which will be tested during a dedicated verification before reprocessing (activity is already on-going).

A technical note describing the SCIAMACHY extra misalignment model was provided by DLR and IUP-IFE [7]. This extra misalignment model provides a method to describe some of the observed LoS anomalies. It allows quantitative determination of tangent height offsets in limb viewing geometry. The simulated pitch, roll and yaw extra misalignment angles yield additional tangent height offsets which amount to 1.4-1.5 km in limb viewing with an estimated accuracy of 0.003 deg, i.e. approximately 150-200m.

5.2 SciaL1c tool

The SciaL1c tool is an application provided to the users of SCIAMACHY Level 1b products. This application allows selecting specific calibrations to apply to Level 1b data, which are in case of SCIAMACHY defined as not fully calibrated Level 0 channel information in combination with calculated calibration data. The generated Level 1c products are suitable for the user's particular applications. This tool had been available with EnviView for IPF version 5.04 (and previous).

The SciaL1C Calibration and Extraction Software was upgraded to be compatible with IPF 6.02 data. It is downward compatible, i.e. it can also be used with data from older IPF versions. The SciaL1c tool provided with Enviview is outdated and should not be used with the new IPF 6.02 products.

SciaL1c has been upgraded to version 1.24 and can be downloaded at:

<http://envisat.esa.int/scial1c>

Additional executables are provided with this release, besides LINUX and Sun Solaris also LINUX on DEC-Alpha and HP-UX on IA64 versions are available.



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



6 LEVEL 2 NRT PRODUCT QUALITY MONITORING

6.1 Processor Configuration

6.1.1 Version

Since 08 May 2006 the near real time processing of SCIAMACHY level 2 data has been suspended, evolution is currently restricted to the level 2 Off-line processor (see chapter 7).

The last IPF version used was 5.04. The corresponding product specification is [2]. The disclaimer at

http://envisat.esa.int/dataproducts/availability/disclaimers/SCI_NL_2P_Disclaimers.pdf describes known artefacts.

Table 6.1 shows the implementation dates of the IPF at the different PDS processing centres and the main modifications implemented.

| IPF Version | Description | Proc Centre | Date | Start Orbit |
|-------------|--|-------------|-------------|-------------|
| 5.04 | No algorithm specification changes were implemented, but two algorithm | PDHS-K | 21-AUG-2004 | 12942 |
| | | LRAC | 20-AUG-2004 | 12750 |
| | | PDHS-E | 16-AUG-2004 | 12823 |



esa



serco

SCIAMACHY Bi-MONTHLY



| | | | | |
|------|--|--------------------------|-------------|-------|
| | <p>implementation errors have been corrected. In addition, code adaptations have been performed to resolve performance problems encountered during reprocessing. The list of modifications is as follows:</p> <ul style="list-style-type: none"> • The incorrect handling of the season index 4 has been corrected. • An incorrect polarisation-ratio calculation has been corrected, to remove radiance discrepancies up to 1% between prototype and operational processor. • Memory leaks have been detected and eliminated • An adaptation has been implemented to allow co-existence with the initialisation file used by the Off-Line processor | DPAC | 12-AUG-2004 | 12879 |
| 5.01 | <ul style="list-style-type: none"> • description for cloud MDS updated • minor changes in MPI and USA climatology description • latitude grids fixed • list of surface types fixed, note about vegetation index added • O₃ FM formula fixed sizes of SCIA FM spectra fixed latitude zones fixed • solar zenith angle grid fixed | DPAC | 31-MAR-2004 | |
| | | PDHS-E PDHS-K LRAC | 24-MAR-2004 | |

Tab. 6-1: Level 2 Processor Configuration



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



6.1.2 Auxiliary Data Files

Auxiliary Files being used as input for SCI_NL__2P products are listed in table 6-2. These ADF files are generally not changed.

| |
|---|
| SCI_FM2_AXVIEC20040309_092553_19990101_000000_20991231_235959 |
| SCI_BL2_AXVIEC20020220_093709_20020101_000000_20200101_000000 |
| SCI_CC2_AXVIEC20020220_094004_20020101_000000_20200101_000000 |
| SCI_CL2_AXVIEC20020220_094214_20020101_000000_20200101_000000 |
| SCI_CS2_AXVIEC20020220_094417_20020101_000000_20200101_000000 |
| SCI_MF2_AXVIEC20040309_093236_19990101_000000_20991231_235959 |
| SCI_PF2_AXVIEC20020220_100450_20020101_000000_20200101_000000 |
| SCI_PR2_AXVIEC20020220_100642_20020101_000000_20200101_000000 |
| SCI_RC2_AXVIEC20020220_100912_20020101_000000_20200101_000000 |
| SCI_UC2_AXVIEC20040309_092027_19990101_000000_20991231_235959 |
| SCI_SF2_AXVIEC20020220_101039_20020101_000000_20200101_000000 |
| SCI_LI2_AXVIEC20040308_170000_20020101_000000_20200101_000000 |

Tab. 6-2: Level 2 Auxiliary Files



esa



serco

SCIAMACHY Bi-MONTHL



page 54 of 74

7 LEVEL 2 OFF-LINE PRODUCT QUALITY MONITORING

7.1 Processor Configuration

7.1.1 Version

The current Level 2 Off-line processing version is 3.00, operational since 08 August 2006. Level 2 data with this version were processed in backlog starting with orbit 21824, 03 May 2006.

The product specification corresponding to the level 2 off-line processor 3.00 is Volume 15, issue 3/k [2] and can be found at

http://earth.esa.int/pub/ESA_DOC/ENVISAT/Vol15_Sciamachy_3k.pdf

The disclaimer at

http://envisat.esa.int/dataproducts/availability/disclaimers/SCI_OL_2P_Disclaimers.pdf describes known artefacts.

Not included in the disclaimer at the moment are anomalies identified during the validation by the SCIAVALIG team. These anomalies are

- OAR 2574: Cloud Aerosol quality flag – wrong contents
MDS Cloud and Aerosol, contains the quality flag (no.3) which should contain only the value 0 or -1. Values however are varying between -120 and + 140, mismatch with cloud flag.
- OAR 2605: Cloud MDS AAI's set to 0. Operational Processing went into failsafe mode which generates values of 0 for AAIA. The problem does not occur in the validation data set (extracted states), but in the full operational products.
- OAR 2810: Inconsistency between VMR given in the product and derived from partial column and (p,T) in the product had been claimed for: The inconsistency is due to the fact that the (p,T) profiles are given on measurement grid and the VMRs are derived on retrieval grid. The conversion between both grids must include the climatology for the determination of the retrieval grid (which can not be derived from the product). Hence, the derivation of VMRs is not a priori possible without more detailed knowledge of the internals. In context of this claimed anomaly an interchange within the product entries p and T had been observed which leads to the impression of unrealistic temperature and pressure values. This bug is under fixing.
- OAR 2811: Error estimate for NO₂ is some factor higher than expected. Due to an implementation bug a normalization factor had been multiplied into this quantity leading to some factor higher results. Bug is under fixing.

The correction of these OARs will result in an updated level 2 off-line processor version 3.01, which is currently under verification.



esa



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2P products contain geo-located vertical column amounts of O₃ and NO₂ Nadir measurements, as well as stratospheric Limb profiles of O₃ and NO₂. Additionally the fractional cloud coverage, the cloud-top height, and the cloud optical thickness are derived and provided as product to the user. The major upgrades are summarised in table 7.1.

| Processor Version | Description | Proc Centre | Date | Start Orbit |
|-------------------|--|-------------|--------------|-------------|
| 3.00 | <ul style="list-style-type: none"> Nadir UV/Visible algorithm for ozone and NO₂ is based on the GDP (GOME Data Processor) Version 4.0 Nadir UV/Visible algorithm for cloud-top height and cloud optical thickness based on the SACURA algorithm Limb UV/Visible products: Stratospheric Ozone and NO₂ profiles Improved pointing performance through the use of the Envisat Restituted Attitude information in the consolidated Level 1b product | D-PAC | 03-MAY-2006 | 21824 |
| 2.5 | <ul style="list-style-type: none"> First operational version of processor | D-PAC | January 2005 | - |

Table 7-1: Level 2 off-line Processor Configuration

7.1.2 Auxiliary Data Files

Input for level 2 Off-line processing version 3.00 is the Initialization File SCI_IN__AXNPDE20060608_111400_20060615_000000_20991231_235959, that usually is changed only in case of a processor upgrade.

7.1.3 Anomalous data due to Ground Segment anomaly

SCIAMACHY SCI_OL__2P data from days 19 March 2007 and 20 March 2007 were generated as duplicates. Analysis showed that level 0 consolidated products were generated already as duplicates, resulting in duplicate level 1b products. However the



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



page 56 of 74

level 2 data were not generated with the same product size. Those data with smaller size were removed from the D-PAC server (see Appendix C) as analysis showed that the processor interrupted the complete data processing.

7.2 *Monitoring results*

7.2.1 *NADIR: NO₂ consistency checking*

The world map plots of NADIR NO₂ vertical column density (VCD) values averaged over one month are generated from the SCI_OL__2P NADIR products. Fig 7.1 and 7.3 show the monthly world map plots for March and April 2007.

Figures 7.2 and 7.4 show the VCD errors for the monthly average plots. The errors are given in relative fraction. Generally the equator region has NO₂ values with higher errors. In previous BMR also selected areas over Scandinavia were observed with large errors, however for March and April 2007 this is not the case.

High concentration of NO₂ is expected over industrial regions, as over North America, especially the East coast, over central Europe, China and South Africa, which is reflected in the world maps.

7.2.1.1 NADIR: VCD NO₂ map March 2007




Figure 7-1: NO₂ VCD world map 01-31 March 2007 – monthly average




Figure 7-2: NO₂ VCD error, 01-31 March 2007



esa



serco

SCIAMACHY Bi-MONTHLY



7.2.1.2 NADIR: VCD NO₂ map April 2007




Figure 7-3: NO₂ VCD world map 01- 30 April 2007 – monthly average




Figure 7-4: NO₂ VCD error, 01-30 April 2007



esa



serco

SCIAMACHY Bi-MONTHL



7.2.2 NADIR: O₃ consistency checking

Analogous to the NO₂ world maps, O₃ vertical column density (VCD) values averaged over one month are generated from the SCI_OL__2P NADIR products and plotted on a world map. Fig 7.5 and 7.7 show the ozone distribution converted in Dobson units for March and April 2007.

The VCD errors as monthly average plots are shown in Figures 7.2 and 7.4. The errors are given in relative fraction. Especially in Figure 7-6 systematically high error values along the latitude of the Antarctic area are visible.



esa



serco

SCIAMACHY BI-MONTHLY



7.2.2.1 NADIR: VCD O3 map March 2007




Figure 7-5: O₃ VCD world map 01-31 March 2007 – monthly average





Figure 7-6: O₃ VCD error 01-31 March 2007



esa



serco

SCIAMACHY Bi-MONTHL



7.2.2.2 NADIR: VCD O₃ map April 2007




Figure 7-7: O₃ VCD world map 01-30 April 2007 – monthly average




Figure 7-8: VCD error 01-31 March 2007



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHLY



7.2.3 LIMB

Future reports will contain information on this issue.



esa



DLR



serco

SCIAMACHY Bi-MONTHLY



page 63 of 74

8 VALIDATION ACTIVITIES AND RESULTS

The results on the last validation activities were presented in the previous BMR, covering the period November-December 2006, summarizing the ACVE-3 validation results.

New validation activities are expected after the availability of the upgraded processor versions, level 1 IPF 6.03 and level 2 off-line processor 3.01.



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



APPENDIX A

LEVEL 1B OFF-LINE PRODUCTS PROCESSED WITH OUTDATED AUXILIARY FILES

SCI_NL__1PPDPA20060512_002620_000060362047_00346_21943_1007.N1
 SCI_NL__1PPDPA20060512_052812_000060272047_00349_21946_1022.N1
 SCI_NL__1PPDPA20060512_070843_000060362047_00350_21947_0994.N1
 SCI_NL__1PPDPA20060512_084923_000060272047_00351_21948_1037.N1
 SCI_NL__1PPDPA20060512_102954_000060362047_00352_21949_0999.N1
 SCI_NL__1PPDPA20060512_121034_000060272047_00353_21950_1025.N1
 SCI_NL__1PPDPA20060512_135105_000060362047_00354_21951_1001.N1
 SCI_NL__1PPDPA20060512_153145_000060272047_00355_21952_1023.N1
 SCI_NL__1PPDPA20060513_013514_000060362047_00361_21958_0042.N1
 SCI_NL__1PPDPA20060513_031554_000060272047_00362_21959_1049.N1
 SCI_NL__1PPDPA20060513_045625_000060362047_00363_21960_0038.N1
 SCI_NL__1PPDPA20060513_063706_000060272047_00364_21961_0092.N1
 SCI_NL__1PPDPA20060513_081737_000060362047_00365_21962_1045.N1
 SCI_NL__1PPDPA20060513_095817_000060272047_00366_21963_0082.N1
 SCI_NL__1PPDPA20060513_131928_000060272047_00368_21965_0083.N1
 SCI_NL__1PPDPA20060513_164039_000060272047_00370_21967_0094.N1
 SCI_NL__1PPDPA20060514_024413_000060712047_00376_21973_0041.N1
 SCI_NL__1PPDPA20060514_042528_000059922047_00377_21974_0096.N1
 SCI_NL__1PPDPA20060514_060524_000060712047_00378_21975_0039.N1
 SCI_NL__1PPDPA20060514_074639_000059922047_00379_21976_1046.N1
 SCI_NL__1PPDPA20060514_092635_000060712047_00380_21977_0128.N1
 SCI_NL__1PPDPA20060514_110750_000059922047_00381_21978_1048.N1
 SCI_NL__1PPDPA20060514_160858_000060712047_00384_21981_0040.N1
 SCI_NL__1PPDPA20060515_003235_000060762047_00389_21986_0129.N1
 SCI_NL__1PPDPA20060515_021804_000057382047_00390_21987_0100.N1
 SCI_NL__1PPDPA20060515_035346_000060762047_00391_21988_0099.N1
 SCI_NL__1PPDPA20060515_053916_000057382047_00392_21989_0191.N1
 SCI_NL__1PPDPA20060515_090027_000057382047_00394_21991_0106.N1
 SCI_NL__1PPDPA20060515_103609_000060762047_00395_21992_0105.N1
 SCI_NL__1PPDPA20060515_135720_000060762047_00397_21994_0090.N1
 SCI_NL__1PPDPA20060515_154250_000057382047_00398_21995_0089.N1
 SCI_NL__1PPDPA20060515_171831_000060762047_00399_21996_0062.N1
 SCI_NL__1PPDPA20060515_190401_000057382047_00400_21997_0058.N1
 SCI_NL__1PPDPA20060515_203943_000060762047_00401_21998_0079.N1
 SCI_NL__1PPDPA20060517_111817_000057362047_00424_22021_0071.N1
 SCI_NL__1PPDPA20060517_125357_000060762047_00425_22022_0061.N1
 SCI_NL__1PPDPA20060517_143928_000046412047_00426_22023_0059.N1
 SCI_NL__1PPDPA20060517_143928_000057362047_00426_22023_0189.N1
 SCI_NL__1PPDPA20060518_104636_000057362047_00438_22035_0073.N1
 SCI_NL__1PPDPA20060518_154328_000060762047_00441_22038_0078.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



APPENDIX B

LEVEL 2 OFF-LINE PRODUCTS WITH ANOMALOUS LIMB DAT SETS

- SCI_OL__2PPDPA20061220_010725_000038682054_00017_25121_0981.N1
- SCI_OL__2PPDPA20061220_024801_000038552054_00018_25122_0982.N1
- SCI_OL__2PPDPA20061220_042836_000038682054_00019_25123_0983.N1
- SCI_OL__2PPDPA20061220_060912_000038552054_00020_25124_0984.N1
- SCI_OL__2PPDPA20061220_111100_000038682054_00023_25127_0987.N1
- SCI_OL__2PPDPA20061220_125136_000038552054_00024_25128_0988.N1
- SCI_OL__2PPDPA20061220_143212_000038682054_00025_25129_0994.N1
- SCI_OL__2PPDPA20061220_161248_000038552054_00026_25130_0993.N1
- SCI_OL__2PPDPA20061220_175324_000038232054_00027_25131_1003.N1
- SCI_OL__2PPDPA20061220_193400_000038792054_00028_25132_1004.N1
- SCI_OL__2PPDPA20061220_211436_000037992054_00029_25133_1005.N1
- SCI_OL__2PPDPA20061221_003547_000038682054_00031_25135_1007.N1
- SCI_OL__2PPDPA20061221_035659_000038682054_00033_25137_1009.N1
- SCI_OL__2PPDPA20061221_053735_000038552054_00034_25138_1012.N1
- SCI_OL__2PPDPA20061221_071811_000038682054_00035_25139_1013.N1
- SCI_OL__2PPDPA20061221_085847_000036492054_00036_25140_1014.N1
- SCI_OL__2PPDPA20061221_103923_000038682054_00037_25141_1015.N1
- SCI_OL__2PPDPA20061221_121958_000038552054_00038_25142_1016.N1
- SCI_OL__2PPDPA20061221_140034_000033882054_00039_25143_1019.N1
- SCI_OL__2PPDPA20061221_154110_000038552054_00040_25144_1020.N1
- SCI_OL__2PPDPA20061221_172146_000034122054_00041_25145_1021.N1
- SCI_OL__2PPDPA20061221_190222_000038792054_00042_25146_1022.N1
- SCI_OL__2PPDPA20061221_204258_000038682054_00043_25147_1023.N1
- SCI_OL__2PPDPA20061221_222334_000038552054_00044_25148_1024.N1
- SCI_OL__2PPDPA20061222_014446_000038552054_00046_25150_1026.N1
- SCI_OL__2PPDPA20061222_032521_000038682054_00047_25151_1027.N1
- SCI_OL__2PPDPA20061222_050557_000038552054_00048_25152_1028.N1
- SCI_OL__2PPDPA20061222_064633_000038682054_00049_25153_1029.N1
- SCI_OL__2PPDPA20061222_082709_000038552054_00050_25154_1030.N1
- SCI_OL__2PPDPA20061222_100745_000038682054_00051_25155_1031.N1
- SCI_OL__2PPDPA20061222_114821_000038552054_00052_25156_1032.N1
- SCI_OL__2PPDPA20061222_132857_000038682054_00053_25157_1033.N1
- SCI_OL__2PPDPA20061222_150933_000037872054_00054_25158_1034.N1
- SCI_OL__2PPDPA20061222_165009_000038682054_00055_25159_1035.N1
- SCI_OL__2PPDPA20061222_183044_000038792054_00056_25160_1036.N1
- SCI_OL__2PPDPA20061222_201120_000038232054_00057_25161_1037.N1
- SCI_OL__2PPDPA20061222_215156_000038552054_00058_25162_1038.N1
- SCI_OL__2PPDPA20061223_011308_000038552054_00060_25164_1040.N1
- SCI_OL__2PPDPA20061223_025344_000023922054_00061_25165_1041.N1
- SCI_OL__2PPDPA20061223_051716_000012782054_00062_25166_1042.N1
- SCI_OL__2PPDPA20061223_061456_000038682054_00063_25167_1043.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20061223_075531_000038552054_00064_25168_1045.N1
 SCI_OL__2PPDPA20061223_093607_000006502054_00065_25169_1044.N1
 SCI_OL__2PPDPA20061223_112437_000033812054_00066_25170_1046.N1
 SCI_OL__2PPDPA20061223_143755_000037872054_00068_25172_1048.N1
 SCI_OL__2PPDPA20061224_091632_000015452054_00079_25183_1056.N1
 SCI_OL__2PPDPA20061224_222916_000038682054_00087_25191_1067.N1
 SCI_OL__2PPDPA20061225_015028_000038682054_00089_25193_1069.N1
 SCI_OL__2PPDPA20061225_033104_000038552054_00090_25194_1070.N1
 SCI_OL__2PPDPA20061225_051140_000038682054_00091_25195_1071.N1
 SCI_OL__2PPDPA20061225_083251_000038682054_00093_25197_1073.N1
 SCI_OL__2PPDPA20061225_101327_000038552054_00094_25198_1075.N1
 SCI_OL__2PPDPA20061225_120101_000034492054_00095_25199_1076.N1
 SCI_OL__2PPDPA20061225_152117_000034372054_00097_25201_1077.N1
 SCI_OL__2PPDPA20061225_201702_000038802054_00100_25204_1079.N1
 SCI_OL__2PPDPA20061226_011850_000037992054_00103_25207_1082.N1
 SCI_OL__2PPDPA20061220_074948_000038682054_00021_25125_1197.N1
 SCI_OL__2PPDPA20061220_093024_000038552054_00022_25126_1198.N1
 SCI_OL__2PPDPA20061223_125719_000038682054_00067_25171_1047.N1
 SCI_OL__2PPDPA20061223_161831_000038682054_00069_25173_1049.N1
 SCI_OL__2PPDPA20061223_175907_000038662054_00070_25174_1050.N1
 SCI_OL__2PPDPA20061223_193943_000038242054_00071_25175_1051.N1
 SCI_OL__2PPDPA20061223_212018_000038552054_00072_25176_1052.N1
 SCI_OL__2PPDPA20061224_004130_000038552054_00074_25178_1054.N1
 SCI_OL__2PPDPA20061224_022206_000038682054_00075_25179_1055.N1
 SCI_OL__2PPDPA20061224_040242_000038552054_00076_25180_1057.N1
 SCI_OL__2PPDPA20061224_054318_000038682054_00077_25181_1058.N1
 SCI_OL__2PPDPA20061224_072353_000038552054_00078_25182_1059.N1
 SCI_OL__2PPDPA20061224_105355_000033252054_00080_25184_1060.N1
 SCI_OL__2PPDPA20061224_123239_000014762054_00081_25185_1061.N1
 SCI_OL__2PPDPA20061224_141219_000034932054_00082_25186_1062.N1
 SCI_OL__2PPDPA20061224_154653_000038682054_00083_25187_1063.N1
 SCI_OL__2PPDPA20061224_172729_000028462054_00084_25188_1064.N1
 SCI_OL__2PPDPA20061224_190804_000019882054_00085_25189_1065.N1
 SCI_OL__2PPDPA20061224_204840_000038552054_00086_25190_1066.N1
 SCI_OL__2PPDPA20061225_070105_000033252054_00092_25196_1072.N1
 SCI_OL__2PPDPA20061225_134137_000029012054_00096_25200_1074.N1
 SCI_OL__2PPDPA20061225_165550_000008312054_00098_25202_1078.N1
 SCI_OL__2PPDPA20061226_025925_000038552054_00104_25208_1083.N1
 SCI_OL__2PPDPA20061226_044001_000037992054_00105_25209_1092.N1
 SCI_OL__2PPDPA20061226_062037_000038552054_00106_25210_1097.N1
 SCI_OL__2PPDPA20061226_080113_000019632054_00107_25211_1105.N1
 SCI_OL__2PPDPA20061226_095039_000018622054_00108_25212_1107.N1
 SCI_OL__2PPDPA20061226_113019_000033942054_00109_25213_1116.N1
 SCI_OL__2PPDPA20061226_130300_000038552054_00110_25214_1119.N1
 SCI_OL__2PPDPA20061226_163014_000008422054_00112_25216_1123.N1
 SCI_OL__2PPDPA20061226_194524_000038802054_00114_25218_1230.N1
 SCI_OL__2PPDPA20061226_212600_000038682054_00115_25219_1232.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20061227_004711_000038682054_00117_25221_1231.N1
 SCI_OL__2PPDPA20061227_022747_000038552054_00118_25222_1234.N1
 SCI_OL__2PPDPA20061227_040823_000038682054_00119_25223_1235.N1
 SCI_OL__2PPDPA20061227_072935_000038682054_00121_25225_1237.N1
 SCI_OL__2PPDPA20061227_091010_000022682054_00122_25226_1238.N1
 SCI_OL__2PPDPA20061227_123916_000033812054_00124_25228_1240.N1
 SCI_OL__2PPDPA20061227_155234_000038552054_00126_25230_1713.N1
 SCI_OL__2PPDPA20061229_162952_000038682054_00155_25259_1712.N1
 SCI_OL__2PPDPA20061229_094729_000038682054_00151_25255_1711.N1
 SCI_OL__2PPDPA20061226_194524_000038802054_00114_25218_1182.N1
 SCI_OL__2PPDPA20061226_212600_000038682054_00115_25219_1184.N1
 SCI_OL__2PPDPA20061227_004711_000033882054_00117_25221_1183.N1
 SCI_OL__2PPDPA20061227_022747_000038552054_00118_25222_1186.N1
 SCI_OL__2PPDPA20061227_040823_000038682054_00119_25223_1187.N1
 SCI_OL__2PPDPA20061227_054859_000038552054_00120_25224_1188.N1
 SCI_OL__2PPDPA20061227_054859_000038552054_00120_25224_1236.N1
 SCI_OL__2PPDPA20061227_072935_000038682054_00121_25225_1189.N1
 SCI_OL__2PPDPA20061227_091010_000022682054_00122_25226_1190.N1
 SCI_OL__2PPDPA20061227_123916_000033812054_00124_25228_1192.N1
 SCI_OL__2PPDPA20061227_141158_000038682054_00125_25229_1193.N1
 SCI_OL__2PPDPA20061227_141158_000038682054_00125_25229_1241.N1
 SCI_OL__2PPDPA20061227_205421_000038682054_00129_25233_1339.N1
 SCI_OL__2PPDPA20061229_012430_000038552054_00146_25250_1343.N1
 SCI_OL__2PPDPA20061229_030506_000025172054_00147_25251_1345.N1
 SCI_OL__2PPDPA20061229_044541_000038552054_00148_25252_1346.N1
 SCI_OL__2PPDPA20061229_062617_000038682054_00149_25253_1357.N1
 SCI_OL__2PPDPA20061229_080653_000038552054_00150_25254_1395.N1
 SCI_OL__2PPDPA20061229_130840_000038682054_00153_25257_1497.N1
 SCI_OL__2PPDPA20061229_213139_000038552054_00158_25262_1605.N1
 SCI_OL__2PPDPA20061230_005251_000038552054_00160_25264_1597.N1
 SCI_OL__2PPDPA20061230_091550_000038682054_00165_25269_1607.N1
 SCI_OL__2PPDPA20061230_105626_000038552054_00166_25270_1609.N1
 SCI_OL__2PPDPA20061230_123701_000038682054_00167_25271_1608.N1
 SCI_OL__2PPDPA20061230_141737_000038552054_00168_25272_1611.N1
 SCI_OL__2PPDPA20061230_155813_000038682054_00169_25273_1612.N1
 SCI_OL__2PPDPA20061230_173849_000038472054_00170_25274_1613.N1
 SCI_OL__2PPDPA20061230_191925_000038252054_00171_25275_1614.N1
 SCI_OL__2PPDPA20061230_210001_000038552054_00172_25276_1615.N1
 SCI_OL__2PPDPA20061231_060500_000013472054_00177_25281_1620.N1
 SCI_OL__2PPDPA20061231_070335_000038552054_00178_25282_1618.N1
 SCI_OL__2PPDPA20061231_084411_000038492054_00179_25283_1621.N1
 SCI_OL__2PPDPA20061231_102447_000038512054_00180_25284_1622.N1
 SCI_OL__2PPDPA20061231_120522_000038522054_00181_25285_1626.N1
 SCI_OL__2PPDPA20061231_134558_000037852054_00182_25286_1623.N1
 SCI_OL__2PPDPA20061231_152634_000037872054_00183_25287_1624.N1
 SCI_OL__2PPDPA20061231_170710_000038712054_00184_25288_1625.N1
 SCI_OL__2PPDPA20061231_184746_000038722054_00185_25289_1627.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20061231_202821_000038592054_00186_25290_1628.N1
 SCI_OL__2PPDPA20061231_220857_000038592054_00187_25291_1631.N1
 SCI_OL__2PPDPA20061225_215738_000038682054_00101_25205_1080.N1
 SCI_OL__2PPDPA20061227_173309_000038562054_00127_25231_1848.N1
 SCI_OL__2PPDPA20061227_191345_000038802054_00128_25232_1812.N1
 SCI_OL__2PPDPA20061227_223457_000038552054_00130_25234_1910.N1
 SCI_OL__2PPDPA20061228_015608_000038552054_00132_25236_1930.N1
 SCI_OL__2PPDPA20061228_033644_000038682054_00133_25237_1950.N1
 SCI_OL__2PPDPA20061228_051720_000038552054_00134_25238_1960.N1
 SCI_OL__2PPDPA20061228_115943_000038552054_00138_25242_2014.N1
 SCI_OL__2PPDPA20061228_134019_000038682054_00139_25243_2028.N1
 SCI_OL__2PPDPA20061228_152055_000037872054_00140_25244_2030.N1
 SCI_OL__2PPDPA20061228_184207_000038802054_00142_25246_0015.N1
 SCI_OL__2PPDPA20061228_202243_000036872054_00143_25247_0021.N1
 SCI_OL__2PPDPA20061228_220318_000038552054_00144_25248_2047.N1
 SCI_OL__2PPDPA20061229_112805_000038552054_00152_25256_0008.N1
 SCI_OL__2PPDPA20061229_144916_000037872054_00154_25258_1709.N1
 SCI_OL__2PPDPA20061229_181028_000038552054_00156_25260_1710.N1
 SCI_OL__2PPDPA20061229_195104_000038242054_00157_25261_1714.N1
 SCI_OL__2PPDPA20061230_023327_000038682054_00161_25265_0009.N1
 SCI_OL__2PPDPA20061230_041403_000038552054_00162_25266_0010.N1
 SCI_OL__2PPDPA20061230_055438_000038682054_00163_25267_0011.N1
 SCI_OL__2PPDPA20061230_073514_000038552054_00164_25268_0012.N1
 SCI_OL__2PPDPA20061226_180448_000038242054_00113_25217_0192.N1
 SCI_OL__2PPDPA20061228_102906_000032692054_00137_25241_2013.N1
 SCI_OL__2PPDPA20061228_065756_000038682054_00135_25239_2034.N1
 SCI_OL__2PPDPA20061228_083832_000038552054_00136_25240_2035.N1
 SCI_OL__2PPDPA20061228_170131_000038682054_00141_25245_2036.N1
 SCI_OL__2PPDPA20070101_113343_000038652054_00195_25299_1675.N1
 SCI_OL__2PPDPA20070101_131419_000038652054_00196_25300_1678.N1
 SCI_OL__2PPDPA20070101_181606_000038742054_00199_25303_1679.N1
 SCI_OL__2PPDPA20070101_213718_000038612054_00201_25305_1677.N1
 SCI_OL__2PPDPA20070102_005829_000038582054_00203_25307_1681.N1
 SCI_OL__2PPDPA20070102_023905_000038562054_00204_25308_1682.N1
 SCI_OL__2PPDPA20070102_041941_000038552054_00205_25309_1683.N1
 SCI_OL__2PPDPA20070102_060017_000038532054_00206_25310_1684.N1
 SCI_OL__2PPDPA20070102_092128_000038492054_00208_25312_1685.N1
 SCI_OL__2PPDPA20070102_110204_000038462054_00209_25313_1686.N1
 SCI_OL__2PPDPA20070102_124240_000038442054_00210_25314_1692.N1
 SCI_OL__2PPDPA20070102_142315_000038412054_00211_25315_1708.N1
 SCI_OL__2PPDPA20070102_160351_000037012054_00212_25316_1717.N1
 SCI_OL__2PPDPA20070102_174427_000038722054_00213_25317_1719.N1
 SCI_OL__2PPDPA20070102_192503_000002192054_00214_25318_1721.N1
 SCI_OL__2PPDPA20070102_210538_000002192054_00215_25319_1724.N1
 SCI_OL__2PPDPA20070103_003949_000030812054_00217_25321_1727.N1
 SCI_OL__2PPDPA20070103_020726_000038862054_00218_25322_1729.N1
 SCI_OL__2PPDPA20070103_034801_000038812054_00219_25323_1731.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20070101_013009_000038652054_00189_25293_1629.N1
 SCI_OL__2PPDPA20070101_031044_000038652054_00190_25294_1632.N1
 SCI_OL__2PPDPA20070101_045120_000038662054_00191_25295_1633.N1
 SCI_OL__2PPDPA20070101_063156_000038662054_00192_25296_1634.N1
 SCI_OL__2PPDPA20070101_081232_000038662054_00193_25297_1635.N1
 SCI_OL__2PPDPA20070101_095307_000038662054_00194_25298_1636.N1
 SCI_OL__2PPDPA20070101_145455_000038642054_00197_25301_1638.N1
 SCI_OL__2PPDPA20070101_163531_000038642054_00198_25302_1639.N1
 SCI_OL__2PPDPA20070103_070913_000038722054_00221_25325_1736.N1
 SCI_OL__2PPDPA20070103_084949_000038672054_00222_25326_1738.N1
 SCI_OL__2PPDPA20070103_135136_000038512054_00225_25329_1772.N1
 SCI_OL__2PPDPA20070103_153212_000037762054_00226_25330_1774.N1
 SCI_OL__2PPDPA20070103_171247_000038642054_00227_25331_1776.N1
 SCI_OL__2PPDPA20070103_185323_000038812054_00228_25332_1777.N1
 SCI_OL__2PPDPA20070104_013546_000038552054_00232_25336_1783.N1
 SCI_OL__2PPDPA20070104_031622_000038682054_00233_25337_1785.N1
 SCI_OL__2PPDPA20070104_045657_000038552054_00234_25338_1787.N1
 SCI_OL__2PPDPA20070104_063733_000038682054_00235_25339_1789.N1
 SCI_OL__2PPDPA20070104_081809_000038552054_00236_25340_1791.N1
 SCI_OL__2PPDPA20070101_195642_000038622054_00200_25304_1676.N1
 SCI_OL__2PPDPA20070102_074052_000038512054_00207_25311_0013.N1
 SCI_OL__2PPDPA20070103_103024_000038622054_00223_25327_1767.N1
 SCI_OL__2PPDPA20070103_221435_000038552054_00230_25334_1861.N1
 SCI_OL__2PPDPA20070104_095845_000038682054_00237_25341_1793.N1
 SCI_OL__2PPDPA20070104_113920_000038552054_00238_25342_1798.N1
 SCI_OL__2PPDPA20070104_131956_000038682054_00239_25343_1799.N1
 SCI_OL__2PPDPA20070104_150032_000037872054_00240_25344_1800.N1
 SCI_OL__2PPDPA20070104_164108_000037312054_00241_25345_1849.N1
 SCI_OL__2PPDPA20070104_182143_000038812054_00242_25346_1855.N1
 SCI_OL__2PPDPA20070104_200219_000034142054_00243_25347_1857.N1
 SCI_OL__2PPDPA20070105_010406_000038552054_00246_25350_1863.N1
 SCI_OL__2PPDPA20070105_024442_000038682054_00247_25351_1865.N1
 SCI_OL__2PPDPA20070105_042518_000038552054_00248_25352_1867.N1
 SCI_OL__2PPDPA20070105_060553_000038682054_00249_25353_1869.N1
 SCI_OL__2PPDPA20070105_074629_000038552054_00250_25354_0014.N1
 SCI_OL__2PPDPA20070105_092705_000038682054_00251_25355_1951.N1
 SCI_OL__2PPDPA20070105_110741_000038552054_00252_25356_1986.N1
 SCI_OL__2PPDPA20070105_142852_000034442054_00254_25358_0020.N1
 SCI_OL__2PPDPA20070105_175003_000038812054_00256_25360_0169.N1
 SCI_OL__2PPDPA20070105_124816_000038682054_00253_25357_0052.N1
 SCI_OL__2PPDPA20070105_160928_000038682054_00255_25359_0071.N1
 SCI_OL__2PPDPA20070105_193039_000038942054_00257_25361_0176.N1
 SCI_OL__2PPDPA20070105_211115_000038552054_00258_25362_0175.N1
 SCI_OL__2PPDPA20070106_021302_000038682054_00261_25365_0179.N1
 SCI_OL__2PPDPA20070106_035338_000038552054_00262_25366_0180.N1
 SCI_OL__2PPDPA20070106_053413_000038682054_00263_25367_0181.N1
 SCI_OL__2PPDPA20070106_071449_000038552054_00264_25368_0183.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20070106_085525_000037992054_00265_25369_0184.N1
 SCI_OL__2PPDPA20070106_121636_000038682054_00267_25371_0187.N1
 SCI_OL__2PPDPA20070106_135712_000038552054_00268_25372_0188.N1
 SCI_OL__2PPDPA20070106_153748_000037992054_00269_25373_0189.N1
 SCI_OL__2PPDPA20070106_185859_000038942054_00271_25375_0191.N1
 SCI_OL__2PPDPA20070106_203935_000035812054_00272_25376_0193.N1
 SCI_OL__2PPDPA20070106_222011_000038682054_00273_25377_0194.N1
 SCI_OL__2PPDPA20070107_132532_000038552054_00282_25386_0196.N1
 SCI_OL__2PPDPA20070107_200755_000038822054_00286_25390_0200.N1
 SCI_OL__2PPDPA20070107_214830_000038682054_00287_25391_0201.N1
 SCI_OL__2PPDPA20070107_015120_000032692054_00275_25379_0309.N1
 SCI_OL__2PPDPA20070107_033048_000033252054_00276_25380_0318.N1
 SCI_OL__2PPDPA20070107_051232_000032692054_00277_25381_0323.N1
 SCI_OL__2PPDPA20070107_065159_000033252054_00278_25382_0324.N1
 SCI_OL__2PPDPA20070107_083343_000032692054_00279_25383_0325.N1
 SCI_OL__2PPDPA20070107_101310_000033252054_00280_25384_0381.N1
 SCI_OL__2PPDPA20070108_010942_000038682054_00289_25393_0203.N1
 SCI_OL__2PPDPA20070108_025907_000033252054_00290_25394_0204.N1
 SCI_OL__2PPDPA20070108_043053_000038682054_00291_25395_0206.N1
 SCI_OL__2PPDPA20070108_061129_000038552054_00292_25396_0205.N1
 SCI_OL__2PPDPA20070108_094130_000033252054_00294_25398_0328.N1
 SCI_OL__2PPDPA20070108_180604_000032692054_00299_25403_0415.N1
 SCI_OL__2PPDPA20070108_194531_000033252054_00300_25404_0414.N1
 SCI_OL__2PPDPA20070108_212649_000032692054_00301_25405_0416.N1
 SCI_OL__2PPDPA20070109_022727_000033252054_00304_25408_0419.N1
 SCI_OL__2PPDPA20070109_040911_000032692054_00305_25409_0420.N1
 SCI_OL__2PPDPA20070106_004116_000033252054_00260_25364_0177.N1
 SCI_OL__2PPDPA20070106_172720_000033372054_00270_25374_0190.N1
 SCI_OL__2PPDPA20070109_054838_000033252054_00306_25410_0421.N1
 SCI_OL__2PPDPA20070110_101953_000032692054_00323_25427_0464.N1
 SCI_OL__2PPDPA20070110_115920_000033252054_00324_25428_0469.N1
 SCI_OL__2PPDPA20070110_134105_000032692054_00325_25429_0473.N1
 SCI_OL__2PPDPA20070110_152032_000032562054_00326_25430_0486.N1
 SCI_OL__2PPDPA20070110_184151_000033382054_00328_25432_0492.N1
 SCI_OL__2PPDPA20070110_202354_000032692054_00329_25433_0494.N1
 SCI_OL__2PPDPA20070109_090950_000033252054_00308_25412_0604.N1
 SCI_OL__2PPDPA20070109_105134_000031322054_00309_25413_0605.N1
 SCI_OL__2PPDPA20070109_123101_000033252054_00310_25414_0606.N1
 SCI_OL__2PPDPA20070109_141245_000032692054_00311_25415_0609.N1
 SCI_OL__2PPDPA20070109_155212_000032562054_00312_25416_0608.N1
 SCI_OL__2PPDPA20070109_173423_000032692054_00313_25417_0607.N1
 SCI_OL__2PPDPA20070109_191351_000033252054_00314_25418_0611.N1
 SCI_OL__2PPDPA20070109_205508_000032692054_00315_25419_0613.N1
 SCI_OL__2PPDPA20070109_223435_000033252054_00316_25420_0612.N1
 SCI_OL__2PPDPA20070110_033731_000032692054_00319_25423_0628.N1
 SCI_OL__2PPDPA20070110_065842_000032692054_00321_25425_0627.N1
 SCI_OL__2PPDPA20070110_220255_000033252054_00330_25434_0497.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20070111_012406_000033252054_00332_25436_0501.N1
 SCI_OL__2PPDPA20070111_030550_000032692054_00333_25437_0502.N1
 SCI_OL__2PPDPA20070111_044517_000033252054_00334_25438_0504.N1
 SCI_OL__2PPDPA20070111_062701_000032692054_00335_25439_0506.N1
 SCI_OL__2PPDPA20070111_080628_000033252054_00336_25440_0511.N1
 SCI_OL__2PPDPA20070111_094813_000032692054_00337_25441_0595.N1
 SCI_OL__2PPDPA20070111_112740_000033252054_00338_25442_0598.N1
 SCI_OL__2PPDPA20070111_130924_000032012054_00339_25443_0601.N1
 SCI_OL__2PPDPA20070111_144851_000032562054_00340_25444_0602.N1
 SCI_OL__2PPDPA20070110_083809_000033252054_00322_25426_0631.N1
 SCI_OL__2PPDPA20070111_181029_000033252054_00342_25446_0635.N1
 SCI_OL__2PPDPA20070111_195214_000032692054_00343_25447_0637.N1
 SCI_OL__2PPDPA20070111_221242_000003012054_00344_25448_0639.N1
 SCI_OL__2PPDPA20070112_005225_000033252054_00346_25450_0643.N1
 SCI_OL__2PPDPA20070110_015546_000033252054_00318_25422_0629.N1
 SCI_OL__2PPDPA20070110_051658_000033252054_00320_25424_0630.N1
 SCI_OL__2PPDPA20070111_163035_000031322054_00341_25445_0632.N1
 SCI_OL__2PPDPA20070112_023409_000032692054_00347_25451_0645.N1
 SCI_OL__2PPDPA20070112_041336_000033252054_00348_25452_0647.N1
 SCI_OL__2PPDPA20070112_055520_000032692054_00349_25453_0649.N1
 SCI_OL__2PPDPA20070112_073448_000033252054_00350_25454_0662.N1
 SCI_OL__2PPDPA20070112_105559_000033252054_00352_25456_0681.N1
 SCI_OL__2PPDPA20070112_155854_000032012054_00355_25459_0696.N1
 SCI_OL__2PPDPA20070112_173849_000033252054_00356_25460_0699.N1
 SCI_OL__2PPDPA20070112_192033_000032692054_00357_25461_0700.N1
 SCI_OL__2PPDPA20070112_205933_000033252054_00358_25462_0703.N1
 SCI_OL__2PPDPA20070112_224117_000032692054_00359_25463_0705.N1
 SCI_OL__2PPDPA20070113_023430_000013472054_00361_25465_0708.N1
 SCI_OL__2PPDPA20070113_034155_000033252054_00362_25466_0709.N1
 SCI_OL__2PPDPA20070113_052339_000032692054_00363_25467_0710.N1
 SCI_OL__2PPDPA20070113_070307_000033252054_00364_25468_0712.N1
 SCI_OL__2PPDPA20070113_102418_000033252054_00366_25470_0715.N1
 SCI_OL__2PPDPA20070113_124935_000000522054_00367_25471_0716.N1
 SCI_OL__2PPDPA20070113_134529_000033252054_00368_25472_0717.N1
 SCI_OL__2PPDPA20070113_152713_000032692054_00369_25473_0718.N1
 SCI_OL__2PPDPA20070113_170640_000031882054_00370_25474_0719.N1
 SCI_OL__2PPDPA20070113_184852_000032012054_00371_25475_0720.N1
 SCI_OL__2PPDPA20070113_202819_000033252054_00372_25476_0721.N1
 SCI_OL__2PPDPA20070113_220936_000032692054_00373_25477_0722.N1
 SCI_OL__2PPDPA20070114_013047_000032692054_00375_25479_0724.N1
 SCI_OL__2PPDPA20070114_031014_000033252054_00376_25480_0725.N1
 SCI_OL__2PPDPA20070114_045158_000032692054_00377_25481_0726.N1
 SCI_OL__2PPDPA20070114_063125_000033252054_00378_25482_0727.N1
 SCI_OL__2PPDPA20070114_081310_000032692054_00379_25483_0728.N1
 SCI_OL__2PPDPA20070114_095237_000033252054_00380_25484_0729.N1
 SCI_OL__2PPDPA20070114_113421_000032692054_00381_25485_0730.N1
 SCI_OL__2PPDPA20070114_131348_000033252054_00382_25486_0731.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20070114_145532_000032692054_00383_25487_0732.N1
 SCI_OL__2PPDPA20070114_145532_000032692054_00383_25487_0743.N1
 SCI_OL__2PPDPA20070114_163459_000032562054_00384_25488_0733.N1
 SCI_OL__2PPDPA20070114_163459_000032562054_00384_25488_0744.N1
 SCI_OL__2PPDPA20070114_181544_000033262054_00385_25489_0734.N1
 SCI_OL__2PPDPA20070114_195638_000033252054_00386_25490_0735.N1
 SCI_OL__2PPDPA20070114_195638_000033252054_00386_25490_0746.N1
 SCI_OL__2PPDPA20070114_213755_000032692054_00387_25491_0747.N1
 SCI_OL__2PPDPA20070115_005906_000032692054_00389_25493_0738.N1
 SCI_OL__2PPDPA20070115_005906_000032692054_00389_25493_0749.N1
 SCI_OL__2PPDPA20070115_023833_000033252054_00390_25494_0739.N1
 SCI_OL__2PPDPA20070115_023833_000033252054_00390_25494_0750.N1
 SCI_OL__2PPDPA20070115_042017_000032692054_00391_25495_0740.N1
 SCI_OL__2PPDPA20070115_042017_000032692054_00391_25495_0751.N1
 SCI_OL__2PPDPA20070115_055944_000033252054_00392_25496_0741.N1
 SCI_OL__2PPDPA20070115_055944_000033252054_00392_25496_0752.N1
 SCI_OL__2PPDPA20070115_074128_000032692054_00393_25497_0742.N1
 SCI_OL__2PPDPA20070115_092055_000033252054_00394_25498_0753.N1
 SCI_OL__2PPDPA20070115_124206_000033252054_00396_25500_0770.N1
 SCI_OL__2PPDPA20070115_160318_000032562054_00398_25502_0772.N1
 SCI_OL__2PPDPA20070115_192457_000033252054_00400_25504_0778.N1
 SCI_OL__2PPDPA20070116_002724_000032692054_00403_25507_0781.N1
 SCI_OL__2PPDPA20070116_020651_000033252054_00404_25508_0782.N1
 SCI_OL__2PPDPA20070116_041329_000017762054_00405_25509_0783.N1
 SCI_OL__2PPDPA20070107_150607_000038682054_00283_25387_0197.N1
 SCI_OL__2PPDPA20070107_182719_000038942054_00285_25389_0199.N1
 SCI_OL__2PPDPA20070108_080203_000032692054_00293_25397_0230.N1
 SCI_OL__2PPDPA20070113_083452_000038682054_00365_25469_0714.N1
 SCI_OL__2PPDPA20070115_142351_000032692054_00397_25501_0771.N1
 SCI_OL__2PPDPA20070115_173503_000038952054_00399_25503_0777.N1
 SCI_OL__2PPDPA20070116_052803_000033252054_00406_25510_0790.N1
 SCI_OL__2PPDPA20070116_070947_000032692054_00407_25511_0799.N1
 SCI_OL__2PPDPA20070116_084914_000033252054_00408_25512_0812.N1
 SCI_OL__2PPDPA20070116_103058_000032692054_00409_25513_0833.N1
 SCI_OL__2PPDPA20070116_121025_000033252054_00410_25514_0834.N1
 SCI_OL__2PPDPA20070116_134211_000037992054_00411_25515_0848.N1
 SCI_OL__2PPDPA20070116_152246_000038552054_00412_25516_0855.N1
 SCI_OL__2PPDPA20070116_170322_000037312054_00413_25517_0859.N1
 SCI_OL__2PPDPA20070116_184358_000038832054_00414_25518_0862.N1
 SCI_OL__2PPDPA20070116_202433_000038952054_00415_25519_0863.N1
 SCI_OL__2PPDPA20070116_220509_000038552054_00416_25520_0865.N1
 SCI_OL__2PPDPA20070116_234544_000038682054_00417_25521_0867.N1
 SCI_OL__2PPDPA20070117_213327_000037872054_00430_25534_0914.N1
 SCI_OL__2PPDPA20070118_023514_000038682054_00433_25537_0920.N1
 SCI_OL__2PPDPA20070118_041549_000038552054_00434_25538_0922.N1
 SCI_OL__2PPDPA20070118_073701_000038552054_00436_25540_0926.N1
 SCI_OL__2PPDPA20070118_091736_000038682054_00437_25541_0931.N1



esa



DLR

ife



serco

SCIAMACHY Bi-MONTHL



SCI_OL__2PPDPA20070118_105812_000038552054_00438_25542_0971.N1
 SCI_OL__2PPDPA20070118_123847_000037992054_00439_25543_0973.N1
 SCI_OL__2PPDPA20070118_141923_000038552054_00440_25544_0977.N1
 SCI_OL__2PPDPA20070118_164308_000006742054_00441_25545_0979.N1
 SCI_OL__2PPDPA20070118_174034_000038802054_00442_25546_0981.N1
 SCI_OL__2PPDPA20070118_192110_000038962054_00443_25547_0983.N1
 SCI_OL__2PPDPA20070119_002256_000038552054_00446_25550_0988.N1
 SCI_OL__2PPDPA20070119_020332_000038682054_00447_25551_0990.N1
 SCI_OL__2PPDPA20070119_052443_000038682054_00449_25553_0994.N1
 SCI_OL__2PPDPA20070119_070519_000038552054_00450_25554_0996.N1
 SCI_OL__2PPDPA20070119_084554_000038682054_00451_25555_0998.N1
 SCI_OL__2PPDPA20070119_102630_000038552054_00452_25556_1014.N1
 SCI_OL__2PPDPA20070119_152817_000038682054_00455_25559_1056.N1
 SCI_OL__2PPDPA20070119_170852_000037462054_00456_25560_1059.N1
 SCI_OL__2PPDPA20070120_045301_000038682054_00463_25567_1072.N1
 SCI_OL__2PPDPA20070120_081412_000038682054_00465_25569_1074.N1
 SCI_OL__2PPDPA20070120_131559_000038552054_00468_25572_1080.N1
 SCI_OL__2PPDPA20070120_145635_000038682054_00469_25573_1081.N1
 SCI_OL__2PPDPA20070120_163710_000037872054_00470_25574_1082.N1
 SCI_OL__2PPDPA20070120_213857_000038682054_00473_25577_1090.N1
 SCI_OL__2PPDPA20070121_024044_000038552054_00476_25580_1092.N1
 SCI_OL__2PPDPA20070121_050633_000011542054_00477_25581_1085.N1
 SCI_OL__2PPDPA20070121_110341_000038682054_00481_25585_1093.N1
 SCI_OL__2PPDPA20070121_160528_000034442054_00484_25588_1096.N1
 SCI_OL__2PPDPA20070121_192639_000038832054_00486_25590_1098.N1
 SCI_OL__2PPDPA20070121_210715_000038682054_00487_25591_1099.N1
 SCI_OL__2PPDPA20070121_224750_000038552054_00488_25592_1100.N1
 SCI_OL__2PPDPA20070122_020901_000038552054_00490_25594_1102.N1
 SCI_OL__2PPDPA20070118_055625_000038682054_00435_25539_0924.N1
 SCI_OL__2PPDPA20070122_053013_000038552054_00492_25596_1104.N1
 SCI_OL__2PPDPA20070122_071048_000038682054_00493_25597_1105.N1
 SCI_OL__2PPDPA20070122_085124_000038552054_00494_25598_1107.N1
 SCI_OL__2PPDPA20070122_103159_000038682054_00495_25599_1113.N1
 SCI_OL__2PPDPA20070122_121235_000038552054_00496_25600_1130.N1
 SCI_OL__2PPDPA20070122_135310_000038682054_00497_25601_1131.N1
 SCI_OL__2PPDPA20070122_153346_000038552054_00498_25602_1132.N1
 SCI_OL__2PPDPA20070122_171421_000038002054_00499_25603_1135.N1
 SCI_OL__2PPDPA20070122_185457_000038832054_00500_25604_1136.N1



esa



DLR



ife

serco

SCIAMACHY Bi-MONTHL



APPENDIX C

LEVEL 2 OFF-LINE PRODUCTS DUPLICATES (REMOVED FROM D-PAC SERVER)

SCI_OL__2PPDPA20070319_143611_000033252056_00297_26403_1360.N1
 SCI_OL__2PPDPA20070319_161755_000032692056_00298_26404_1384.N1
 SCI_OL__2PPDPA20070319_175651_000033812056_00299_26405_1398.N1
 SCI_OL__2PPDPA20070319_193726_000033252056_00300_26406_2085.N1
 SCI_OL__2PPDPA20070319_211833_000033252056_00301_26407_1426.N1
 SCI_OL__2PPDPA20070319_230017_000032692056_00302_26408_1442.N1
 SCI_OL__2PPDPA20070320_003944_000033252056_00303_26409_1443.N1
 SCI_OL__2PPDPA20070320_022128_000032692056_00304_26410_1444.N1
 SCI_OL__2PPDPA20070320_040055_000033252056_00305_26411_1447.N1
 SCI_OL__2PPDPA20070320_054239_000032692056_00306_26412_2088.N1
 SCI_OL__2PPDPA20070320_072206_000033252056_00307_26413_1448.N1
 SCI_OL__2PPDPA20070320_090350_000027892056_00308_26414_1449.N1
 SCI_OL__2PPDPA20070320_104317_000033252056_00309_26415_1483.N1
 SCI_OL__2PPDPA20070320_122501_000032692056_00310_26416_1485.N1