

\*\*\*\*\*  
 Summary of Anomalies:

- 1 - gap at MS, dump Orb. 24676  
    22:35:04 - 22:46:38
  
- 2 - calibration lamp instability:  
    Current: 1 prod. anomalous low value  
    9.0 mA instead of nominal ~9.8 mA
  
- 3 - Memory Dump (change to the day before):  
    1300B changed back to template value 10

\*\*\*\*\*

Station ID	>>gap at MS, dump Orb. 24676 22:35:04 - 22:46:38
MPH Product Confidence	OK
SPH Window Information	OK
Command Word Echo Summary	OK
Instrument Status 1A	OK
Instrument Status 1B	OK
Instrument Status 2	OK
Integration Times Channel 1	OK
Co-Adding and Cluster Mode Flags	OK
Integration Times Band 2A	OK
Integration Times Band 2B	OK
Integration Times Band 3	OK
Integration Times Band 4	OK
Scan Mirror Position	OK
Polarisation Detectors	OK
FPA Temperatures A	OK
FPA Temperatures B	OK
Charge Amp Temperatures	OK
Other Temperatures A	OK
DDHU Temperatures	OK
Optical Bench Temperatures	OK
Other Temperatures B	OK
Calibr. Lamp and Instr. Status 3	>>calibration lamp instability: Current: 1 prod. anomalous low value 9.0 mA instead of nominal ~9.8 mA
Scan Mirror Motor Current	OK
Selected Temperature A	OK
Selected Temperature B	OK
Selected Temperature C	OK
Channel 1 Summation	OK
Channel 2 Summation	OK
Channel 3 Summation	OK
Channel 4 Summation	OK
Log pages	OK
331/318 nm Uncal. Line Ratio	OK
Uncal. PMDs as RGB signal	OK
780 nm Uncal. Intensity	OK

8826 differences found in RAM1 area  
 0 differences found in PROMCOPY area  
 4 differences found in E2PROMCOPY area

Address	Actual	Template
12FDE	0	FF
12FDF	7	FF
13003	0	1
13007	0	1

0 differences found in E2PROM area  
0 differences found in RAM2 area  
0 differences found in PROM area