```
GOME Daily Reports Analysis
-----
********************************
Summary of Anomalies:
1 - GOME was switched off, due to ATSR/IRR offset loops frozen,
    (see unavailability reports ESOC, ER-UNA-2000/039)
   gap, dump Orb. 27746 - 27748, 08:39:55 - 13:21:58
   TST44 started at 13:21 , dump Orb. 27748
   back to Mission Schedule 15:02 (d.Orbit 27749);
   coolers off:
   08:39:55 - 13:35:37
   maximum warm up of detectors: 262.4 K
   sun calibration performed:
   with warm detectors (timeline TST44, T = \sim 261.0 \text{ K})
   start of sun calibration : 13:29:42.26, d. o. 27748
 2 - DATA GAPS
    gap at MS, dump Orb.27754
    23:17:17 - 23:29:52
 3 - Memory Dump (change to the day before):
    no data received due to switch off
********************************
                          >>gap, dump Orb. 27746 - 27748,
Station ID
                                  08:39:55 - 13:21:58 due to switch-off
                                  gap at MS, dump Orb.27754
                                 23:17:17 - 23:29:52
MPH Product Confidence
SPH Window Information
                               OK
Command Word Echo Summary
                                >>s. above
Instrument Status 1A
                                >>s. above
Instrument Status 1B
Instrument Status 2
                                >>coolers off:
                                  08:39:55 - 13:35:37
Integration Times Channel 1
Co-Adding and Cluster Mode Flags OK
Integration Times Band 2A
                               OK
                               OK
Integration Times Band 2B
                               OK
Integration Times Band 3
                               OK
Integration Times Band 4
Scan Mirror Position
                               OK
Polarisation Detectors
FPA Temperatures A
                                >>maximum warm up of detector 262.3 K
                                >>maximum warm up of detector 262.4 K
FPA Temperatures B
Charge Amp Temperatures
                                >>temp. out of range due to switch-off
Other Temperatures A
                                >>temp. out of range due to switch-off
DDHU Temperatures
                                >>temp. out of range due to switch-off
Optical Bench Temperatures
                                >>temp. out of range due to switch-off
                                >>temp. out of range due to switch-off
Other Temperatures B
Calibr. Lamp and Instr. Status 3 OK
Scan Mirror Motor Current
                               OK
Selected Temperature A
                                >>temp. out of range due to switch-off
                                >>temp. out of range due to switch-off
Selected Temperature B
Selected Temperature C
                                >>temp. out of range due to switch-off
Channel 1 Summation
Channel 2 Summation
                               OK
Channel 3 Summation
                               OK
Channel 4 Summation
                               OK
```



| 331/318 nm Uncal. Line Ratio Uncal. PMDs as RGB signal 780 nm Uncal. Intensity | OK OK OK | | |
|--|----------------|--------|------|
| GOME Memory Dump Check | | 10 Aug | 2000 |

no data received due to switch off

