```
Summary of Anomalies:
1 - Memory Dump (change to the latest available data day 05/12/01):
    address 11E8C in E2PROMCOPY changed from template value FC to actual FE
    (first occurrence of a change in this address)
**************************
______
   GOME Daily Reports Analysis
                                   08 Dec
Station ID
                        OK
MPH Product Confidence
                              OK
SPH Window Information
                              OK
Command Word Echo Summary
                              OK
Instrument Status 1A
                              OK
Instrument Status 1B
                              OK
Instrument Status 2
                              OK
Integration Times Channel 1
                              OK
Co-Adding and Cluster Mode Flags OK
Integration Times Band 2A
                              OK
Integration Times Band 2B
                              OK
Integration Times Band 3
                              OK
Integration Times Band 4
                              OK
Scan Mirror Position
                              OK
Polarisation Detectors
                              OK
                              OK
FPA Temperatures A
FPA Temperatures B
                              OK
Charge Amp Temperatures
                              OK
Other Temperatures A
                              OK
DDHU Temperatures
                              OK
                              OK
Optical Bench Temperatures
Other Temperatures B
                              OK
Calibr. Lamp and Instr. Status 3 >> Solar calibration performed
                                  in dump Orb. 34689
                               start of sun calibration 11:15:30.39
                               intensity of sun calibration:
                               ~18640 BU ->PMD2 readouts analysed with ERGO;
                               (note: due to seasonal effects nominal values
                               range between ~16000 - ~19000 BU
Scan Mirror Motor Current
                              OK
Selected Temperature A
                              OK
Selected Temperature B
                              OK
Selected Temperature C
                              OK
Channel 1 Summation
                              OK
Channel 2 Summation
                              OK
Channel 3 Summation
                              OK
Channel 4 Summation
                              OK
Log pages
                              OK
331/318 nm Uncal. Line Ratio
                              OK
Uncal. PMDs as RGB signal
                              OK
780 nm Uncal. Intensity
                              OK
   GOME Memory Dump Check
                                         08 Dec
-----
       8847 differences found in RAM1 area
         0 differences found in PROMCOPY area
          6 differences found in E2PROMCOPY area
Address Actual Template
11E8C
         FE
                 FC
```

********************************* 12FDE 0 FF 12FDF 7 FF 13003 0 1

13007

1



1300B

1 10 0 differences found in E2PROM area

0 differences found in RAM2 area

0 differences found in PROM area

