

\*\*\*\*\*

Summary of Anomalies:

station info  
 KS dump orbit 42674 EGOI HDDT flag set 06:51:26 - 07:24:11  
 KS dump orbit 42676 EGOI HDDT flag set 10:14:07 - 10:47:06  
 KS dump orbit 42678 EGOI HDDT flag set 13:30:29 - 14:03:28

instrument info  
 EGOI  
 1 - Memory Dump (change to the day before):  
 address 1300B changed back to template value

\*\*\*\*\*

-----  
 GOME Daily Reports Analysis            19 Jun            2003  
 -----

Station ID	OK	
MPH Product Confidence		>>see above
SPH Window Information	OK	
Command Word Echo Summary	OK	
Instrument Status 1A	OK	
Instrument Status 1B	OK	
Instrument Status 2	OK	
Integration Times Channel 1	OK	
Co-Adding and Cluster Mode Flags	OK	
Integration Times Band 2A	OK	
Integration Times Band 2B	OK	
Integration Times Band 3	OK	
Integration Times Band 4	OK	
Scan Mirror Position	OK	
Polarisation Detectors	OK	
FPA Temperatures A	OK	
FPA Temperatures B	OK	
Charge Amp Temperatures	OK	
Other Temperatures A	OK	
DDHU Temperatures	OK	
Optical Bench Temperatures	OK	
Other Temperatures B	OK	
Calibr. Lamp and Instr. Status 3		>> Solar calibration performed in dump Orb. 42677 start of sun calibration 12:05:23.41 intensity of sun calibration: ~ 15910 BU ->PMD2 readouts analysed with ERGO; (note: due to seasonal effects nominal values range between ~16000 - ~19000 BU)
Scan Mirror Motor Current	OK	
Selected Temperature A	OK	
Selected Temperature B	OK	
Selected Temperature C	OK	
Channel 1 Summation	OK	
Channel 2 Summation	OK	
Channel 4 Summation	OK	
Log pages	OK	
331/318 nm Uncal. Line Ratio	OK	
Uncal. PMDs as RGB signal	OK	
780 nm Uncal. Intensity	OK	

-----  
 GOME Memory Dump Check            19 Jun            2003  
 -----

8919 differences found in RAM1 area  
 0 differences found in PROMCOPY area  
 5 differences found in E2PROMCOPY area

Address	Actual	Template
12FDE	0	FF

```
12FDF 7 FF
13003 0 1
13007 0 1
17FFF FD FF
0 differences found in E2PROM area
0 differences found in RAM2 area
0 differences found in PROM area
```