# **GOME Daily Report**

## **INDEX**

- 1. <u>General Info</u>
- 1.1 Report Summary
- 1.2 List of received products
- 1.3 List of data gaps
- 1.4 List of missing products
- 1.5 List of corrupted products
- 2. Instrument Indicators and Daily Plots
- 2.1 Instrument Indicators Status
- 2.2 Daily Plots
- 3. Instrument Calibration
- 3.1 Solar Calibration (daily/TST44)
- 3.2 Lamp Calibration (quarterly/TST44)
- 4. Instrument Anomalies
- 4.1 Single Event Upset (SEU)
- 4.2 Instrument Off
- 4.3 Cooler Switchings
- 5. Instrument Operations
- 5.1 <u>Timeline Interruptions</u>
- 5.2 <u>TST44</u>
- 5.3 Power Cycle
- 5.4 Wrong Command Execution
- 5.5 Narrow Swath Timeline
- 5.6 Seasonal Operations

## 1 - General Info

#### 1.1 - Report Summary

Item	Value
Report Version	GOMEver3_3
Report of Day	02-JAN-2010
Start Time of First Product	00:26:55
Stop Time of Last Product	22:38:38
Number of EGOI Products analysed	32
Number of corrupted products	0
Anomalies and/or Special Operations	Nominal Data

#### 1.2 - List of received products

Name Date Time [ BACK TO MENU ]

## 1.3 - List of data gaps

Station	Orbit	Date	Start Time	Stop Time	Duration (s)
[ BACK TO	) MENU	]			

#### 1.4 - List of missing products



Station	Orbit	Date	Start Time	Stop Time	Duration (s)	
BACK TO MENU 1						

#### 1.5 - List of corrupted products

Station Orbit Time

## **2 - Instrument Indicators and Daily Plots**

#### 2.1 - Instrument Indicators Status

Indicator	Value
MPH Product Confidence	OK
SPH Product Confidence	OK
Command Word Echo Summary	OK
Instrument Status 1A	OK
Instrument Status 1B	OK
Instrument Status 2	ОК
Integration Times Channel 1	OK
Co-Adding and Cluster Mode Flags	OK
Integration Times Band 2A	OK
Integration Times Band 2B	OK
Integration Times Band 3	OK
Integration Times Band 4	ОК
Scan Mirror position	ОК
Polarization Detectors	ОК
FPA Temperatures A	ОК
FPA Temperaturas B	ОК
Charge Amp Temperatures	OK
Other Temperatures A	ОК
DDHU Temperatures	ОК
Optical Bench Temperatures	ОК
Other Temperatures B	ОК
Calibration Lamp and Instr. Status 3	ОК
Scan Mirror and Motor Current	ОК
Selected Temperature A	ОК
Selected Temperature B	ОК
Selected Temperature C	ОК
Channel 1 Summation	ОК
Channel 2 Summation	ОК
Channel 4 Summation	ОК
Log Pages	ОК
331/338 nm Uncal. Line Ratio	ОК
Uncal. PMDs as RGB signal	OK
780 nm Uncal. Intensity	OK

## 2.2 - Daily Plots

The images linked below provide a quick check on the data coverage and instrument performance. All data are UNCALIBRATED. For the explaination see the GOME Performance Legend



First Product : 02-JAN-2010 02:10:07.016 : ORBIT : 76868.0503 Last Product : 02-JAN-2010 22:38:38.612 : ORBIT : 76880.2624 Total Products Processed : 10709 Day : 2



Page : 21

#### Ozone Line Ratio



PMD I mage (Earthshine Radiance)





## **3 - Instrument Calibration**

## 3.1 - Solar Calibration (Daily/TST44)

Daily(D)/TST44(T)	Start Time	End Time (T)	Orbit	Ground Station Visibility	Warm Detector Temperature (TST/44)	Max PMD Readout during solar calibrat
D	10:58:26.780		76873	Yes		15830

## 3.2 - Lamp Calibration (Quarterly/TST44)

Quarterly(Q)/TST44(T)	Start Time	End Time	Orbit	Ground Station Visibility	Warm Detector Temperature (TST/44)	Lamp Instability Voltage (if any)(V)	Lamp Failure N. (if any)

(1)

#### [ BACK TO MENU ]

## **4** - Instrument Anomalies

## 4.1 - Single Event Upset (SEU)

Start Time	End Time	Start Orbit	End Orbit	Ground Station Visibility

## 4.2 - Instrument Off

Start Time	End Time	Start Orbit	End Orbit	MPS Resumption	Ground Station Visibility

## 4.3 - Cooler Switchings

Start Time	End Time	Start Orbit	End Orbit	Ground Station Visibility	Max Temp. Ch 1	Max Temp. Ch 2	Max Temp. Ch 3	Max Temp. Ch 4





## **5 - Instrument Operations**

Additional Info

## 5.1 - Timeline Interruptions

Start Time	End Time	Start Orbit	End Orbit	Ground Station Visibility

#### 5.2 **- TST44**

Start Time	Start Orbit	Ground Station Visibility

## 5.3 - Power Cycle

Start Time	End Time	Start Orbit	End Orbit	Ground Station Visibility

## 5.4 - Wrong Command Execution

Start Time	End Time	Start Orbit	End Orbit	Ground Station Visibility

## 5.5 - Narrow Swath Timeline

Start Time	End Time	Start Orbit	End Orbit

## 5.6 - Seasonal Operations

Start Time	End Time	Start Orbit	End Orbit

#### [ BACK TO MENU ]

(1) The Solar/lamp calibration is carried out routinely or after an instrument switch-off or a power cycle (performed to reset the instrument when abnormal values are observed); in the latter cases the coolers are off and the temperature refers to the warm detectors

