



1 General Comments

The activities scheduled for this week are those planned for the CW15.

	Mon, 11-APR-2011	Tue, 12-APR-2011	Wed, 13-APR-2011	Thu, 14-APR-2011	Fri, 15-APR-2011	Sat, 16-APR-2011	Sun, 17-APR-2011
Dummy_SEQ							
Int_LO_Phase_Cal_NoNoise_FULL_NoEXT_SEQ							
SBand_Visibility_SEQ							
XB_Cmd_Downlink_Svalb_SEQ							
XB_Cmd_Downlink_Vilspa_SEQ							
Short_Calibration_Full_OBOP_SEQ							

This week contained 3 consecutive Short Calibrations (**PMS Offset Calibration**) on the 14/04/11, and also X_Band passes over Svalbard and ESAC.

2 Mission Planning Deviation

None



3 TC Failures

None

4 Unforseen Out Of Limits (OOLs)

Parameter	Description	OOL Time	Value

See appendix A for a complete list of OOL's in the period.

5 On Board Anomalies

No MM Latch-Ups nor CMN Unlocks in the period.

6 Telemetry On Board Events in the period.

Event Description	Event Time	Parameters
RAM single Bit Error	2011.105.06.35.36.828	210F054

7 FOS System Status

Still some error messages linked to sftp connectivity, but not affecting operations.



8 Data Reception from CNES

Due to a problem encountered with KER Ground Station (the replacement of equipment was required), the following dumps were lost:

- on 13/04/2011 @ 13:56 UTC
- on 14/04/2011 @ 01:58 UTC

9 X-Band Data Reception in PXMF

No events on-board in the period were causing loss of sensed data.

10 Exceptional Activities

None.

11 AOB

None.



APPENDIX A: OOL's

Event Logger printout from time: 2011.101.00.00.00.000 to time: 2011.108.00.00.00.000
Current printout time: 2011.115.09.49.02.528
Filter info:
Application : BEHVlimitChecker
Workstation : All
Packets type : All
Packets severity : All
Message filter : out

Event time	Stream	Application	Workstation	Severity	Type	Message
2011.101.01.40.12.531	1	BEHVlimitChecker	plpcprn	ERROR	LOG	2011.100.22.33.45.104 DMASME37 VAL: False STATE: True STATUS limit is out of nominal range
2011.101.01.40.12.534	1	BEHVlimitChecker	plpcprn	ERROR	LOG	2011.100.22.33.45.104 DMASME01 VAL: OFF STATE: ON STATUS limit is out of nominal range
2011.102.13.27.55.685	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.12.32.43.881 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.13.27.55.686	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.12.32.43.881 NMASME10 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.30.868	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.45.35.515 NMASME08 VAL: 121 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.30.869	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.45.35.515 NMASME09 VAL: 13 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.30.870	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.45.35.515 NMASME21 VAL: 121 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.31.333	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.45.51.116 NMASME08 VAL: 132 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.31.335	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.45.51.116 NMASME21 VAL: 132 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.32.937	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.46.33.106 NMASME09 VAL: 16 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.34.668	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.47.46.306 NMASME09 VAL: 59 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.36.923	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.49.00.706 NMASME08 VAL: 210 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.36.929	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.49.00.706 NMASME21 VAL: 210 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.39.041	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.50.13.906 NMASME09 VAL: 156 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.40.501	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.51.04.305 NMASME08 VAL: 203 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.102.19.32.40.504	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.102.13.51.04.305 NMASME21 VAL: 203 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.48.12.089	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.13.49.30.554 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.48.12.093	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.13.49.30.554 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.48.46.271	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.14.09.04.164 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.48.46.275	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.14.09.04.164 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.50.46.796	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.15.18.09.010 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.50.46.797	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.15.18.09.010 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.51.04.398	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.15.28.13.815 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.51.04.400	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.15.28.13.815 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.52.47.591	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.16.27.12.646 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.52.47.601	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.16.27.12.646 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.53.56.735	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.17.06.49.866 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.53.56.738	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.17.06.49.866 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.54.48.145	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.17.36.16.282 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.54.48.148	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.17.36.16.282 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.56.48.764	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.18.45.21.118 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.56.48.767	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.18.45.21.118 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.58.51.822	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.19.55.43.944 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.105.20.58.51.826	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.19.55.43.944 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.106.04.52.24.227	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.21.04.47.590 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2011.106.04.52.24.230	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.21.04.47.590 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Page:

FOS Report for week 15
from the 11/04/11 to the 18/04/11

2011.106.04.53.18.222	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.21.35.45.206	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.53.18.226	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.21.35.45.206	NMASME20	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.54.24.832	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.22.13.51.226	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.54.24.833	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.22.13.51.226	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.56.08.539	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.23.13.16.457	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.56.08.540	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.23.13.16.457	NMASME13	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.56.25.480	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.23.22.56.062	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.56.25.482	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.105.23.22.56.062	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.58.40.753	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.00.34.27.299	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.04.58.40.754	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.00.34.27.299	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.05.00.41.818	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.01.43.47.725	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.05.00.41.822	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.01.43.47.725	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.05.04.45.448	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.04.03.14.208	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.05.04.45.452	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.04.03.14.208	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.48.00.970	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.05.12.17.843	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.48.00.974	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.05.12.17.843	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.50.01.524	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.06.21.21.469	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.50.01.525	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.06.21.21.469	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.52.02.083	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.07.30.26.305	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.52.02.086	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.07.30.26.305	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.52.27.793	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.07.45.13.123	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.52.27.797	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.07.45.13.123	NMASME17	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.54.02.840	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.08.39.29.951	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.09.54.02.844	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.08.39.29.951	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.14.05.37.452	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.09.48.39.587	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.14.05.37.455	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.09.48.39.587	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.14.07.37.870	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.10.57.43.223	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.14.07.37.873	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.10.57.43.223	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.14.09.38.473	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.12.06.48.059	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.14.09.38.477	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.12.06.48.059	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.20.08.35.060	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.14.26.39.732	NMASME08	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2011.106.20.08.35.091	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2011.106.14.26.39.732	NMASME15	VAL:	1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range