



1 General Comments

The activities scheduled for this week are those planned for the CW09.

	FEB-2013					
	Mon, 25-FEB-2013	Tue, 26-FEB-2013	Wed, 27-FEB-2013	Thu, 28-FEB-2013	Fri, 01-MAR-2013	Sat, 02-MAR-2013
Int_LO_Phase_Cal_NoUnoise_FULL_NotEXT_SEQ	[Shaded]					
XB_Cmd_Downlink_Svalb_SEQ	[Vertical bars]					
SBand_Visibility_SEQ	[Vertical bars]					
XB_Cmd_Downlink_Wlspa_SEQ	[Vertical bars]					
Update_Cyclic_LO_Ph_Cal_NoU_Full_EXT_SEQ			↑			
External_Calibration_NIR_Full_OBOP_SEQ			█			
Int_LO_Phase_Cal_NoUnoise_FULL_EXT_SEQ			█			
Disable_Cyclic_Function_SEQ			↑	↑		
Enable_Cyclic_Function_SEQ			↑	↑		
Update_Cyclic_LO_Ph_Cal_NoU_Full_NotEXT_SEQ			↑			
PMS_Offset_Calibration_Full_SEQ						

This week is scheduled.

- One External Calibration (NIR) with Inertial Pointing scheduled on 27/02 (ETO = 15:43:45 UTC)
- X-Band Passes over ESAC and Svalbard.

2 Mission Planning Deviation

None

3 TC Failures

None.



4 Unforseen Out Of Limits (OOLs)

See appendix A for a complete list of OOL's in the period.

5 On Board Anomalies

None

6 Telemetry On Board Events in the period.

Event Description	Severity	Event Time	Parameters
RAM single Bit Error	Warn	2013.060.19.22.41.901	2146C08

7 FOS System Status

None

8 Data Reception from CNES

None

9 X-Band Data Reception in PXMF

No events on board in the period were causing loss of sensed data.

10 Exceptional Activities

None

11 AOB

None.



APPENDIX A: OOL's

Event Logger printout from time: 2013.056.10.35.00.000 to time: 2013.064.10.35.30.000
Current printout time: 2013.064.10.37.24.571

2013.056.12.23.38.820	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.09.37.49.286	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.23.38.824	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.09.37.49.286	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.24.41.267	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.10.07.22.911	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.24.41.269	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.10.07.22.911	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.26.33.424	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.11.16.26.537	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.26.33.426	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.11.16.26.537	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.26.37.827	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.11.18.52.938	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.12.26.37.845	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.11.18.52.938	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.19.30.465	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.12.27.16.982	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.19.30.467	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.12.27.16.982	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.20.08.637	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.12.43.34.994	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.20.08.640	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.12.43.34.994	NMASME18	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.21.28.832	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.13.36.21.815	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.21.28.834	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.13.36.21.815	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.23.23.433	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.14.45.25.458	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.23.23.435	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.14.45.25.458	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.27.42.522	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.17.03.33.955	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.27.42.526	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.17.03.33.955	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.29.32.225	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.18.12.37.588	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.29.32.228	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.18.12.37.588	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.33.58.171	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.20.30.46.064	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.33.58.174	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.20.30.46.064	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.35.55.003	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.21.42.14.919	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.056.23.35.55.005	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.21.42.14.919	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.03.46.51.412	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.22.51.18.555	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.03.46.51.414	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.056.22.51.18.555	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.03.48.47.285	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.00.00.23.381	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.03.48.47.288	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.00.00.23.381	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.03.50.42.467	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.01.10.06.636	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.03.50.42.468	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.01.10.06.636	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.37.40.686	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.03.28.52.313	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.37.40.688	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.03.28.52.313	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.44.05.521	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.06.56.21.228	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.44.05.523	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.06.56.21.228	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.45.57.820	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.08.05.24.877	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.45.57.821	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.08.05.24.877	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.47.19.822	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.08.59.42.905	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.47.19.823	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.08.59.42.905	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.47.55.868	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.09.15.17.711	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.10.47.55.873	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.09.15.17.711	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.13.23.10.604	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.10.24.21.341	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.13.23.10.607	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.10.24.21.341	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.13.23.47.580	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.10.40.59.761	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.13.23.47.582	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.10.40.59.761	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.13.25.05.114	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.11.33.42.991	NMASME08	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range
2013.057.13.25.05.116	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2013.057.11.33.42.991	NMASME15	VAL:	1	LOW	:	0	HIGH	:	0	SOFT	limit	is	out	of	nominal	range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 09
from the 25/02/13 to the 04/03/13

1.0

2013.063.05.14.40.146	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.20.46.05.556	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.14.40.195	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.20.46.05.556	NMASME15	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.16.13.538	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.21.26.15.175	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.16.13.541	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.21.26.15.175	NMASME15	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.17.40.436	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.22.24.04.409	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.17.40.439	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.22.24.04.409	NMASME15	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.18.10.302	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.22.36.50.020	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.18.10.304	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.22.36.50.020	NMASME15	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.20.11.135	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.23.45.54.845	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.063.05.20.11.138	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.062.23.45.54.845	NMASME15	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range