




1 General Comments

The activities scheduled for this week are those planned for the CW36.



This week contained a **NIR** External Calibration on the 05/09/2012 with **ETO** at **16:34:10 UTC** + **PMS Offset Calibration** on the 06/09/2012 in the afternoon and X_Band passes over ESAC and Svalbard.

2 Mission Planning Deviation

None from agreed plan.

3 TC Failures

None.



4 Unforeseen Out Of Limits (OOLs)

See appendix A for a complete list of OOL's in the period.

5 On Board Anomalies

No MM Partition Latch-Ups nor CMN_Unlocks in the period.
No autonomous CCU Resets in the period.

6 Telemetry On Board Events in the period.

Event Description	Severity	Event Time	Parameters
RAM single Bit Error	WARN	2012.250.10.46.52.349	20A961C
RAM single Bit Error	WARN	2012.250.21.01.22.692	21C23DC
RAM single Bit Error	WARN	2012.251.20.57.17.476	230E6D8

7 FOS System Status

None.

8 Data Reception from CNES

No gaps nor missing passes in the period.



9 X-Band Data Reception in PXMF

No events on-board in the period were causing loss of sensed data.

10 Exceptional Activities

None.

11 AOB

None.



APPENDIX A: OOL's

Event Logger printout from time: 2012.247.00.00.00.000 to time: 2012.254.00.00.00.000
Current printout time: 2012.254.09.53.14.328

Filter info:

Application : BEHVlimitChecker
Workstation : All
Packets type : All
Packets severity : All
Message filter : out

Event time	Stream	Application	Workstation	Severity	Type	Message
2012.247.00.07.35.852	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.17.32.45.343 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.07.35.854	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.17.32.45.343 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.09.36.380	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.18.41.50.177 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.09.36.381	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.18.41.50.177 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.11.36.957	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.19.50.53.811 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.11.36.959	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.19.50.53.811 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.13.40.594	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.21.01.31.054 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.13.40.596	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.21.01.31.054 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.15.43.436	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.22.11.52.705 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.15.43.437	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.22.11.52.705 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.17.43.997	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.23.20.57.526 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.00.17.44.000	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.246.23.20.57.526 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.02.52.24.800	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.00.30.01.166 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.02.52.24.801	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.00.30.01.166 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.02.54.29.549	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.01.41.30.004 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.02.54.29.551	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.01.41.30.004 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.35.47.784	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.02.50.33.647 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.35.47.787	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.02.50.33.647 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.36.16.460	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.03.06.56.453 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.36.16.463	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.03.06.56.453 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.37.48.382	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.03.59.38.491 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.37.48.384	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.03.59.38.491 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.38.57.439	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.04.39.10.904 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.38.57.441	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.04.39.10.904 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.39.48.958	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.05.08.42.115 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.06.39.48.960	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.05.08.42.115 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.45.37.400	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.06.15.27.752 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.45.37.408	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.06.15.27.752 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.45.43.893	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.06.19.07.355 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.45.43.897	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.06.19.07.355 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.47.44.430	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.07.28.10.995 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.47.44.433	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.07.28.10.995 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.48.52.126	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.08.06.56.623 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.48.52.129	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.08.06.56.623 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.49.45.013	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.08.37.14.637 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.09.49.45.017	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.08.37.14.637 NMASME15 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2012.247.14.11.08.630	1	BEHVlimitChecker	plpcprm	WARNING	LOG	2012.247.09.46.19.465 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 36
from the 03/09/12 to the 10/09/12

1.0

2012.249.14.53.36.229	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.12.48.03.140	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.14.55.36.994	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.13.57.07.983	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.14.55.36.996	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.13.57.07.983	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.15.36.09.107	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.15.06.11.616	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.15.36.09.112	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.15.06.11.616	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.14.47.549	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.16.17.48.848	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.14.47.552	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.16.17.48.848	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.16.50.178	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.17.26.52.501	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.16.50.185	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.17.26.52.501	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.18.50.994	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.18.35.56.125	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.18.50.997	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.18.35.56.125	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.20.55.959	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.19.47.27.375	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.20.55.961	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.19.47.27.375	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.22.56.600	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.20.56.31.002	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.249.22.22.56.603	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.20.56.31.002	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.40.40.884	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.22.05.35.852	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.40.40.887	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.22.05.35.852	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.42.41.551	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.23.14.39.481	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.42.41.553	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.249.23.14.39.481	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.44.42.002	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.00.23.43.122	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.44.42.004	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.00.23.43.122	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.46.47.337	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.01.35.20.371	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.46.47.341	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.01.35.20.371	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.48.48.237	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.02.44.23.992	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.48.48.238	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.02.44.23.992	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.50.48.452	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.03.53.27.644	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.04.50.48.454	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.03.53.27.644	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.06.24.17.566	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.05.02.32.487	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.06.24.17.569	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.05.02.32.487	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.09.29.04.192	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.06.13.31.307	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.09.29.04.193	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.06.13.31.307	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.09.31.04.712	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.07.22.34.948	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.09.31.04.714	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.07.22.34.948	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.09.33.05.334	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.08.31.39.776	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2012.250.09.33.05.337	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2012.250.08.31.39.776	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range