



1 General Comments

The activities scheduled for this week are those planned for the CW22.

	MAY-2013					
	Mon, 27-MAY-2013	Tue, 28-MAY-2013	Wed, 29-MAY-2013	Thu, 30-MAY-2013	Fri, 31-MAY-2013	Sat, 01-JUN-2
Int_LO_Phase_Cal_NoNoise_FULL_NotEXT_SEQ	[Solid black bar]					
XB_Cmd_Downlink_Svalb_SEQ	[Vertical bars]					
SBand_Visibility_SEQ	[Vertical bars]					
XB_Cmd_Downlink_Vilspa_SEQ	[Vertical bars]					
Disable_Cyclic_Function_SEQ				↑		
PMS_Offset_Calibration_Full_SEQ				↓		
Enable_Cyclic_Function_SEQ				↑		

This week is scheduled.

- PMS Offset Calibration scheduled on 30/05/2013
- X-Band Passes over ESAC and Svalbard.

2 Mission Planning Deviation

None

3 TC Failures

None.



4 Unforseen Out Of Limits (OOLs)

See appendix A for a complete list of OOL's in the period.

5 On Board Anomalies

One SB Bit Error on 23/05/2013 at 02:32:24z

One MM Latchup on Partition 0 at 06:30:11.636z and the write pointer was on P5 and the read was placed on P4.

The geolocation of the event was

long = 354.993012 deg

lat = -16.675974 deg

6 Telemetry On Board Events in the period.

Event Description	Severity	Event Time	Parameters
RAM single Bit Error	Warn	2013.148.01.05.06.713	2076FF8
RAM single Bit Error	Warn	2013.150.20.53.03.408	22AFF7C
RAM single Bit Error	Warn	2013.151. 20.41.12.208	2127FE8

7 FOS System Status

Plpcprm hard disk failed. Array disk reconstructed online with no major impact in nominal operations. Data Reception from CNES no affected for this reason.

Identified a gap (184 missing packets) in the TM received on the 25/05/2013 from AUS18 @ 05:09:41 UTC.

The onboard time ranges from 03:50:07 to 03:51:56. CNES raised an anomalie report.

8 X-Band Data Reception in PXMF

No events on board in the period were causing loss of sensed data.

9 Exceptional Activities

- MM Latchup on P0 on 30/05/2013 recovery with data loss. Partition was recovered at 14:48z on 31/05/2013 (timed-tagged execution of PRO-CRP-800).



- CRF#352 to program PRO-CRP-800 to recover a latch-up on P2 occurred on 24/05/2013 at 21:25:27 UTC. The execution of PRO-CRP-800 time tagged (28/05/13) at 17:00 UTC.

10 AOB

None.



APPENDIX A: OOL's

Event Logger printout from time: 2013.147.00.00.00.000 to time: 2013.152.00.00.00.000

Current printout time: 2013.147.00.00.00.000

Filter info:

Application : BEHVlimitChecker
Workstation : All
Packets type : All
Packets severity : WARNING, INFORMATION (excluded)
Message filter :

Event time	Stream	Application	Workstation	Severity	Type	Message
2013.140.06.58.33.371	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.139.23.27.39.284 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.02.29.858	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.22.24.37.729 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.02.29.863	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.22.24.37.729 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.03.54.233	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.23.05.17.362 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.03.54.236	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.23.05.17.362 NMASME20 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.04.37.183	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.23.27.53.368 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.04.37.185	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.23.27.53.368 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.05.33.328	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.146.23.27.53.368 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.06.17.526	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.00.32.01.797 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.06.17.529	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.00.32.01.797 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.07.42.083	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.01.13.41.432 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.02.07.42.086	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.01.13.41.432 NMASME20 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.03.50.438	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.01.36.17.450 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.03.50.440	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.01.36.17.450 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.05.17.775	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.02.16.57.060 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.05.17.780	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.02.16.57.060 NMASME20 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.06.05.768	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.02.39.31.859 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.06.05.771	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.02.39.31.859 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.06.37.611	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.20.11.509 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.06.52.509	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.20.11.509 NMASME20 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.06.52.513	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.20.11.509 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.07.36.563	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.42.47.514 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.04.07.36.564	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.42.47.514 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.31.30.618	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.42.47.514 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.34.47.913	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.03.42.47.514 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.35.33.631	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.04.46.36.754 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.35.33.635	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.04.46.36.754 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.36.58.023	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.04.46.36.754 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.37.07.061	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.05.50.22.379 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.37.07.065	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.05.50.22.379 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.38.21.333	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.06.31.02.001 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.38.21.336	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.06.31.02.001 NMASME20 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.39.04.693	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.06.53.36.821 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.39.04.697	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.06.53.36.821 NMASME13 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.40.21.538	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.07.34.16.429 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.40.21.542	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.07.34.16.429 NMASME20 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range
2013.147.10.41.02.954	1	BEHVlimitChecker	plpcprn	WARNING	LOG	2013.147.07.56.52.450 NMASME08 VAL: 1 LOW :0 HIGH :0 SOFT limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 22
from the 27/05/13 to the 03/06/13

1.0

2013.147.10.41.02.959	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.07.56.52.450	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.42.14.069	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.08.37.32.080	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.42.14.075	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.08.37.32.080	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.42.55.058	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.09.00.06.889	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.42.55.059	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.09.00.06.889	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.44.04.408	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.09.40.46.518	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.44.04.410	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.09.40.46.518	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.44.42.700	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.10.03.22.527	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.10.44.42.701	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.10.03.22.527	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.13.21.05.358	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.10.45.45.346	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.13.21.05.363	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.10.45.45.346	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.13.21.50.165	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.11.08.20.154	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.13.21.50.165	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.11.08.20.154	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.13.23.01.254	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18884 lost live packets								
2013.147.13.23.20.974	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.12.11.35.795	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.147.13.23.20.978	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.12.11.35.795	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.11.59.651	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18884 lost live packets								
2013.148.00.14.44.680	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.12.52.15.422	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.14.44.685	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.12.52.15.422	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.15.31.755	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.13.14.51.441	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.15.31.757	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.13.14.51.441	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.16.54.240	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.13.55.29.850	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.16.54.245	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.13.55.29.850	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.17.41.884	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.14.19.17.859	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.17.41.887	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.14.19.17.859	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.18.12.833	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18884 lost live packets								
2013.148.00.18.30.863	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.14.59.57.489	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.18.30.868	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.14.59.57.489	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.19.21.584	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.15.22.32.298	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.19.21.586	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.15.22.32.298	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.20.42.496	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.16.03.11.938	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.20.42.501	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.16.03.11.938	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.21.26.648	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.16.25.47.942	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.21.26.651	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.16.25.47.942	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.21.54.387	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18884 lost live packets								
2013.148.00.22.12.919	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.17.06.27.557	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.22.12.923	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.17.06.27.557	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.22.59.998	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.17.29.03.580	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.22.59.999	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.17.29.03.580	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.24.24.167	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.18.09.43.200	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.24.24.172	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.18.09.43.200	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.25.06.895	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18884 lost live packets								
2013.148.00.25.55.089	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.09.40.836	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.25.55.093	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.09.40.836	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.26.03.366	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.12.58.838	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.26.03.372	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.12.58.838	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.26.48.507	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.35.34.836	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.26.48.511	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.35.34.836	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.27.23.959	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.50.57.646	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.27.23.962	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.19.50.57.646	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.28.15.713	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.20.16.13.267	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.28.15.720	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.20.16.13.267	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.28.57.438	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.20.36.13.266	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.148.00.28.57.441	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.147.20.36.13.266	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 22
from the 27/05/13 to the 03/06/13

1.0

2013.149.00.42.58.828	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.21.40.46.523	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.42.58.829	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.21.40.46.523	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.44.15.319	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.22.21.26.138	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.44.15.325	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.22.21.26.138	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.45.07.345	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.22.49.51.369	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.45.07.348	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.22.49.51.369	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.45.56.444	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.23.16.53.771	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.45.56.448	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.23.16.53.771	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.46.20.953	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.23.30.30.989	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.46.20.958	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.23.30.30.989	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.47.11.542	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.23.58.55.002	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.00.47.11.548	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.148.23.58.55.002	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.23.19.543	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.00.39.34.617	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.23.19.558	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.00.39.34.617	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.23.46.084	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.00.54.37.034	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.23.46.087	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.00.54.37.034	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.24.13.314	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.01.09.20.247	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.24.13.316	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.01.09.20.247	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.25.24.806	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.01.49.59.857	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.02.25.24.809	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.01.49.59.857	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.08.03.08.263	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.01.49.59.857	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.08.03.11.452	1	BEHVlimitChecker	plpcprm	ERROR	SOFTWAREBEHV_WITH_COMMUTATION undefined in MISConfig. Using default=N0								
2013.149.09.18.42.957	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMCan't obtain a reference to TCO Server. Next TCO function invocation will retry connection								
2013.149.09.18.42.960	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.02.18.23.870	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.19.12.960	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.02.18.23.870	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.19.12.971	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.02.32.39.469	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.20.12.731	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.02.32.39.469	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.20.12.734	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.03.00.38.312	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.21.06.395	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.03.00.38.312	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.21.06.397	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.03.29.03.521	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.21.37.982	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.03.29.03.521	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.21.55.112	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMClient with PID 18296 lost live packets								
2013.149.09.21.55.120	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.04.09.43.139	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.22.00.240	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.04.09.43.139	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.22.00.244	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.04.11.45.539	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.22.54.911	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.04.11.45.539	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.22.54.915	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.04.38.07.165	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.24.14.224	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.04.38.07.165	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.24.14.226	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.05.18.46.777	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.25.11.694	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.05.18.46.777	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.25.11.697	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.05.47.10.798	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.26.34.075	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.05.47.10.798	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.26.34.078	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.06.27.50.419	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.27.13.220	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.06.27.50.419	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.28.11.419	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMClient with PID 18296 lost live packets								
2013.149.09.28.11.422	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.07.36.16.850	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.28.12.588	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.07.36.16.850	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.28.12.593	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.07.36.55.251	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.29.11.572	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.07.36.55.251	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.29.11.577	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.08.05.19.274	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.29.44.024	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.08.05.19.274	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.29.44.027	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.08.20.43.269	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.30.36.275	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.08.20.43.269	NMASME15	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.09.30.36.282	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.149.08.45.58.904	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
					LOG 2013.149.08.45.58.904	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 22
from the 27/05/13 to the 03/06/13

1.0

2013.149.10.53.44.304	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.09.14.24.110	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.10.53.44.307	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.09.14.24.110	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.10.55.12.732	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.09.56.27.748	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.10.55.12.737	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.09.56.27.748	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.10.55.50.032	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.149.19.40.38.354	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.149.19.44.33.169	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.11.05.31.369	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.44.33.188	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.11.05.31.369	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.45.34.963	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.11.33.56.601	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.45.34.968	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.11.33.56.601	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.46.54.037	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.149.19.47.19.107	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.12.43.00.230	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.47.19.109	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.12.43.00.230	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.48.48.679	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.13.23.39.855	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.48.48.699	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.13.23.39.855	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.49.30.349	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.149.19.50.44.125	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.14.35.17.090	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.50.44.128	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.14.35.17.090	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.51.45.122	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.15.03.41.107	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.51.45.125	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.15.03.41.107	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.52.40.755	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.149.19.53.28.077	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.16.12.44.752	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.53.28.079	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.16.12.44.752	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.54.54.461	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.16.53.24.367	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.54.54.466	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.16.53.24.367	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.55.49.836	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.17.21.49.596	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.55.49.838	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.17.21.49.596	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.57.18.975	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.18.04.20.817	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.57.18.977	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.18.04.20.817	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.57.19.067	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.149.19.57.39.906	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.18.32.46.028	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.57.39.908	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.18.32.46.028	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.59.09.070	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.19.13.24.452	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.149.19.59.09.078	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.19.13.24.452	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.04.43.860	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.07.07.26.786	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.19.43.17.263	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.07.26.788	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.19.43.17.263	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.08.53.811	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.20.23.56.884	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.08.53.816	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.20.23.56.884	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.09.41.454	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.07.10.36.144	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.21.33.00.537	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.10.36.148	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.21.33.00.537	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.11.33.434	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.22.01.25.745	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.11.33.439	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.22.01.25.745	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.12.54.453	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.22.42.05.361	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.12.54.455	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.22.42.05.361	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.13.52.226	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.23.10.29.394	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.13.52.229	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.23.10.29.394	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.14.17.303	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.07.14.37.640	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.23.51.09.014	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.14.37.645	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.149.23.51.09.014	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.15.43.324	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.150.00.22.01.819	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.15.43.333	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.150.00.22.01.819	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.17.07.540	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 22
from the 27/05/13 to the 03/06/13

1.0

2013.150.07.17.30.604	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.01.31.05.458	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.17.30.631	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.01.31.05.458	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.18.23.959	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.01.55.43.879	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.18.23.963	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.01.55.43.879	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.18.57.166	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.02.11.45.070	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.18.57.171	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.02.11.45.070	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.19.59.701	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.02.40.10.311	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.19.59.703	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.02.40.10.311	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.20.03.861	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.07.20.51.358	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.03.20.49.931	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.20.51.366	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.03.20.49.931	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.21.16.338	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.03.34.09.142	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.21.16.340	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.03.34.09.142	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.21.56.463	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.03.50.24.743	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.07.21.56.466	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.03.50.24.743	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.38.08.151	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.04.31.04.359	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.38.08.154	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.04.31.04.359	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.39.12.577	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.04.59.29.588	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.39.12.581	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.04.59.29.588	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.39.23.967	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.05.04.48.793	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.39.23.970	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.05.04.48.793	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.39.44.619	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.08.40.05.591	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.05.41.59.609	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.40.05.596	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.05.41.59.609	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.41.06.540	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.06.10.24.833	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.41.06.559	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.06.10.24.833	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.41.46.608	1	BEHVlimitChecker	plpcprm	ERROR	LOG 2013.150.06.30.11.636	DMASME37	VAL: False	STATE: True	STATUS	limit is out of nominal range			
2013.150.08.41.46.610	1	BEHVlimitChecker	plpcprm	ERROR	LOG 2013.150.06.30.11.636	DMASME12	VAL: OFF	STATE: ON	STATUS	limit is out of nominal range			
2013.150.08.42.31.572	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.06.51.03.244	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.42.31.578	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.06.51.03.244	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.42.48.532	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.08.44.09.400	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.07.54.18.870	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.08.44.09.402	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.07.54.18.870	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.04.52.581	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.08.16.54.883	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.04.52.581	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.08.16.54.883	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.06.18.089	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.08.58.38.109	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.06.18.092	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.08.58.38.109	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.07.04.067	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.09.21.12.937	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.07.04.069	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.09.21.12.937	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.07.59.901	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.150.13.08.40.841	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.10.24.28.567	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.08.40.847	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.10.24.28.567	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.10.03.353	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.11.05.08.185	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.10.03.356	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.11.05.08.185	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.10.44.412	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.11.27.44.206	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.10.44.414	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.11.27.44.206	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.12.17.974	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.12.10.31.025	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.12.17.978	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.12.10.31.025	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.13.01.632	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.12.33.05.824	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.13.13.01.633	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.12.33.05.824	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.19.14.25.858	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.13.13.45.452	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.19.14.25.859	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.13.13.45.452	NMASME20	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.19.15.14.635	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.13.36.21.470	NMASME08	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range
2013.150.19.15.14.636	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.150.13.36.21.470	NMASME13	VAL: 1	LOW	:0	HIGH	:0	SOFT	limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 22
from the 27/05/13 to the 03/06/13

1.0

2013.151.09.40.41.568	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.02.55.20.719	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.40.47.112	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.02.58.15.920	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.40.47.114	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.02.58.15.920	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.41.36.840	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.03.20.50.729	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.41.36.845	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.03.20.50.729	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.42.08.219	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.151.09.42.23.998	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.04.01.30.367	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.42.24.001	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.04.01.30.367	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.43.12.119	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.04.24.06.370	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.43.12.123	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.04.24.06.370	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.43.24.118	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.04.28.53.172	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.43.24.122	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.04.28.53.172	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.44.33.372	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.05.06.11.187	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.44.33.375	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.05.06.11.187	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.45.18.913	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.05.28.47.211	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.45.18.917	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.05.28.47.211	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.46.29.281	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.06.04.22.027	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.46.29.283	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.06.04.22.027	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.46.40.213	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.06.09.26.829	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.46.40.218	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.06.09.26.829	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.47.26.155	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.06.32.01.627	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.47.26.168	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.06.32.01.627	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.47.30.142	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.151.09.48.14.645	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.07.12.41.263	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.48.14.647	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.07.12.41.263	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.49.03.745	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.07.35.17.265	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.49.03.748	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.07.35.17.265	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.50.22.888	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.08.15.56.901	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.50.22.891	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.08.15.56.901	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.09.50.49.311	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.151.12.24.56.935	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.09.19.11.334	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.24.56.938	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.09.19.11.334	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.25.42.665	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.09.41.47.354	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.25.42.672	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.09.41.47.354	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.27.02.910	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.10.22.26.974	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.27.02.914	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.10.22.26.974	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.27.50.579	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.10.45.02.992	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.27.50.585	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.10.45.02.992	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.28.33.615	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.151.12.28.39.105	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.11.25.42.605	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.28.39.108	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.11.25.42.605	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.29.19.255	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.11.48.17.414	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.12.29.19.257	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.11.48.17.414	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.02.17.899	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.151.20.06.11.244	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.12.28.57.050	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.06.11.248	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.12.28.57.050	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.07.00.563	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.12.51.33.052	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.07.00.566	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.12.51.33.052	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.07.53.824	1	BEHVlimitChecker	plpcprn	WARNING	SYSTEMclient with PID 18296 lost live packets								
2013.151.20.08.36.100	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.13.55.34.273	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.08.36.101	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.13.55.34.273	NMASME13	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.09.56.609	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.14.36.13.913	NMASME08	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.09.56.612	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.14.36.13.913	NMASME20	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range
2013.151.20.10.21.231	1	BEHVlimitChecker	plpcprn	WARNING	LOG 2013.151.14.47.11.513	NMASME09	VAL: 1	LOW	: 0	HIGH	: 0	SOFT	limit is out of nominal range



Operations Notes

FOS Team @ ESAC

Topic:

Date:

Issue:

FOS Report for week 22
from the 27/05/13 to the 03/06/13

1.0

2013.151.20.10.23.780	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.48.16.313	NMASME08	VAL: 132	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.23.782	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.48.16.313	NMASME09	VAL: 110	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.23.783	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.48.16.313	NMASME10	VAL: 132	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.24.103	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.48.24.713	NMASME09	VAL: 119	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.24.407	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.48.33.113	NMASME09	VAL: 58	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.25.153	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.48.51.113	NMASME09	VAL: 25	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.33.797	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.52.51.126	NMASME09	VAL: 82	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.34.761	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.53.13.926	NMASME08	VAL: 153	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.34.765	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.14.53.13.926	NMASME10	VAL: 153	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.57.572	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.15.06.06.737	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.10.57.575	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.15.06.06.737	NMASME13	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.12.24.675	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.15.46.45.151	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.12.24.681	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.15.46.45.151	NMASME20	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.12.33.675	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMclient with PID 18296 lost live packets					
2013.151.20.12.44.684	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.16.15.10.362	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.12.44.689	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.16.15.10.362	NMASME13	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.14.11.940	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.16.56.10.404	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.14.11.943	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.16.56.10.404	NMASME20	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.15.06.886	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.17.24.34.406	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.15.06.904	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.17.24.34.406	NMASME13	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.15.56.037	1	BEHVlimitChecker	plpcprm	WARNING	SYSTEMclient with PID 18296 lost live packets					
2013.151.20.16.53.172	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.18.33.39.258	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.16.53.173	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.18.33.39.258	NMASME13	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.18.21.251	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.19.14.17.656	NMASME08	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of nominal range
2013.151.20.18.21.252	1	BEHVlimitChecker	plpcprm	WARNING	LOG 2013.151.19.14.17.656	NMASME20	VAL: 1	LOW :0	HIGH :0	SOFT limit is out of