

IDEAS+-SER-OQC-REP-2071 Issue 1.0

Customer : ESRIN Document Ref : IDEAS+-SER-OQC-REP-2071

Contract No : 4000111304/14/I-AM Issue Date : 24 July 2015

WP No : 6110 Issue : 1.0



IDEAS+ Swarm Weekly Report 2015/28: 2015/07/06 - 2015/07/12

Abstract : This is the Instrument Data quality Evaluation and Analysis Service Plus

(IDEAS+) Swarm Weekly report on Swarm products quality, covering the period from

06 July to 12 July 2015.

Author : Approval :

Igino Coco, Jan Miedzik and
Enkelejda Qamili on behalf of
Swarm IDEAS+ Team

Lidia Saavedra de Miguel
IDEAS+ Science and Ops.
Coordinator

Distribution: ESA/ESRIN EOP-GMQ

ESA/ESRIN EOP-GM Swarm MM

IDEAS+ Leadership Team IDEAS+ subcontractors ESA/ESTEC Swarm PLSO ESA/ESOC Swarm FOS

Copyright © 2015 Telespazio VEGA UK Ltd

All rights reserved.

No part of this work may be disclosed to any third party translated reproduced copied or disseminated in any form or by any means except as defined in the contract or with the written permission of Telespazio Vega UK Ltd.

Telespazio VEGA UK Ltd

350 Capability Green, Luton, Bedfordshire, LU1 3LU, United Kingdom Tel: +44 (0) 1582 399 000 Fax: +44 (0) 1582 728 686 www.telespazio-vega.com



TABLE OF CONTENTS

| TABLE OF CONTENTS | 2 |
|--|--------|
| INTRODUCTION | 6 |
| 2. SUMMARY OF THE OBSERVATIONS 2.1 General status of Swarm instruments and Level 1B products quality 2.2 Plan for operational processor updates 2.3 Quality Working Group and Cal/Val Coordination 2.4 Summary of observations for 2015, Week 28 (06/07 - 12/07) | 8 8 |
| 3. ROUTINE QUALITY CONTROL | |
| 3.1 Gaps analysis | |
| 3.2 Orbit and Attitude Products | |
| 3.2.1 Position Statistics | |
| 3.2.2 Attitude observations | |
| 3.3 Magnetic Products | |
| 3.3.1 ASM-VFM difference statistics | |
| 3.3.2 ASM Instrument parameters: quartz frequency and ASM temperature (ASMA) | |
| 3.3.3 VFM Instrument parameters: VFM temperatures (MAG_CA) | |
| 3.3.4 Magnetic time series visual inspection | |
| 3.3.5 VFM-ASM anomaly | |
| 3.3.6 TCF.VFM monitoring | |
| 3.3.7 Summary of TCF behaviour for the three S/C | |
| 3.3.8 B _{NEC} vs Chaos4plus model residuals | 28 |
| 4 ON-DEMAND ANALYSIS | 32 |



IDEAS+-SER-OQC-REP-2071 Issue 1.0

This page intentionally left blank.



AMENDMENT POLICY

This document shall be amended by releasing a new edition of the document in its entirety. The Amendment Record Sheet below records the history and issue status of this document.

AMENDMENT RECORD SHEET

| ISSUE | DATE | REASON |
|-------|-------------|-------------|
| 1.0 | 24 Jul 2015 | First issue |



1. INTRODUCTION

This document refers to the activities carried out in the framework of the Sensor Performance, Products and Algorithms (SPPA) Office [RD.1], and as such it reports on work related to:

- Algorithms and Processors Development, Maintenance and Evolution: these include all algorithm and software evolution and maintenance aspects for the different components, for both the Operational processors (OP) and Prototypes processors (PP) of L1 and L2 chains.
- Performance Assessment: these include all Quality Control activities (on-line and offline, systematic or on-demand), for the applicable product levels.
- System Calibration: these include the activities related to calibration, from sensor to system level. They also include aspects like cross calibration and handling of external calibration sources.
- Product validation: these include definition and maintenance of product validation plans.
- End-to-end Sensor Dataset Performance: these include activities related to the
 organisation and coordination of Quality Working Groups and all aspects of the
 Experimental platform. It also covers the product baseline, coordination and
 handling of external communities, and all aspects of ADF handling (both for the
 operational processors and for the prototypes).

This weekly report constitutes a work in progress throughout the mission life time, and new parts and complements will be added while the consolidation of knowledge on Swarm data and instruments will progress.

Section 2.1 always gives an overview of the general quality status of the mission instruments and products, while the main observations of the week are summarized in Section 2.2.

The document also includes information on data quality for the three Swarm spacecraft, inferred from automated HTML quality reports which are produced on daily basis for each product. Please contact the IDEAS+ Swarm team if interested in accessing the reports via web or FTP (all details about interfaces and folder structure available on [RD.2]). Such quality reports represent the core of the Routine Quality Control (Chapter 3). A description of the implemented quality checks is given in [RD.3], and references therein.

Basing on specific findings of the routine quality control, or on-demand from other entities (i.e. Swarm PDGS, FOS, Mission Management, Post-Launch Support Office, Expert Support Laboratories, Quality Working Groups, user community), anomalies can be triggered and preliminary characterisations and investigations of such anomalies are given in Chapter 4.The anomalies documented in the Weekly Reports are tracked in the following way:

- 1. If triggered by ESA Eohelp or within the Service: IDEAS+ action and ticketing system (http://requests-sppa.serco.it/RT3/index.html).
- 2. If triggered by IDEAS+ Swarm team or other entities:
 - 2a. If the observation/analysis leads to an anomaly to be addressed to the processor provider (GMV): SPR on EO ARTS (https://arts.eo.esa.int), SWL1L2DB project;
 - 2.b. If the observation/analysis does not lead to an anomaly or the investigation shall be escalated to other entities (PLSO/industry, ESL, PDGS): Action tracked on EO ARTS, **SW-IDEAS** project, then addressed to the proper tracking system if needed (e.g. JIRA for ESLs, SW-CP-AR project on EO ARTS for PDGS).

Information on Level 1B Swarm products can be found in [RD.4].



1.1 Current Operational configuration of monitored data:

- Processors Version: L1BOP 3.16, L2-Cat2 1.12.p1
- L0 input products baseline: 02
- L1B baseline: 04 (for definitions and description of the data baseline concept see https://earth.esa.int/web/guest/missions/esa-operational-eo-missions/swarm/data-access/product-baseline-definition)
- Level 2 Cat 2 baseline: 01
- Input auxiliary files baseline: CCDB 0009, ADF 0101
- MPPF-CVQ v.2.14.00

1.2 Reference documents

The following is a list of documents with a direct bearing on the content of this report. Where referenced in the text, these are identified as RD.n, where 'n' is the number in the list below:

- [RD.1] Sensor Performance, Products and Algorithms (SPPA), PGSI-GSOP-EOPG-TN-05-0025. Version 2.3.
- [RD.2] Swarm PDGS External DMC Interface Control Document, SW-ID-DS-GS-0001, Issue 3.2.
- [RD.3] Swarm MPPF-CVQ Monitoring Baseline Document, ST-ESA-SWARM-MBD-0001, Issue 1.7.
- [RD.4] Swarm Level 1B Product Definition, SW-RS-DSC-SY-0007, Issue 5.13.
- [RD.5] Swarm IDEAS Configuration Management Plan, IDEAS-SER-MGT-PLN-1081 v0.14.
- [RD.6] Swarm Quality Control Project Plan, IDEAS-SER-MGT-PLN-1071
- [RD.7] SW_L1BOP_status_20141124_MoM
- [RD.8] Planned Updates for Level 1b, SW-PL-DTU-GS-008, Rev: 1dC.
- [RD.9] IDEAS+ Swarm Weekly Report: 25/08/2014 31/08/2014, IDEAS+-SER-OQC-REP-2071_SPPA_SwarmWeeklyReport_20140825_20140831.pdf (ref. for SWL1L2DB-9)
- [RD.10] IDEAS+ Swarm Weekly Report: 29/09/2014 05/10/2014, IDEAS+-SER-OQC-REP-2071_SPPA_SwarmWeeklyReport_20140929_20141005.pdf (ref. for SW-IDEAS-34)
- [RD.11] IDEAS+ Swarm Weekly Report: 06/10/2014 12/10/2014, IDEAS+-SER-OQC-REP-2071_SPPA_SwarmWeeklyReport_20141006_20141012.pdf (ref. for SW-IDEAS-36)
- [RD.12] IDEAS+ Swarm Weekly Report: 20/10/2014 26/10/2014, IDEAS+-SER-OQC-REP-2071_SPPA_SwarmWeeklyReport_20141020_20141026.pdf (ref. for SW-IDEAS-40, GPS sync loss)
- [RD.13] IDEAS+ Swarm Weekly Report: 15/09/2014 21/09/2014, IDEAS+-SER-OQC-REP-2071_SPPA_SwarmWeeklyReport_20140915_20140921.pdf (ref. for SW-IDEAS-27)
- [RD.14] Swarm L1B 03.15 Validation Report, OSMV-OPMT-SRCO-RP-15-3385, Issue 1.3.
- [RD.15] IDEAS+ Swarm Weekly Report: 23/03/2015 29/03/2015, IDEAS+-SER-OQC-REP-2071_SPPA_SwarmWeeklyReport_201513_20150323_20150329.pdf.
- [RD.16] SWARM Weekly Operations Report #76, SW-RP-ESC-FS-6172



IDEAS+-SER-OQC-REP-2071 Issue 1.0

- [RD.17] Olsen, N., H. Luhr, C.C. Finlay, T.J. Sabaka, I. Michaelis, J. Rauberg and L. Tøffner-Clausen, The CHAOS-4 geomagnetic field model, Geophys. J. Int. 197, 815–827, 2014
- [RD.18] IDEAS+-SER-IPF-PLN-2272, Swarm Level 1B Operational Processor Verification Plan, IDEAS+-SER-IPF-PLN-2272_L1BOP_316_v1.5_final.pdf
- [RD.19] SWARM Weekly Operations Report #85, SW-RP-ESC-FS-6181



2. SUMMARY OF THE OBSERVATIONS

2.1 General status of Swarm instruments and Level 1B products quality

Nothing to report

2.2 Plan for operational processor updates

L1B: The new processor (v03.16) was deployed in operation on 21/07/2015. An assessment of basic data quality will be performed by the IDEAS+ team in collaboration with the mission experts.

In the meanwhile, because of a minor issue found during the validation of this processor, GMV is preparing a patch that will be delivered very soon.

New versions of the quality control tools have to be integrated in the system (DQC and CVQ).

L2-Cat2: A new L2-Cat 2 processor (v01.15) has been delivered. In the coming days the PDGS team will perform the first tests.

2.3 Quality Working Group and Cal/Val Coordination

Coordination is in place for organizing the 6th Swarm Data Quality Workshop in Paris (hosted by IPGP) in late September 2015.

Following the QWG recommendations in Potsdam and the scientists need in view of the IUGG conference in June, the preliminary plasma dataset has been released early February 2015.

DTU/ESL shared the final set of corrected data on early April. These corrected data also contain the dB_sun correction, providing the users the possibility to access to uncorrected data.

The Task Force meeting was held on 2-3 July in Airbus. During this meeting the following decisions have been taken:

- 1. A "S-N" dependency of the dBy component on S/C C has to be tested with B_{ASM}
- 2. A seasonal effect shall be studied by all parties
- 3. It shall be considered, if the similarities between the three satellites can be caused by processing rather than by the physical disturbance
- 4. The Lesur/Toffner model should be restricted to focus only on the Zenith / /Bottom disturbance
- 5. Brain storm on the root cause of the Zenith/Bottom disturbance can only be carried out by the system design experts

2.4 Summary of observations for 2015, Week 28 (06/07 - 12/07)

During the monitored week the following events have been found and investigated:



IDEAS+-SER-OQC-REP-2071 Issue 1.0

- Some features observed in the MOD-NAV difference: we observe at times deviations from the average values lasting several minutes (SW-IDEAS-34).
- Some events of attitude rejection are observed for all the S/C during all the
 week, due to simultaneous occurrence of BBOs on two cameras and invalid
 measurement on another one. Monitor on-going (SW-IDEAS-79).
- One event of attitude rejection of 15 sec is observed for S/C B (08/07) due to anomalous STR reboot over the South Atlantic Anomaly
- Several few seconds gaps in MAGx_CA_1B products throughout the week.
 Most of them associated to gaps in telemetry (L0 products are continuous, due to processing some are discarded and a gap in L1A occurs). Monitoring on-going. (SW-IDEAS-63).



3. ROUTINE QUALITY CONTROL

3.1 Gaps analysis

- Gap in attitude of 15 sec observed for S/C B (08/07) due to anomalous STR reboot over the South Atlantic Anomaly [RD.19].
- Gaps in attitude of several seconds duration observed for all S/C due to simultaneous occurrence of BBOs on two cameras and invalid measurement on another one (SW-IDEAS-79). Details in 3.2.2.3.
- MAG_CA_1B gaps throughout the week (SW-IDEAS-63), due at times to gaps in the
 HK telemetry required to compute magnetic stray fields; this is expected from the
 MAGNET algorithms, nevertheless only a portion of such gaps can be explained by a
 telemetry rejection, so analyses are still on-going for understanding the reason of the
 unexplained gaps.

3.2 Orbit and Attitude Products

In Table 1 are listed events that have to be reported.

Table 1: List of events related to attitude and orbit products to be reported in the monitoring for 2015, Week 28: 06/07 - 12/07.

| Observation ID | Description | Affected parameter | Sect. of Obs. Description | Sect. of Obs. Analysis |
|----------------|--|--------------------------------------|------------------------------|---------------------------|
| SW-IDEAS-34 | OBS_ROUTINE: spiky features observed in the NAV-MOD difference | Orbits (position and velocity) | 3.2.1.1, 3.2.1.2, 3.2.1.3 | [RD.10] |
| SW-IDEAS-63 | OBS_ROUTINE: MAGx_CA_1B gaps. | MAGx_CA_1B | 3.1 | 3.1 |
| SW-IDEAS-79 | OBS_ROUTINE: 2015, week 28 (06/07 - 12/07), STR S/C A, B and C out of range. | STRAATT_1B STRASCI_1A | 3.2.2 | 3.2.2 |

The relevant parameters that have been monitored are:

- Position difference between calculated Medium Accuracy orbits (MODx_SC_1B) and on-board solution (GPSxNAV_0). Threshold values for such differences have not been assessed yet: we have just monitored the average values and maximum variations around the week, and reported in tables in the sections below, along with some example from the HTML daily reports. For the time being we evaluated an anomaly should be raised if one (or more) of the following conditions occurs:
 - The average difference on a given day exceeds the position accuracy requirement for the mission (1.5 m),
 - The variability around the average is quite high: standard deviation threshold has been arbitrarily chosen to be twice the position accuracy requirement for the mission (2-sigma = 3 m).



IDEAS+-SER-OQC-REP-2071 Issue 1.0

- o At least 4-5 spikes are observed on a given day, exceeding +/- 50 m.
- Visual inspection of Star Tracker characterisation flags (STRxATT_1B)
- Deviation of the quaternion norm from unity (deviation threshold = +/- 10⁻⁹)
- Visual inspection of Euler Angles derived from quaternions.

3.2.1 Position Statistics

In Table 2, one can see the statistics of the differences between MOD and on-board solution positions for S/C A, B and C respectively. In the third column the maximum differences (maximum negative and maximum positive) are reported. The maximum standard deviation is in the fourth column. Maxima, minima and standard deviations usually refer to the Z component which is often the most disturbed; in case another component is most affected, it will be specified in parentheses.



Table 2: Swarm A, B and C, difference between MOD and on-board solution positions. If not specified maximum difference and maximum standard deviation refers to the Z axis.

| | Swarm A, 06/07 - 12/07, Position difference | | | | | |
|-------|---|------------|---|--------------------------------|------------------------------|--|
| Day | Average difference (m) | Maximum di | Maximum difference (m) Maximum standa deviation (m) | | Notes | |
| 06/07 | 0.1 | -5.4 | 6.1 | 1.2 | | |
| 07/07 | 0.14 | -7.4 | 9.4 | 1.3 | SW-IDEAS-34 [RD.10] | |
| 08/07 | 0.11 | -7.6 | 6.6 | 1.5 | | |
| 09/07 | 1.17 | -8.1 | 5.8 | 1.3 | One spike in the Z component | |
| 10/07 | 1.33 | -8.6 | 7.6 | 1.5 | SW-IDEAS-34 [RD.10] | |
| 11/07 | 0.1 | -7.0 | 6.0 | 1.3 | | |
| 12/07 | 0.16 | -6.2 | 8.4 | 1.2 | One spike in the Z component | |
| | | Swarm B | s, 06/07 - 12/07 | 7, Position difference | | |
| Day | Average difference (m) | Maximum di | Maximum difference (m) Maximum standard deviation (m) | | Notes | |
| 06/07 | 0.08 | -7.4 | 6.8 | 1.3 | SW-IDEAS-34 [RD.10] | |
| 07/07 | 0.08 | -5.8 | 16.0 | 1.2 | | |
| 08/07 | 0.1 | -7.8 | 9.3 (Y) | 1.4 | | |
| 09/07 | 0.09 | -6.4 | 7.1 | 1.3 | | |
| 10/07 | 0.1 | -9.7 | 7.2 | 1.6 | SW-IDEAS-34 [RD.10] | |
| 11/07 | 0.1 | 6.7 | 7.3 (X) | 1.3 | | |
| 12/07 | 0.06 | -8.4 | 6.4 (X) | 1.2 | SW-IDEAS-34 [RD.10] | |
| | | Swarm C | , 06/07 - 12/07 | 7, Position difference | | |
| Day | Average difference (m) | Maximum di | fference (m) | Maximum standard deviation (m) | Notes | |
| 06/07 | 0.13 | -6.1 (X) | 6.9 | 1.2 | One spike in Z component | |
| 07/07 | 0.12 | -7.2 | 7.7 | 1.2 | SW-IDEAS-34 [RD.10] | |
| 08/07 | 0.13 | -8.8 | 8.2 | 1.5 | SW-IDEAS-34 [RD.10] | |
| 09/07 | 0.16 | -8.4 | 6.0 | 1.3 | | |
| 10/07 | 0.1 | -6.1 | 7.0 | 1.5 | | |
| 11/07 | 0.04 | -5.7 (Y) | 5.4 | 1.3 | | |



| Swarm A, 06/07 - 12/07, Position difference | | | | | |
|---|------|------|-----|-----|--|
| 12/07 | 0.16 | -6.1 | 5.1 | 1.2 | |

3.2.1.1 Swarm A

Below some plot example follows of MOD-NAV differences, S/C A, taken at the beginning of the week (06/07, Figure 1) in the middle (09/07, Figure 2) and at the end (12/07, Figure 3). From top to bottom the plots show of MOD-NAV differences in ITFR reference frame: on X, Y and Z axis respectively. The difference between both solutions is given in [m].




Figure 1: Difference MOD-GPSNAV, S/C A, 06/07. From top to bottom: X, Y and Z axis






Figure 2: Difference MOD-GPSNAV, S/C A, 09/07. From top to bottom: X, Y and Z axis




Figure 3: Difference MOD-GPSNAV, S/C A, 12/07. From top to bottom: X, Y and Z axis

3.2.1.2 Swarm B

Below some plot example follows of MOD-NAV differences, S/C B, taken at the beginning of the week (06/07, Figure 4), in the middle (09/07, Figure 5), and at end of the week (12/07, Figure 6). From top to bottom the plots show of MOD-NAV differences in ITFR



reference frame: on X, Y and Z axis respectively. The difference between both solutions is given in [m].




Figure 4: Difference MOD-GPSNAV, S/C B, 06/07. From top to bottom: X, Y and Z axis




Figure 5: Difference MOD-GPSNAV, S/C B, 09/07. From top to bottom: X, Y and Z axis






Figure 6: Difference MOD-GPSNAV, S/C B, 12/07. From top to bottom: X, Y and Z axis

3.2.1.3 Swarm C

Below some plot example of MOD-NAV differences, S/C C, follows, taken at the beginning of the week (06/07, Figure 7), in the middle (09/07, Figure 8) and at the end (12/07, Figure 9). From top to bottom the plots show of MOD-NAV differences in ITFR reference frame: on X, Y and Z axis respectively. The difference between both solutions is given in [m].






Figure 7: Difference MOD-GPSNAV, S/C C, 06/07. From top to bottom: X, Y and Z axis




Figure 8: Difference MOD-GPSNAV, S/C C, 09/07. From top to bottom: X, Y and Z axis






Figure 9: Difference MOD-GPSNAV, S/C C, 12/07. From top to bottom: X, Y and Z axis

3.2.2 Attitude observations

3.2.2.1 Swarm A

- SW-IDEAS-79: We observe some intervals of rejected attitudes for S/C A on 07/07, 08/07 and 09/07 (Flags_q=255). The reason for such rejection is the simultaneous occurrence of BBOs on two CHUs and invalid measurement on third CHU. See Table 3 below for details.

Table 3: Attitudes out-of-range on S/C A due to BBOs and invalid measurement, week 28.

| Start time | Stop time | Value | Length |
|---------------------|---------------------|-------|--------|
| 07/07/2015 03:12:51 | 07/07/2015 03:12:55 | 255 | 5 |
| 08/07/2015 03:40:29 | 08/07/2015 03:40:33 | 255 | 5 |
| 08/07/2015 08:21:15 | 08/07/2015 08:21:21 | 255 | 7 |
| 09/07/2015 04:39:10 | 09/07/2015 04:39:24 | 255 | 15 |
| 09/07/2015 06:12:41 | 09/07/2015 06:12:44 | 255 | 4 |
| 09/07/2015 06:12:56 | 09/07/2015 06:13:00 | 255 | 5 |

3.2.2.2 Swarm B

- SW-IDEAS-79: We observe two intervals of rejected attitudes for S/C B on 08/07 and 10/07 (Flags_q=255). The reason for such rejection is the simultaneous occurrence of BBOs on two CHUs and invalid measurement on third CHU. See Table 4 below for details.

Table 4: Attitudes out-of-range on S/C B due to BBOs and invalid measurement, week 28.

| Start time | Stop time | Value | Length |
|------------|-----------|-------|--------|
|------------|-----------|-------|--------|



| 08/07/2015 03:12:14 | 08/07/2015 03:12:28 | 255 | 15 |
|---------------------|---------------------|-----|----|
| 10/07/2015 23:44:11 | 10/07/2015 23:44:15 | 255 | 5 |

3.2.2.3 Swarm C

- SW-IDEAS-79: We observe some intervals of rejected attitudes for S/C C on 08/07, 09/07 and 10/07 (Flags_q=255). The reason for such rejection is the simultaneous occurrence of BBOs on two CHUs and invalid measurement on third CHU. See Table 5 below for details. We have observed different interval of rejection during the day 09/07. This case will need more investigation.

Table 5: Attitudes out-of-range on S/C C due to BBOs and invalid measurement, week 28.

| Start time | Stop time | Value | Length |
|---------------------|---------------------|-------|--------|
| 08/07/2015 06:47:44 | 08/07/2015 06:48:02 | 255 | 19 |
| 08/07/2015 08:21:08 | 08/07/2015 08:21:16 | 255 | 9 |
| 08/07/2015 06:47:44 | 08/07/2015 06:48:02 | 255 | 19 |
| 09/07/2015 03:05:14 | 09/07/2015 03:05:53 | 255 | 40 |
| 09/07/2015 04:38:46 | 09/07/2015 04:39:20 | 255 | 34 |
| 09/07/2015 06:12:25 | 09/07/2015 06:12:29 | 255 | 5 |
| 09/07/2015 07:46:11 | 09/07/2015 07:46:19 | 255 | 9 |
| 09/07/2015 09:19:55 | 09/07/2015 09:20:19 | 255 | 25 |
| 09/07/2015 09:20:28 | 09/07/2015 09:20:31 | 255 | 4 |
| 09/07/2015 10:53:34 | 09/07/2015 10:53:37 | 255 | 4 |
| 09/07/2015 10:53:52 | 09/07/2015 10:54:13 | 255 | 21 |
| 09/07/2015 12:29:22 | 09/07/2015 12:29:28 | 255 | 7 |
| 09/07/2015 15:32:39 | 09/07/2015 15:32:46 | 255 | 7 |
| 10/07/2015 00:56:42 | 10/07/2015 00:56:46 | 255 | 5 |

3.3 Magnetic Products

For the magnetic products the weekly monitoring consists in:

- TCF.VFM parameters monitoring (VFM calibration parameters): series of biases, scales, non-orthogonality factors and RMS. **This check is performed on monthly basis**
- ASM instrument monitoring: quartz frequency and ASM temperature
- VFM instrument monitoring: temperatures
- Visual inspection of daily time series of magnetic field intensity F, BNEC and BVFM. Looking for gaps (or zero values in case of MAGx_LR_1B products), out-of-threshold values (i.e. exceeding +/- 60000 nT), and other strange features.



- Monitoring of the **VFM-ASM known anomaly**: visual inspection of |B_{NEC}| F and recording of daily maximum variations. If +/- 5 nT are exceed on a given day, an alert is raised.
- Comparison of magnetic data (BNEC) with a model (Chaos4plus);

3.3.1 ASM-VFM difference statistics

In Table 6, one can see the statistics of the differences between magnetic field absolute value measured by ASM and by VFM. In the second and third column are reported the maximum differences, maximum negative and maximum positive respectively. The maximum standard deviation is in the fourth column.

Table 6 Swarm A and B, difference between magnetic field absolute value measured by ASM and by VFM.

| | Swarm A, 06/07 - 12/07, ASM-VFM difference | | | | | |
|-------|--|-----------------------|------------------------|-------|--|--|
| Day | Max (nT) | Min (nT) | Standard deviation (m) | Notes | | |
| 06/07 | 1.6E+00 | -1.7E+00 | 7.4E-01 | | | |
| 07/07 | 1.8E+00 | -1.6E+00 | 7.5E-01 | | | |
| 08/07 | 2.0E+00 | -1.5E+00 | 7.3E-01 | | | |
| 09/07 | 2.0E+00 | -1.3E+00 | 7.3E-01 | | | |
| 10/07 | 2.0E+00 | -3.7E+00 | 7.3E-01 | | | |
| 11/07 | 4.1E+00 | -3.5E+00 | 7.3E-01 | | | |
| 12/07 | 2.2E+00 | -1.2E+00 | 7.4E-01 | | | |
| | S | warm B, 06/07 - 12/07 | , ASM-VFM difference | | | |
| Day | Max (nT) | Min (nT) | Standard deviation (m) | Notes | | |
| 06/07 | 3.0E+00 | -1.5E+00 | 6.2E-01 | | | |
| 07/07 | 1.6E+00 | -1.9E+00 | 6.7E-01 | | | |
| 08/07 | 1.8E+00 | -1.6E+00 | 6.9E-01 | | | |
| 09/07 | 1.7E+00 | -1.8E+00 | 7.2E-01 | | | |
| 10/07 | 1.6E+00 | -2.1E+00 | 7.3E-01 | | | |
| 11/07 | 3.0E+00 | -2.8E+00 | 7.7E-01 | | | |
| 12/07 | 1.6E+00 | -1.9E+00 | 7.8E-01 | | | |



3.3.2 ASM Instrument parameters: quartz frequency and ASM temperature (ASMAVEC_0)

For S/C Alpha and Bravo the temperature and quartz frequency behaved as expected.

3.3.3 VFM Instrument parameters: VFM temperatures (MAG_CA)

The VFM instrument parameters important for monitoring the instrument health are the VFM sensor temperatures: T_CDC, T_CSC and T_EU.

For S/C Alpha and Bravo for reported period the temperatures behaved as expected.

3.3.4 Magnetic time series visual inspection

3.3.4.1 Swarm A

An example of representative magnetic field time series for S/C A (12/07) can be seen in Figure 10 below.




Figure 10: Time series of the geomagnetic field, for 12/07, S/C A. From top to bottom: magnetic field components in NEC reference frame, magnetic field components in the VFM reference frame, magnetic field intensity (F) from ASM, and location of gaps (if any).



3.3.4.2 Swarm B

An example of representative magnetic field time series for S/C B (12/07) can be seen in Figure 11 below.




Figure 11: Time series of the geomagnetic field for 12/07, S/C B. From top to bottom: magnetic field components in NEC reference frame, magnetic field components in the VFM reference frame, magnetic field intensity (F) from ASM, and location of gaps (if any).

3.3.4.3 Swarm C

An example of magnetic field time series for S/C C (12/07) can be seen in Figure 12.






Figure 12: Time series of the geomagnetic field for 12/07, S/C C. From top to bottom: magnetic field components in NEC reference frame, magnetic field components in the VFM reference frame, magnetic field intensity (F) from ASM (no data here because ASM it is off) and location of gaps.



3.3.5 VFM-ASM anomaly

3.3.5.1 Swarm A

The daily peak-to-peak difference around the week stays within [-2, 2] nT with a few spikes not exceeding 2.5nT and two spikes of about 4nT on 10/07 and 11/07. Below two example plots follows of such differences: 06/07 (Figure 13), and 12/07 (Figure 14).




Figure 13: ASM-VFM residuals for S/C A, 06/07.




Figure 14: ASM-VFM residuals for S/C A, 12/07.

3.3.5.2 Swarm B

The daily peak-to-peak difference around the week is, on average: [-2, 2] nT, with a few spikes not exceeding 3.5 nT on 06/07 and 11/07. Below two example plots follows of such differences: 06/07 (Figure 15), and 12/07 (Figure 16).




Figure 15: ASM-VFM residuals for S/C B, 06/07.




Figure 16: ASM-VFM residuals for S/C B, 12/07.



3.3.5.3 Swarm C

No data because ASM is switched off.

3.3.6 TCF.VFM monitoring

3.3.6.1 Swarm A

In the following plots one can see the three groups of TCF VFM calibration parameters for Swarm A, for the period from 01 to 30 June 2015: Biases (Figure 17), Scales (Figure 18) and Non-orthogonalities (Figure 19). Each group is actually a three-component vector in the compact detector coil frame. The biases are rather constant throughout the month; the X and Z scale components show a decreasing trend (Figure 18); a remarkable linear decrease of about 50% of the Y Non Orthogonality component is observed during this month (Figure 19).




Figure 17: TCF.VFM Biases for S/C A from 01 to 30 June 2015.




Figure 18: TCF.VFM Scale for S/C A from 01 to 30 June 2015.






Figure 19: TCF.VFM non orthogonalities for S/C A from 01 to 30 June 2015.

3.3.6.2 Swarm B

In the following plots one can see the three groups of TCF VFM calibration parameters for Swarm B, for the period from 01 to 30 June 2015: Biases (Figure 20), Scales (Figure 21) and Non-orthogonalities (Figure 22). Each group is actually a three-component vector in the compact detector coil frame. The biases and non orthogonalities are rather constant throughout the month; the X scale component show a decreasing trend while the Z scale component show a variable (decreasing, increasing and then decreasing again) trend throughout the month (Figure 21).




Figure 20: TCF.VFM Biases for S/C B from 01 to 30 June 2015.






Figure 21: TCF.VFM Scale for S/C B from 01 to 30 June 2015.




Figure 22: TCF.VFM Non orthogonalities for S/C B from 01 to 30 June 2015.

3.3.6.3 Swarm C

No data because ASM is still switched off

3.3.7 Summary of TCF behaviour for the three S/C

An important parameter which characterizes the quality of the TCF calculation is the weighted Root Mean Square (RMS) value of the residuals after the estimation. Figure 23 summarizes the RMS behaviour for all S/C during June 2015 (Red = S/C A, blue = S/C B). An increase of about 80% up to 16/06/2015 then a decrease of the same rate is observed for S/C A while the RMS for S/C B is rather constant throughout the month.






Figure 23: Weighted RMS (nT) of the residuals after the TCF estimation, all S/C, June 2015.

3.3.8 B_{NEC} vs Chaos4plus model residuals

Figure 24, Figure 26 and Figure 28 show field residuals dB= B_{NEC} - B_{Chaos} (all versus colatitude in degrees), from top to bottom: 1) Br, 2) B θ and 3) $B\phi$.

As a general feature one can see the field residuals to be steady and usually below 50 nT at low and middle latitudes, up to |55| - |60| degrees; then the residual increases at high latitudes because the Chaos model does not take into account the contribution from the external field ([RD.17]).

Figure 25, Figure 27 and Figure 29 shows, from top to bottom, the time series on 06/07 of: (1-2-3) residuals of B_{NEC} - B_{CHAOS} by components, related to Swarm Alpha, Bravo and Charlie respectively,

The component most affected by residual spikes and variations is B θ _NEC, i.e. the component which shows the variations of the field wrt to co-latitude. At high latitudes, the order of magnitude of the variability is about +/- 200 nT.



3.3.8.1 Swarm A




Figure 24: Swarm A day 06/07 B_NEC - B_Chaos vs colatitude.




Figure 25: Swarm A day 06/07: time series of B_NEC – B_Chaos residuals.



3.3.8.2 Swarm B




Figure 26 Swarm B day 06/07 B_NEC - B_Chaos difference vs colatitude.




Figure 27 Swarm B day 06/07 time series of B_NEC – B_Chaos residuals.



3.3.8.3 Swarm C




Figure 28 Swarm C day 06/07 B_NEC - B_Chaos difference vs colatitude.




Figure 29 Swarm C day 06/07 time series of B_NEC – B_Chaos residuals.



4. ON-DEMAND ANALYSIS

Nothing to report.



IDEAS+-SER-OQC-REP-2071 Issue 1.0

End of Document